```
LinksPlatform's Platform Numbers Class Library
    ./csharp/Platform.Numbers/Arithmetic.cs
   using System.Runtime.CompilerServices;
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
3
   namespace Platform. Numbers
5
6
        /// <summary>
        /// <para>Binary mathematical operations.</para>
        /// <para>Бинарные математические операции.</para>
        /// </summary>
10
11
        public static class Arithmetic
12
            /// <summary>
13
            /// <para>Performing adding the x and y arguments.</para>
14
            /// <para>Выполняет ложение аргументов х и у.</para>
            /// </summary>
16
            /// <param name="x">
17
            /// <para>The first term.</para>
18
            /// <para>Первое слагаемое.</para>
19
            /// </param>
20
            /// <param name="y">
21
            /// <para>The second term.</para>
            /// <para>Второе слагаемое.</para>
23
            /// </param>
^{24}
            /// <returns>
            /// <para>Sum of x and y.</para>
26
            /// <para>Сумма х и у.</para>
27
            /// </returns>
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public static T Add<T>(T x, T y) => Arithmetic<T>.Add(x, y);
30
31
            /// <summary>
32
            /// <para>Performs subtracting x from y.</para>
33
            /// <para>Выполняет вычитание х из у.</para>
            /// </summary>
            /// <param name="x">
/// <para>Minuend.</para>
36
37
            /// <para>Уменьшаемое.</para>
            /// </param>
39
            /// <param name="y">
40
            /// <para>Subtrahend.</para>
41
            /// <para>Вычитаемое.</para>
42
            /// </param>
43
            /// <returns>
44
            /// <para>Difference of x and y.</para>
            /// <para>Разность х и у.</para>
46
            /// </returns>
47
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
48
            public static T Subtract<T>(T x, T y) => Arithmetic<T>.Subtract(x, y);
50
            /// <summary>
            /// <para>Performs multiplication the x and y.</para>
52
            /// <para>Выполняет умножение х и у.</para>
53
            /// <\(\bar{\summary}\)
            /// <param name="x">
55
            /// <para>First multiplier.</para>
56
            /// <para>Первый множитель.</para>
57
            /// </param>
            /// <param name="y">
59
            /// <para>Second multiplier.</para>
60
            /// <para>Второй множитель.</para>
            /// </param>
62
            /// <returns>
63
            /// <para>Product of x and y.</para>
64
            /// <para>Произведение х и у.</para>
            /// </returns>
66
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
67
            public static T Multiply<T>(T x, T y) => Arithmetic<T>.Multiply(x, y);
69
70
            /// <summary>
            /// <para>Performs dividing x by y.</para>
71
            /// <para>Выполняет деление х на у.</para>
72
            /// </summary>
7.3
            /// <param name="x">
            /// <para>Dividend.</para>
75
            /// <para>Делимое.</para>
```

```
/// </param>
             /// <param name="y">
            /// <para>Divider.</para>
79
            /// <para>Делитель.</para>
80
             /// </param>
             /// <returns>
            /// <para>Quoitent of x and y.</para>
83
             /// <para>Частное х и у.</para>
84
             /// </returns>
             [MethodImpl(MethodImplOptions.AggressiveInlining)]
86
            public static T Divide<T>(T x, T y) => Arithmetic<T>.Divide(x, y);
             /// <summary>
89
             /// <para>Increasing the number x by one.</para>
90
             /// <para>Увеличение числа х на единицу.</para>
            /// </summary>
92
            /// <param name="x">
93
             /// <para>Increase the number required.</para>
             /// <para>Число требуемое увеличить.</para>
95
             /// </param>
96
             /// <returns>
97
             /// <para>Increase by one number x.</para>
            /// <para>Увеличенное на единицу число х.</para>
99
             /// </returns>
100
             [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public static T Increment<T>(T x) => Arithmetic<T>.Increment(x);
103
            /// <summary>
            /// <para>Increases the value of argument x by one.</para>
105
            /// <para>Увеличение значения аргумента х на единицу.</para>
106
             /// </summary>
            /// <param name="x">
108
             /// <para>Increase the argument required.</para>
109
             /// <para>Аргумент требуемый увеличить.</para>
110
            /// </param>
111
            /// <returns>
112
            /// <para>Increased argument x value.</para>
113
             /// <para>Увеличенное значение аргумента х</para>
             /// </returns>
115
             [MethodImpl(MethodImplOptions.AggressiveInlining)]
116
            public static T Increment<T>(ref T x) => x = Arithmetic<T>.Increment(x);
117
118
            /// <summary>
119
            /// <para>Decrease number x by one.</para>
            /// <para>Уменьшение числа х на единицу.</para>
121
            /// </summary>
122
            /// <param name="x">
123
            /// <para>Require the number reduce.</para>
124
            /// <para>Число требуемое уменьшить.</para>
125
            /// </param>
126
             /// <returns>
             /// <para>Decreased by one number x.</para>
128
             /// <para>Уменьшенное на единицу число х.</para>
129
             /// </returns>
130
             [MethodImpl(MethodImplOptions.AggressiveInlining)]
131
            public static T Decrement<T>(T x) => Arithmetic<T>.Decrement(x);
132
            /// <summary>
134
            /// <para>Decreases the value of the argument x by one.</para>
135
             /// <para>Уменьшение значения аргумента х на единицу.</para>
136
            /// </summary>
137
            /// <param name="x">
138
             /// <para>Require the argument reduce.</para>
             /// <para>Аргумент требуемый уменьшить.</para>
140
             /// </param>
141
            /// <returns>
142
             /// <para>Decreased argument x value.</para>
143
            /// <para>Уменьшеное значение аргумента x.</para>
144
             /// </returns>
145
             [MethodImpl(MethodImplOptions.AggressiveInlining)]
146
            public static T Decrement<T>(ref T x) => x = Arithmetic<T>.Decrement(x);
147
        }
148
149
     ./csharp/Platform.Numbers/ArithmeticExtensions.cs
1.2
    using System.Runtime.CompilerServices;
 1
    #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
```

```
namespace Platform. Numbers
5
6
        public static class ArithmeticExtensions
8
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public static T Decrement<T>(this ref T x) where T : struct => x =
10
             → Arithmetic<T>.Decrement(x);
11
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
12
            public static T Increment<T>(this ref T x) where T : struct => x =
             → Arithmetic<T>.Increment(x);
14
15
1.3
     ./csharp/Platform.Numbers/Arithmetic[T].cs
   using System;
   using System. Reflection. Emit;
   using System.Runtime.CompilerServices;
         Platform.Exceptions;
4
   using
   using Platform. Reflection;
5
   // ReSharper disable StaticFieldInGenericType
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
   namespace Platform. Numbers
10
   {
11
        public static class Arithmetic<T>
12
13
            public static readonly Func<T, T, T> Add = CompileAddDelegate();
14
            public static readonly Func<T, T, T> Subtract = CompileSubtractDelegate();
15
            public static readonly Func<T, T, T> Multiply = CompileMultiplyDelegate();
16
            public static readonly Func<T, T, T> Divide = CompileDivideDelegate();
17
            public static readonly Func<T, T> Increment = CompileIncrementDelegate();
public static readonly Func<T, T> Decrement = CompileDecrementDelegate();
                                              T> Increment = CompileIncrementDelegate();
18
19
20
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
21
            private static Func<T, T, T> CompileAddDelegate()
23
                 return DelegateHelpers.Compile<Func<T, T, T>>(emiter =>
24
25
                     Ensure.Always.IsNumeric<T>();
26
                     emiter.LoadArguments(0, 1);
27
                     emiter.Add();
28
                     emiter.Return();
                 });
30
            }
31
32
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
33
            private static Func<T, T, T> CompileSubtractDelegate()
34
                 return DelegateHelpers.Compile<Func<T, T, T>>(emiter =>
36
37
                     Ensure.Always.IsNumeric<T>();
38
                     emiter.LoadArguments(0, 1);
39
                     emiter.Subtract();
40
                     emiter.Return();
41
                 });
            }
43
44
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
45
            private static Func<T, T, T> CompileMultiplyDelegate()
46
47
                 return DelegateHelpers.Compile<Func<T, T, T>>(emiter =>
49
                     Ensure.Always.IsNumeric<T>();
50
                     emiter.LoadArguments(0, 1);
51
                     emiter.Emit(OpCodes.Mul);
52
                     emiter.Return();
5.3
                 });
54
            }
56
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            private static Func<T, T, T> CompileDivideDelegate()
58
59
                 return DelegateHelpers.Compile<Func<T, T, T>>(emiter =>
60
                     Ensure.Always.IsNumeric<T>();
62
                     emiter.LoadArguments(0, 1);
```

```
if (NumericType<T>.IsSigned)
64
                         emiter.Emit(OpCodes.Div);
66
67
                     else
                     {
69
                         emiter.Emit(OpCodes.Div_Un);
70
71
                     emiter.Return();
72
                 });
73
            }
75
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
76
            private static Func<T, T> CompileIncrementDelegate()
77
78
                 return DelegateHelpers.Compile<Func<T, T>>(emiter =>
79
                     Ensure.Always.IsNumeric<T>();
81
                     emiter.LoadArgument(0);
82
                     emiter.Increment<T>();
83
                     emiter.Return();
84
                 });
85
            }
86
87
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
88
            private static Func<T, T> CompileDecrementDelegate()
89
                 return DelegateHelpers.Compile<Func<T, T>>(emiter =>
91
92
                     Ensure.Always.IsNumeric<T>();
94
                     emiter.LoadArgument(0);
                     emiter.Decrement<T>();
95
96
                     emiter.Return();
                });
97
            }
98
        }
99
100
     ./csharp/Platform.Numbers/Bit.cs
1.4
    using System.Runtime.CompilerServices;
 2
 3
    #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
 4
   namespace Platform.Numbers
 7
        /// <summary>
        /// <para>A set of operations on the set bits of a number.</para>
10
        /// <para>Набор операций над установленными битами числа.</para>
11
        /// </summary>
12
13
        public static class Bit
14
15
            /// <summary>
16
            /// <para>Counts the number of bits set in a number.</para>
17
            /// <para>Подсчитывает количество установленных бит в числе.</para>
18
            /// </summary>
19
            /// <param>
20
            /// <para>Bitwise number.</para>
            /// <para>Число в битовом представлении.</para>
22
            /// </param>
23
            /// <returns>
24
            /// <para>Number of bits set in a number.</para>
25
            /// <para>Количество установленных бит в числе.</para>
26
            /// </returns>
27
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public static long Count(long x)
29
30
                long n = 0;
31
                while (x != 0)
32
33
                     n++:
34
                     x &= x - 1;
35
                 }
36
                return n;
            /// <summary>
39
            /// <para>Searches for the first bit set in a number.</para>
```

```
/// <para>Ищет первый установленный бит в числе.</para>
/// </summary>
/// <param>
/// <para>Bitwise number.</para>
/// <para>Число в битовом представлении.</para>
/// </param>
/// <returns>
/// <para>First bit set.</para>
/// <para>Первый установленный бит.</para>
/// </returns>
[MethodImpl(MethodImplOptions.AggressiveInlining)]
public static int GetLowestPosition(ulong value)
    if (value == 0)
        return -1;
    var position = 0;
    while ((value & 1UL) == 0)
        value >>= 1:
        ++position;
    return position;
}
/// <summary>
/// <para>.</para>
/// <para>.</para>
/// </summary>
/// <returns>
/// <para>.</para>
/// <para>.</para>
/// </returns>
[MethodImpl(MethodImplOptions.AggressiveInlining)]
public static T Not<T>(T x) => Bit<T>.Not(x);
/// <summary>
/// <para>.</para>
/// <para>.</para>
/// </summary>
/// <returns>
/// <para>.</para>
/// <para>.</para>
/// </returns>
[MethodImpl(MethodImplOptions.AggressiveInlining)]
public static T Or<T>(T x, T y) => Bit<T>.Or(x, y);
/// <summary>
/// <para> .</para>
/// <para>.</para>
/// </summary>
/// <returns>
/// <para>.</para>
/// <para>.</para>
/// </returns>
[MethodImpl(MethodImplOptions.AggressiveInlining)]
public static T And<T>(T x, T y) => Bit<T>.And(x, y);
/// <summary>
/// <para>.</para>
/// <para>.</para>
/// </summary>
/// <returns>
/// <para>.</para>
/// <para>.</para>
/// </returns>
[MethodImpl(MethodImplOptions.AggressiveInlining)]
public static T ShiftLeft<T>(T x, int y) => Bit<T>.ShiftLeft(x, y);
/// <summary>
/// <para>.</para>
/// <para>.</para>
/// </summary>
/// <returns>
/// <para>.</para>
/// <para>.</para>
/// </returns>
```

42

43

44

47

48

50

51

54 55

56 57

59 60

61

63

65 66

67

68

69

70

7.1

72

7.5

76 77

78

80

81

82

83

84

85

86

87 88

89

90

91

93

94

95

96

97

98 99

100

101

102

103

104

106

107

108

109 110

111

112

113

115

116

117

```
[MethodImpl(MethodImplOptions.AggressiveInlining)]
119
             public static T ShiftRight<T>(T x, int y) => Bit<T>.ShiftRight(x, y);
121
             /// <summary>
             /// <para>.</para>
123
             /// <para>.</para>
124
             /// </summary>
125
             /// <returns>
             /// <para>.</para>
127
             /// <para>.</para>
128
             /// </returns>
             [MethodImpl(MethodImplOptions.AggressiveInlining)]
             public static T PartialWrite<T>(T target, T source, int shift, int limit) =>
131

→ Bit<T>.PartialWrite(target, source, shift, limit);
             /// <summary>
133
             /// <para>.</para>
134
             /// <para>.</para>
             /// </summary>
             /// <returns>
137
             /// <para>.</para>
138
             /// <para>.</para>
139
             /// </returns>
140
             [MethodImpl(MethodImplOptions.AggressiveInlining)]
141
             public static T PartialRead<T>(T target, int shift, int limit) =>
              → Bit<T>.PartialRead(target, shift, limit);
         }
143
144
1.5
      ./csharp/Platform.Numbers/BitExtensions.cs
    using System.Runtime.CompilerServices;
 2
    #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
    namespace Platform. Numbers
 6
         /// <summary>
         /// <returns> bit operations </returns>
         /// </summary>
 9
         /* bit operations */
10
         public static class BitwiseExtensions
11
12
14
             [MethodImpl(MethodImplOptions.AggressiveInlining)]
15
             public static T Not<T>(this ref T target) where T : struct => target = Bit.Not(target);
17
             [MethodImpl(MethodImplOptions.AggressiveInlining)]
             public static T PartialWrite<T>(this ref T target, T source, int shift, int limit) where
19
              T: struct => target = Bit<T>.PartialWrite(target, source, shift, limit);
20
             [MethodImpl(MethodImplOptions.AggressiveInlining)]
             public static T PartialRead<T>(this T target, int shift, int limit) =>
22
              → Bit<T>.PartialRead(target, shift, limit);
23
    }
     ./csharp/Platform.Numbers/Bit[T].cs
    using System;
          System.Runtime.CompilerServices;
    using Platform. Exceptions;
    using Platform.Reflection;
    // ReSharper disable StaticFieldInGenericType
    #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
    namespace Platform. Numbers
 9
10
         public static class Bit<T>
11
             public static readonly Func<T, T> Not = CompileNotDelegate()
             public static readonly Func<T, T, T> Or = CompileOrDelegate()
public static readonly Func<T T T> And = CompileOrDelegate()
14
             public static readonly Func<T, T, T> And = CompileAndDelegate();
public static readonly Func<T, int, T> ShiftLeft = CompileShiftLeftDelegate();
public static readonly Func<T, int, T> ShiftRight = CompileShiftRightDelegate();
15
17
             public static readonly Func<T, T, int, int, T> PartialWrite =
18
                 CompilePartialWriteDelegate();
             public static readonly Func<T, int, int, T> PartialRead = CompilePartialReadDelegate();
```

```
[MethodImpl(MethodImplOptions.AggressiveInlining)]
private static Func<T, T> CompileNotDelegate()
    return DelegateHelpers.Compile<Func<T, T>>(emiter =>
        Ensure.Always.IsNumeric<T>();
        emiter.LoadArguments(0);
        emiter.Not();
        emiter.Return();
    });
}
[MethodImpl(MethodImplOptions.AggressiveInlining)]
private static Func<T, T, T> CompileOrDelegate()
    return DelegateHelpers.Compile<Func<T, T, T>>(emiter =>
        Ensure.Always.IsNumeric<T>();
        emiter.LoadArguments(0, 1);
        emiter.Or();
        emiter.Return();
    });
}
[MethodImpl(MethodImplOptions.AggressiveInlining)]
private static Func<T, T, T> CompileAndDelegate()
    return DelegateHelpers.Compile<Func<T, T, T>>(emiter =>
        Ensure.Always.IsNumeric<T>();
        emiter.LoadArguments(0, 1);
        emiter.And();
        emiter.Return();
    });
}
[MethodImpl(MethodImplOptions.AggressiveInlining)]
private static Func<T, int, T> CompileShiftLeftDelegate()
    return DelegateHelpers.Compile<Func<T, int, T>>(emiter =>
        Ensure.Always.IsNumeric<T>();
        emiter.LoadArguments(0, 1);
        emiter.ShiftLeft();
        emiter.Return();
    });
}
[MethodImpl(MethodImplOptions.AggressiveInlining)]
private static Func<T, int, T> CompileShiftRightDelegate()
    return DelegateHelpers.Compile<Func<T, int, T>>(emiter =>
        Ensure.Always.IsNumeric<T>();
        emiter.LoadArguments(0, 1);
        emiter.ShiftRight();
        emiter.Return();
    });
[MethodImpl(MethodImplOptions.AggressiveInlining)]
private static Func<T, T, int, int, T> CompilePartialWriteDelegate()
    return DelegateHelpers.Compile<Func<T, T, int, int, T>>(emiter =>
        Ensure.Always.IsNumeric<T>()
        var constants = GetConstants();
        var bitsNumber = constants.Item1;
        var numberFilledWithOnes = constants.Item2;
        ushort shiftArgument = 2;
        ushort limitArgument = 3;
        var checkLimit = emiter.DefineLabel();
        var calculateSourceMask = emiter.DefineLabel();
        // Check shift
        emiter.LoadArgument(shiftArgument);
        emiter.LoadConstant(0)
        emiter.BranchIfGreaterOrEqual(checkLimit); // Skip fix
        // Fix shift
```

23

24

26

27

28

29

30

31

33

34

36 37

38

39

40

41

42

43

45

46 47

49

50

52

53 54

55 56

58 59

60

62

63

65

66

68

70 71

72 73

74

75

77

78 79 80

81

83

84 85

86

87

89

90

91

92

93

94

96

97

```
emiter.LoadConstant(bitsNumber);
                     emiter.LoadArgument(shiftArgument);
                     emiter.Add();
101
                     emiter.StoreArgument(shiftArgument);
102
                     emiter.MarkLabel(checkLimit);
                     // Check limit
104
                     emiter.LoadArgument(limitArgument);
105
                     emiter.LoadConstant(0)
106
                     emiter.BranchIfGreaterOrEqual(calculateSourceMask); // Skip fix
                     // Fix limit
108
                     emiter.LoadConstant(bitsNumber);
109
                     emiter.LoadArgument(limitArgument);
110
                     emiter.Add();
                     emiter.StoreArgument(limitArgument)
112
                     emiter.MarkLabel(calculateSourceMask);
113
                     var sourceMask = emiter.DeclareLocal<T>();
                     var targetMask = emiter.DeclareLocal<T>();
115
                     emiter.LoadConstant(typeof(T), numberFilledWithOnes);
116
                     emiter.LoadArgument(limitArgument);
117
                     emiter.ShiftLeft();
118
                     emiter.Not();
119
                     emiter.LoadConstant(typeof(T), numberFilledWithOnes);
120
                     emiter.And();
121
                     emiter.StoreLocal(sourceMask);
122
                     emiter.LoadLocal(sourceMask);
123
                     emiter.LoadArgument(shiftArgument);
                     emiter.ShiftLeft();
125
                     emiter.Not():
126
                     emiter.StoreLocal(targetMask);
127
                     emiter.LoadArgument(0); // target
                     emiter.LoadLocal(targetMask);
129
                     emiter.And();
130
                     emiter.LoadArgument(1); // source
131
                     emiter.LoadLocal(sourceMask);
132
133
                     emiter.And():
                     emiter.LoadArgument(shiftArgument);
134
                     emiter.ShiftLeft();
                     emiter.Or();
136
137
                     emiter.Return();
                 });
             }
139
140
             [MethodImpl(MethodImplOptions.AggressiveInlining)]
141
             private static Func<T, int, int, T> CompilePartialReadDelegate()
142
143
                 return DelegateHelpers.Compile<Func<T, int, int, T>>(emiter =>
145
                     Ensure.Always.IsNumeric<T>()
146
                     var constants = GetConstants()
147
                     var bitsNumber = constants.Item1;
148
                     var numberFilledWithOnes = constants.Item2;
                     ushort shiftArgument =
150
                     ushort limitArgument = 2
151
                     var checkLimit = emiter.DefineLabel();
152
                     var calculateSourceMask = emiter.DefineLabel();
153
                     // Check shift
                     emiter.LoadArgument(shiftArgument);
155
                     emiter.LoadConstant(0)
156
                     emiter.BranchIfGreaterOrEqual(checkLimit); // Skip fix
                     // Fix shift
158
                     emiter.LoadConstant(bitsNumber);
159
                     emiter.LoadArgument(shiftArgument);
                     emiter.Add();
161
                     emiter.StoreArgument(shiftArgument);
162
163
                     emiter.MarkLabel(checkLimit);
                        Check limit
                     emiter.LoadArgument(limitArgument);
165
                     emiter.LoadConstant(0);
166
                     emiter.BranchIfGreaterOrEqual(calculateSourceMask); // Skip fix
167
168
                     // Fix limit
                     emiter.LoadConstant(bitsNumber);
169
170
                     emiter.LoadArgument(limitArgument);
171
                     emiter.Add()
                     emiter.StoreArgument(limitArgument);
172
                     emiter.MarkLabel(calculateSourceMask):
173
                     var sourceMask = emiter.DeclareLocal<T>();
                     var targetMask = emiter.DeclareLocal<T>()
175
                     emiter.LoadConstant(typeof(T), numberFilledWithOnes);
176
```

```
emiter.LoadArgument(limitArgument); // limit
177
                      emiter.ShiftLeft();
                      emiter.Not();
179
                      emiter.LoadConstant(typeof(T), numberFilledWithOnes);
180
                      emiter.And();
                      emiter.StoreLocal(sourceMask);
182
                      emiter.LoadLocal(sourceMask);
183
                      emiter.LoadArgument(shiftArgument);
184
                      emiter.ShiftLeft();
                      emiter.StoreLocal(targetMask);
186
                      emiter.LoadArgument(0); // target
187
                      emiter.LoadLocal(targetMask);
188
                      emiter.And();
189
                      emiter.LoadArgument(shiftArgument);
190
                      emiter.ShiftRight();
191
192
                      emiter.Return();
                  });
193
             }
194
195
             [MethodImpl(MethodImplOptions.AggressiveInlining)]
196
             private static Tuple<int, T> GetConstants()
197
198
                  var type = typeof(T);
199
                  if (type == typeof(ulong))
200
                      return new Tuple<int, T>(64, (T)(object)ulong.MaxValue);
202
                  }
203
                  if (type == typeof(uint))
204
205
                      return new Tuple<int, T>(32, (T)(object)uint.MaxValue);
206
207
                  if (type == typeof(ushort))
                  {
209
                      return new Tuple<int, T>(16, (T)(object)ushort.MaxValue);
210
211
                  if (type == typeof(byte))
212
213
                      return new Tuple<int, T>(8, (T)(object)byte.MaxValue);
214
215
                  throw new NotSupportedException();
216
             }
217
         }
218
    }
219
1.7
      ./csharp/Platform.Numbers/Math.cs
    using System;
    using System.Runtime.CompilerServices;
 2
    #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
 4
    namespace Platform. Numbers
 6
         /// <remarks>
         /// Resizable array (FileMappedMemory) for values cache may be used. or cached oeis.org
 9
10
         /// </remarks>
         public static class Math
11
12
             /// <remarks>
13
             /// <para>Source: https://oeis.org/A000142/list </para>
14
             /// <para>Источник: https://oeis.org/A000142/list </para>
15
             /// </remarks>
16
17
             private static readonly ulong[] _factorials =
1.8
                           6, 24, 120, 720, 5040, 40320, 362880, 3628800, 39916800, 0, 6227020800, 87178291200, 1307674368000, 20922789888000
20
                  479001600,
21
                  355687428096000, 6402373705728000, 121645100408832000, 2432902008176640000
             };
24
             /// <remarks>
25
             /// <para>Source: https://oeis.org/A000108/list </para>
26
             /// <para>Источник: https://oeis.org/A000108/list </para>
27
             /// </remarks>
             private static readonly ulong[] _catalans =
29
30
                          2, 5, 14, 42, 13
2674440, 9694845,
                                                                            16796
                                              132, 429,
5, 35357670,
                                                     429
                                                                                    58786
                                                           1430
                                                                    4862,
                                                                                             208012
31
                  742900,
                                                            129644790.
                                                                           477638700,
                                                                                         1767263190,
32
                  6564120420, 24466267020, 91482563640,
                                                              343059613650, 1289904147324,

→ 4861946401452,
```

```
18367353072152,
                                   69533550916004,
                                                     263747951750360,
                                                                        1002242216651368,
34
                     3814986502092304
                14544636039226909, 55534064877048198, 212336130412243110, 812944042149730764,
35
                    3116285494907301262, 11959798385860453492
            };
37
            public static readonly ulong MaximumFactorialNumber = 20;
38
            public static readonly ulong MaximumCatalanIndex = 36;
40
41
            /// <summary>
42
            /// <para>Returns the product of all positive integers less than or equal to the number
43
                specified as an argument.</para>
            /// <para>Возвращает произведение всех положительных чисел меньше или равных указанному
             \rightarrow в качестве аргумента числу.</para>
            /// </summary>
45
            /// <param name="n"><para>The maximum positive number that will participate in
46
               factorial's product.</para><para>Максимальное положительное число, которое будет
            участвовать в произведение факториала.</para></param>
/// <returns><para>The product of all positive integers less than or equal to the number
47
                specified as an argument.</para><para>Произведение всех положительных чисел меньше
                или равных указанному в качестве аргумента числу.</para></returns>
            public static ulong Factorial(ulong n)
49
                if (n >= 0 && n <= MaximumFactorialNumber)</pre>
50
                     return _factorials[n];
52
                }
53
                else
54
                {
55
                     throw new ArgumentOutOfRangeException($\"Only numbers from 0 to
56
                        {MaximumFactorialNumber} are supported by unsigned integer with 64 bits
                     → length.");
                }
            }
59
            /// <summary>
60
            /// <para>Returns the Catalan Number with the number specified as an argument.</para>
61
            /// <para>Возвращает Каталановое число с номером указанным в качестве аргумента.</para>
62
            /// </summary>
63
            /// <param name="n"><para>The number of Catalan number.</para><para>Номер Каталанового
                числа.</para></param>
            \protect\ensuremath{///}\ensuremath{<} \text{returns}\protect\ensuremath{<} \text{catalan Number with the number specified as an}
65
             argument.</para><para>Каталановое число с номером указанным в качестве
                аргумента.</para></returns>
            public static ulong Catalan(ulong n)
66
                if (n >= 0 && n <= MaximumCatalanIndex)</pre>
69
                     return _catalans[n];
7.0
                }
                else
72
73
                     throw new ArgumentOutOfRangeException($"Only numbers from 0 to
                         {MaximumCatalanIndex} are supported by unsigned integer with 64 bits
                         length.");
                }
7.5
            }
76
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
78
            public static bool IsPowerOfTwo(ulong x) => (x & x - 1) == 0;
79
80
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
81
            public static T Abs<T>(T x) => Math<T>.Abs(x);
83
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
84
            public static T Negate<T>(T x) => Math<T>.Negate(x);
        }
86
87
1.8
     ./csharp/Platform.Numbers/MathExtensions.cs
   using System.Runtime.CompilerServices;
2
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
   namespace Platform.Numbers
6
        /// <summary>
```

```
/// <para>Provides a set of extension methods that perform mathematical operations on
            arbitrary object types.</para>
        /// <para>Предоставляет набор методов расширения выполняющих математические операции для
           объектов произвольного типа.</para>
        /// </summary>
10
        public static class MathExtensions
11
            /// <summary>
13
            /// <para>Takes a module from a number.</para>
14
            /// <para>Берёт модуль от числа.</para>
15
            /// </summary>
16
            /// <param name = "x">
17
            /// <para>The number from which to take the absolute value.</para>
18
            /// <para>Число от которого необходимо взять абсолютное значение.</para>
            /// </param>
20
            /// <returns>
21
22
            /// <para>The absolute value of a number.</para>
            /// <para>Абсолютное значение числа.</para>
23
            /// </returns>
24
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public static T Abs<T>(this ref T x) where T : struct => x = Math<T>.Abs(x);
27
            /// <summary>
28
            /// <para>Makes a number negative.</para>
29
            /// <para>Делает число отрицательным.</para>
30
            /// </summary>
31
            /// <param name = "x">
32
            /// <para>The number to be made negative.</para>
33
            /// <para>Число которое нужно сделать отрицательным.</para>
34
            /// </param>
            /// <returns>
36
            /// <para>Negative number.</para>
37
            /// <para>Отрицательное число.</para>
38
            /// </returns>
39
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
40
            public static T Negate<T>(this ref T x) where T : struct => x = Math<T>.Negate(x);
41
        }
42
   }
43
     ./csharp/Platform.Numbers/Math[T].cs
1.9
   using System;
   using System.Runtime.CompilerServices;
2
   using Platform. Exceptions;
   using Platform.Reflection;
4
   // ReSharper disable StaticFieldInGenericType
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
   namespace Platform.Numbers
10
        public static class Math<T>
11
12
            public static readonly Func<T, T> Abs = CompileAbsDelegate();
public static readonly Func<T, T> Negate = CompileNegateDelegate();
13
14
15
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
16
            private static Func<T, T> CompileAbsDelegate()
18
                return DelegateHelpers.Compile<Func<T, T>>(emiter =>
19
20
                     Ensure.Always.IsNumeric<T>();
21
                     emiter.LoadArgument(0);
22
                     if (NumericType<T>.IsSigned)
                         emiter.Call(typeof(System.Math).GetMethod("Abs", Types<T>.Array));
25
26
                     emiter.Return();
27
                });
28
            }
29
30
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
31
            private static Func<T, T> CompileNegateDelegate()
32
33
                return DelegateHelpers.Compile<Func<T, T>>(emiter =>
34
35
                     emiter.LoadArgument(0);
36
                     emiter.Negate();
                     emiter.Return();
38
                });
39
```

```
40
        }
41
   }
42
1.10
     ./csharp/Platform.Numbers.Tests/ArithmeticExtensionsTests.cs
   using Xunit;
   namespace Platform.Numbers.Tests
4
        public static class ArithmeticExtensionsTests
6
            [Fact]
            public static void IncrementTest()
10
                 var number = OUL;
11
                 var returnValue = number.Increment();
                 Assert.Equal(1UL, returnValue);
12
                 Assert.Equal(1UL, number);
13
            }
15
            [Fact]
16
            public static void DecrementTest()
17
18
                 var number = 1UL;
19
                 var returnValue = number.Decrement();
20
                 Assert Equal(OUL, returnValue);
21
22
                 Assert.Equal(OUL, number);
            }
23
        }
^{24}
   }
      ./csharp/Platform.Numbers.Tests/ArithmeticTests.cs
1.11
   using System;
   using Xunit;
3
   namespace Platform.Numbers.Tests
4
        public static class ArithmeticTests
6
7
            [Fact]
            public static void CompiledOperationsTest()
9
10
                 Assert.Equal(3, Arithmetic.Add(1, 2));
11
                 Assert.Equal(1, Arithmetic.Subtract(2, 1));
                                                          4));
                 Assert.Equal(8, Arithmetic.Multiply(2,
13
                Assert.Equal(4, Arithmetic.Divide(8, 2));
Assert.Equal(2, Arithmetic.Increment(1));
14
15
                 Assert Equal(1ÚL, Arithmetic Decrement(2ÚL));
16
                 Assert.Throws<NotSupportedException>(() => Arithmetic<string>.Subtract("1", "2"));
17
            }
18
        }
   }
20
1.12
     ./csharp/Platform.Numbers.Tests/BitTests.cs
   using System;
   using Xunit;
   namespace Platform.Numbers.Tests
   ₹
5
        public static class BitTests
6
7
            [Theory]
            [InlineData(00, -1)] // 0000 0000 (none, -1)
            [InlineData(01, 00)] // 0000 0001 (first, 0)
            [InlineData(08, 03)] // 0000 1000 (forth, 3)
11
            [InlineData(88, 03)] // 0101 1000 (forth, 3)
12
            public static void GetLowestBitPositionTest(ulong value, int expectedPosition)
13
                 Assert.True(Bit.GetLowestPosition(value) == expectedPosition);
15
            }
16
17
            [Fact]
18
19
            public static void ByteBitwiseOperationsTest()
20
                 Assert.True(Bit<byte>.Not(2) == unchecked((byte)~2));
21
                 Assert.True(Bit<byte>.Or(1, 2) == (1 | 2));
22
                 Assert.True(Bit<byte>.And(1, 2) == (1 & 2));
                 Assert.True(Bit<byte>.ShiftLeft(1, 2) == (1 << 2));
```

```
Assert.True(Bit<byte>.ShiftRight(1, 2) == (1 >> 2));
}
[Fact]
public static void UInt16BitwiseOperationsTest()
    Assert.True(Bit<ushort>.Not(2) == unchecked((ushort)~2));
    Assert.True(Bit\langle ushort \rangle.Or(1, 2) == (1 | 2));
    Assert.True(Bit<ushort>.And(1, 2) == (1 \& 2));
    Assert.True(Bit<ushort>.ShiftLeft(1, 2) == (1 << 2));
    Assert.True(Bit<ushort>.ShiftRight(1, 2) == (1 >> 2));
}
[Fact]
public static void UInt32BitwiseOperationsTest()
    Assert.True(Bit<uint>.Not(2) == unchecked((uint)~2));
    Assert. True(Bit<uint>.Or(1, 2) == (1 | 2));
    Assert.True(Bit<uint>.And(1, 2) == (1 & 2));
Assert.True(Bit<uint>.ShiftLeft(1, 2) == (1 << 2));
    Assert.True(Bit<uint>.ShiftRight(1, 2) == (1 >> 2));
[Fact]
public static void UInt64BitwiseOperationsTest()
    Assert.True(Bit<ulong>.Not(2) == unchecked((ulong)~2));
    Assert.True(Bit\langle ulong \rangle.Or(1, 2) == (1 | 2));
    Assert.True(Bit\langle ulong \rangle.And(1, 2) == (1 & 2));
    Assert.True(Bit<ulong>.ShiftLeft(1, 2) == (1 << 2));
    [Fact]
public static void PartialReadWriteTest()
    {
        uint firstValue = 1;
        uint secondValue = 1543;
        // Pack (join) two values at the same time
        uint value = secondValue << 1 | firstValue;</pre>
        uint unpackagedFirstValue = value & 1;
        uint unpackagedSecondValue = (value & 0xFFFFFFE) >> 1;
        Assert.True(firstValue == unpackagedFirstValue);
        Assert.True(secondValue == unpackagedSecondValue);
        // Using universal functions:
        Assert.True(PartialRead(value, 0, 1) == firstValue);
        Assert.True(PartialRead(value, 1, -1) == secondValue);
        firstValue = 0
        secondValue = 6892;
        value = PartialWrite(value, firstValue, 0, 1);
        value = PartialWrite(value, secondValue, 1, -1);
        Assert.True(PartialRead(value, 0, 1) == firstValue);
        Assert.True(PartialRead(value, 1, -1) == secondValue);
    }
    {
        uint firstValue = 1;
        uint secondValue = 1543;
        // Pack (join) two values at the same time
        uint value = secondValue << 1 | firstValue;</pre>
        uint unpackagedFirstValue = value & 1;
        uint unpackagedSecondValue = (value & 0xFFFFFFFE) >> 1;
        Assert.True(firstValue == unpackagedFirstValue);
        Assert.True(secondValue == unpackagedSecondValue);
        // Using universal functions:
        Assert.True(Bit.PartialRead(value, 0, 1) == firstValue);
        Assert.True(Bit.PartialRead(value, 1, -1) == secondValue);
```

27

29 30

31

32

33

34

37

39 40

41

42

43 44

45 46

48

49 50

51

52

53

55 56 57

58

60

61 62

63 64

65

66 67

69 70

7.1

72 73

74

7.5

76 77

78 79

80

81

82 83

84

85

86 87

88

90 91

92

93 94

96

98

99 100

101

102

 $\frac{103}{104}$

```
firstValue = 0;
        secondValue = 6892;
        value = Bit.PartialWrite(value, firstValue, 0, 1);
        value = Bit.PartialWrite(value, secondValue, 1, -1);
        Assert.True(Bit.PartialRead(value, 0, 1) == firstValue);
        Assert.True(Bit.PartialRead(value, 1, -1) == secondValue);
    }
    {
        uint firstValue = 1;
        uint secondValue = 1543;
        // Pack (join) two values at the same time
        uint value = secondValue << 1 | firstValue;</pre>
        uint unpackagedFirstValue = value & 1;
        uint unpackagedSecondValue = (value & OxFFFFFFFE) >> 1;
        Assert.True(firstValue == unpackagedFirstValue);
        Assert.True(secondValue == unpackagedSecondValue);
        // Using universal functions:
        var readMasksAndShiftForOAnd1 = GetReadMaskAndShift(0, 1);
        var readMasksAndShiftFor1AndMinus1 = GetReadMaskAndShift(1, -1);
        var writeMasksAndShiftForOAnd1 = GetWriteMasksAndShift(0, 1);
        var writeMasksAndShiftFor1AndMinus1 = GetWriteMasksAndShift(1, -1);
        Assert.True(PartialRead(value, readMasksAndShiftForOAnd1) == firstValue);
        Assert.True(PartialRead(value, readMasksAndShiftFor1AndMinus1) == secondValue);
        firstValue = 0:
        secondValue = 6892;
        value = PartialWrite(value, firstValue, writeMasksAndShiftForOAnd1);
        value = PartialWrite(value, secondValue, writeMasksAndShiftFor1AndMinus1);
        Assert.True(PartialRead(value, readMasksAndShiftForOAnd1) == firstValue);
        Assert.True(PartialRead(value, readMasksAndShiftFor1AndMinus1) == secondValue);
    }
}
// TODO: Can be optimized using precalculation of TargetMask and SourceMask
private static uint PartialWrite(uint target, uint source, int shift, int limit)
    if (shift < 0)</pre>
    {
        shift = 32 + shift;
    }
    if (limit < 0)</pre>
    {
        limit = 32 + limit;
    var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;</pre>
    var targetMask = ~(sourceMask << shift);</pre>
    return target & targetMask | (source & sourceMask) << shift;</pre>
}
private static uint PartialRead(uint target, int shift, int limit)
    if (shift < 0)</pre>
    {
        shift = 32 + shift;
    if (limit < 0)</pre>
        limit = 32 + limit;
    var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;</pre>
    var targetMask = sourceMask << shift;</pre>
    return (target & targetMask) >> shift;
}
private static Tuple<uint, uint, int> GetWriteMasksAndShift(int shift, int limit)
    if (shift < 0)</pre>
    {
        shift = 32 + shift;
    }
```

106

108

109 110

111

112

114

115

116

117 118

119

120

122 123

124

125

127

129

130

131

133

135 136

137

138 139

140

141 142

143

144

145

147

149 150

151

152 153

154

155

156

157 158

159

161

162 163

164 165

166

167

169

170 171

172 173

174

175

177 178

179 180

181

182

183

```
if (limit < 0)</pre>
185
                      limit = 32 + limit;
187
                 }
189
                 var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;</pre>
                 var targetMask = ~(sourceMask << shift);</pre>
190
                 return new Tuple<uint, uint, int>(targetMask, sourceMask, shift);
191
             }
192
193
             private static Tuple<uint, int> GetReadMaskAndShift(int shift, int limit)
195
                 if (shift < 0)</pre>
196
197
                      shift = 32 + shift;
198
199
                 if (limit < 0)</pre>
201
                      limit = 32 + limit;
202
                 }
203
                 var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;</pre>
204
                 var targetMask = sourceMask << shift;</pre>
                 return new Tuple<uint, int>(targetMask, shift);
206
             }
207
208
             private static uint PartialWrite(uint target, uint targetMask, uint source, uint
209

→ sourceMask, int shift) => target & targetMask | (source & sourceMask) << shift;
</p>
210
             private static uint PartialWrite(uint target, uint source, Tuple<uint, uint, int>
211
                 masksAndShift) => PartialWrite(target, masksAndShift.Item1, source,
                 masksAndShift.Item2, masksAndShift.Item3);
212
             private static uint PartialRead(uint target, uint targetMask, int shift) => (target &
213

→ targetMask) >> shift;
             private static uint PartialRead(uint target, Tuple<uint, int> masksAndShift) =>
             PartialRead(target, masksAndShift.Item1, masksAndShift.Item2);
216
             [Fact]
             public static void BugWithLoadingConstantOf8Test()
218
219
                 Bit<byte>.PartialWrite(0, 1, 5, -5);
220
             }
221
         }
222
223
1.13
       ./csharp/Platform.Numbers.Tests/MathExtensionsTests.cs
    using Xunit;
    namespace Platform.Numbers.Tests
 4
 5
         public static class MathExtensionsTests
 6
             [Fact]
             public static void AbsTest()
 Q
                 var number = -1L;
10
                 var returnValue = number.Abs();
                 Assert.Equal(1L, returnValue);
12
                 Assert.Equal(1L, number);
13
             }
15
             [Fact]
16
             public static void NegateTest()
17
18
                 var number = 2L;
                 var returnValue = number.Negate();
20
                 Assert.Equal(-2L, returnValue);
Assert.Equal(-2L, number);
21
             }
23
             [Fact]
25
             public static void UnsignedNegateTest()
26
27
                 var number = 2UL;
28
                 var returnValue = number.Negate();
29
                 Assert.Equal(18446744073709551614, returnValue);
                 Assert.Equal(18446744073709551614, number);
             }
32
         }
```

```
1.14 ./csharp/Platform.Numbers.Tests/MathTests.cs
using Xunit;
   namespace Platform. Numbers. Tests
        public static class MathTests
5
6
            [Fact]
            public static void CompiledOperationsTest()
                Assert.True(Math.Abs(Arithmetic < double > .Subtract(3D, 2D) - 1D) < 0.01);
            }
11
        }
12
13
   }
1.15 ./csharp/Platform.Numbers.Tests/SystemTests.cs
using Xunit;
   namespace Platform.Numbers.Tests
        public static class SystemTests
5
            [Fact]
            public static void PossiblePackTwoValuesIntoOneTest()
                uint value = 0;
10
                // Set one to first bit
12
                value |= 1;
13
14
                Assert.True(value == 1);
15
16
                // Set zero to first bit
17
                value &= OxFFFFFFE;
19
                // Get first bit
20
                uint read = value & 1;
21
22
                Assert.True(read == 0);
23
24
                uint firstValue = 1;
                uint secondValue = 1543;
26
27
                // Pack (join) two values at the same time
28
                value = (secondValue << 1) | firstValue;</pre>
29
30
                uint unpackagedFirstValue = value & 1;
31
                uint unpackagedSecondValue = (value & OxFFFFFFFE) >> 1;
32
33
                Assert.True(firstValue == unpackagedFirstValue);
                Assert.True(secondValue == unpackagedSecondValue);
35
36
                // Using universal functions:
37
                Assert.True(PartialRead(value, 0, 1) == firstValue);
39
                Assert.True(PartialRead(value, 1, -1) == secondValue);
40
                firstValue = 0;
42
                secondValue = 6892;
43
44
                value = PartialWrite(value, firstValue, 0, 1);
45
                value = PartialWrite(value, secondValue, 1, -1);
46
                Assert.True(PartialRead(value, 0, 1) == firstValue);
48
                Assert.True(PartialRead(value, 1, -1) == secondValue);
49
50
51
            private static uint PartialWrite(uint target, uint source, int shift, int limit)
52
                if (shift < 0)</pre>
54
                {
55
                    shift = 32 + shift;
56
57
                if (limit < 0)</pre>
58
                {
                     limit = 32 + limit;
60
                }
                var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;</pre>
62
```

```
var targetMask = ~(sourceMask << shift);
return (target & targetMask) | ((source & sourceMask) << shift);</pre>
63
64
               }
65
               private static uint PartialRead(uint target, int shift, int limit)
{
67
68
                     if (shift < 0)</pre>
69
                     {
70
                          shift = 32 + shift;
71
72
                     if (limit < 0)</pre>
73
                     {
74
                          limit = 32 + limit;
75
                     }
76
                     var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;</pre>
77
                     var targetMask = sourceMask << shift;
return (target & targetMask) >> shift;
78
79
80
          }
81
    }
82
```

Index

```
./csharp/Platform.Numbers.Tests/ArithmeticExtensionsTests.cs, 12
./csharp/Platform.Numbers.Tests/ArithmeticTests.cs, 12
./csharp/Platform.Numbers.Tests/BitTests.cs, 12
./csharp/Platform.Numbers.Tests/MathExtensionsTests.cs, 15
./csharp/Platform.Numbers.Tests/MathTests.cs, 16
./csharp/Platform.Numbers.Tests/SystemTests.cs, 16
./csharp/Platform.Numbers/Arithmetic.cs, 1
./csharp/Platform.Numbers/ArithmeticExtensions.cs, 2
./csharp/Platform.Numbers/Arithmetic[T].cs, 3
./csharp/Platform.Numbers/Bit.cs, 4
./csharp/Platform.Numbers/BitExtensions.cs, 6
./csharp/Platform.Numbers/Bit[T].cs, 6
./csharp/Platform.Numbers/Math.cs, 9
./csharp/Platform.Numbers/MathExtensions.cs, 10
./csharp/Platform.Numbers/Math[T].cs, 11
```