# Dean H - Employee Performance Management System Design Document

Introduction	2
Key Features	2
Tools and Technologies	2
System Architecture	3
Presentation Layer	3
Application Layer	3
Data Layer	3
Scalability and Performance Considerations	3
SQL Database Creation	4
Table Creation	4
Inserting Data	5
Stored Procedures SQL	8
Insert Employee Info	8
Insert Performance Review	8
Insert Department Info	8
Insert Employee Department Info	9
Add New Employee	9
Update Employee Details	10
Get Employee Performance Reviews	11
Get Top 5 Employees	11
Get Employees That Need a Performance Review	12
Components	12

Note - This project is not completed yet and I will still be working on this documentation as I produce the product. So there will be pseudocode to help structure the project and might change when I finish. But hopefully this will give you an idea of where I intend the project to go.

#### Introduction

The Employee Performance Management System is an ASP.NET Core MVC application designed to streamline the management of employee records and performance evaluations within an organization. By leveraging Microsoft SQL Server, Entity Framework Core, and SSRS, the system provides a comprehensive solution for tracking employee data, conducting performance reviews, and generating insightful reports. This application aims to enhance HR processes and decision-making by offering an intuitive interface for data management and analysis.

## **Key Features**

- The Employee Records Management feature utilizes SQL Server to manage employee details and departmental assignments. This information is dynamically displayed on Razor pages, providing a user-friendly interface for viewing team details.
- The Performance Reviews feature utilizes SQL Server to record and manage employee performance evaluations. This information is dynamically displayed on Razor pages, providing a user-friendly interface for tracking and analyzing employee performance over time.
- The Department Management feature utilizes SQL Server to manage department details and performance metrics. This information is dynamically displayed on Razor pages, providing a user-friendly interface for monitoring and analyzing department performance.
- The Data Security and Role-Based Access Control feature ensures secure access to sensitive data by implementing role-based access control (RBAC). It utilizes SQL Server to enforce access permissions and maintain data integrity, adhering to proper database design principles. This ensures that only authorized users can view and modify sensitive data, promoting data integrity and consistency.

#### **Tools and Technologies**

ASP.NET Core MVC - For building the web application.

Entity Framework Core - For database operations.

Razor - For rendering dynamic HTML content.

SQL Server 2022 Developer Edition - For database management.

SQL Server Reporting Services (SSRS) - For creating and displaying reports.

## **System Architecture**

The Employee Performance Management System follows a three-tier architecture, comprising the presentation layer, the application layer, and Data Layer. Each layer plays a distinct role in ensuring the functionality and performance of the system.

#### **Presentation Layer**

The presentation layer encompasses the user interface components responsible for displaying employee data, performance reviews, and department information. This layer includes web pages, views, and client-side scripts that facilitate user interaction with the application. Designed to be intuitive and user-friendly, the interface allows users to easily navigate through employee records and performance metrics.

#### **Application Layer**

Serving as the intermediary between the presentation layer and the data layer, the application layer handles business logic and data processing tasks. It comprises controllers, business logic components, and service layers responsible for processing user requests, fetching data from the data layer, and orchestrating the flow of information within the application. This layer ensures seamless integration of employee data and performance metrics retrieved from the data layer.

#### **Data Layer**

The data layer is responsible for storing and managing persistent data used by the application. It typically consists of a relational database management system (RDBMS), such as SQL Server, which stores employee records, performance reviews, department information, and other relevant data. The data layer ensures data integrity, consistency, and security through proper database design, including the definition of tables, relationships, and constraints. It also provides mechanisms for data retrieval, modification, and deletion, enabling efficient access to and manipulation of data by the application layer.

## **Scalability and Performance Considerations**

The system architecture of the application is designed to be scalable and performant, capable of handling increasing loads and user interactions. Horizontal scalability is achieved through load balancing and auto-scaling mechanisms, allowing the application to dynamically allocate resources based on demand. Performance optimizations, such as efficient database queries and caching strategies, are implemented to minimize latency and improve responsiveness. Additionally, asynchronous processing and parallelization techniques are employed to enhance throughput and resource utilization, ensuring optimal performance under varying workloads.

#### **SQL Database Creation**

#### **Table Creation**

```
CreatingDatabaseT...S4PTHQ\Dean (55)) + X InsertingTableData...0S4PTHQ\Dean (70))*
    CREATE SCHEMA Employee;
    CREATE SCHEMA Department;
    -- Create EmployeeInfo Table
   □ CREATE TABLE Employee.EmployeeInfo (
        employee_id INT IDENTITY (1,1) PRIMARY KEY,
        first name VARCHAR(255) NOT NULL,
        last name VARCHAR(255) NOT NULL,
        position VARCHAR(255) NOT NULL,
        hire date DATE NOT NULL
    );
    -- Create PerformanceReview Table
   ☐ CREATE TABLE Employee.PerformanceReview (
        review id INT IDENTITY (1,1) PRIMARY KEY,
        employee id INT NOT NULL,
        review date DATE NOT NULL,
        score INT NOT NULL,
        comments VARCHAR(255),
        CONSTRAINT FK Employee PerformanceReview FOREIGN KEY (employee id)
            REFERENCES Employee.EmployeeInfo(employee id) ON DELETE CASCADE
    );
    -- Create DepartmentInfo Table
   □ CREATE TABLE Department.DepartmentInfo (
        department id INT IDENTITY (1,1) PRIMARY KEY,
        department name VARCHAR(255) NOT NULL
    );
    -- Create EmployeeDepartment Table
   □ CREATE TABLE Department.EmployeeDepartment (
        connection_id INT IDENTITY (1,1) PRIMARY KEY,
        employee id INT NOT NULL,
        department_id INT NOT NULL,
        CONSTRAINT FK Employee EmployeeDepartment FOREIGN KEY (employee id)
            REFERENCES Employee.EmployeeInfo(employee_id) ON DELETE CASCADE,
        CONSTRAINT FK Department EmployeeDepartment FOREIGN KEY (department id)
            REFERENCES Department.DepartmentInfo(department id) ON DELETE CASCADE
```

#### **Inserting Data**

```
InsertingTableData...0S4PTHQ\Dean (70)) = ×
      use EmployeePerformanceDB;
      SET IDENTITY_INSERT Employee.EmployeeInfo ON;
    □ CREATE PROCEDURE InsertEmployeeInfo
          @EmployeeID INT,
           @FirstName VARCHAR(255),
           @LastName VARCHAR(255),
           @Position VARCHAR(255),
           @HireDate DATE
    BEGIN
           INSERT INTO Employee.EmployeeInfo (employee_id, first_name, last_name, position, hire_date)
           VALUES (@EmployeeID, @FirstName, @LastName, @Position, @HireDate);
      END;
      GO
      --TEAM A
    EXEC InsertEmployeeInfo 1, 'John', 'Doe', 'Tech Lead', '2022-01-15';
      EXEC InsertEmployeeInfo 2, 'Jane', 'Smith', 'Software Developer', '2022-03-22';
      EXEC InsertEmployeeInfo 3, 'Alice', 'Johnson', 'Software Developer', '2022-06-10'; EXEC InsertEmployeeInfo 4, 'Bob', 'Williams', 'Software Developer', '2022-08-05';
      EXEC InsertEmployeeInfo 5, 'Charlie', 'Brown', 'Software Developer', '2022-10-18';
      EXEC InsertEmployeeInfo 6, 'David', 'Jones', 'Software Developer', '2023-02-14'; EXEC InsertEmployeeInfo 7, 'Eva', 'Miller', 'Software Developer', '2023-04-30';
      EXEC InsertEmployeeInfo 8, 'Frank', 'Davis', 'Software Developer', '2023-07-21';
      -- TEAM B
      EXEC InsertEmployeeInfo 9, 'Grace', 'Hall', 'Tech Lead', '2023-09-12';
      EXEC InsertEmployeeInfo 10, 'Hannah', 'Moore', 'Software Developer', '2023-09-12'; EXEC InsertEmployeeInfo 11, 'Isaac', 'Clark', 'Software Developer', '2024-01-15'; EXEC InsertEmployeeInfo 12, 'Jack', 'Lewis', 'Software Developer', '2024-01-20';
      EXEC InsertEmployeeInfo 13, 'Kate', 'Martin', 'HR Lead', '2023-05-09';
EXEC InsertEmployeeInfo 14, 'Liam', 'Walker', 'HR', '2023-07-22';
      --SUPPORT
      EXEC InsertEmployeeInfo 15, 'Mia', 'Harris', 'Support Team Lead', '2023-06-13';
      EXEC InsertEmployeeInfo 16, 'Noah', 'Clarkson', 'Support Team', '2023-08-25';
      SET IDENTITY_INSERT Employee.EmployeeInfo OFF;
```

```
CREATE PROCEDURE InsertPerformanceReview
      @EmployeeID INT,
      @ReviewDate DATE,
      @Score INT,
      @Comments VARCHAR(255)
 ΔS
ĖBEGIN
      INSERT INTO Employee.PerformanceReview (employee id, review date, score, comments)
     VALUES (@EmployeeID, @ReviewDate, @Score, @Comments);
 END;
 --TEAM A

□ EXEC InsertPerformanceReview 1, '2023-01-15', 85, 'Good leadership skills';

 EXEC InsertPerformanceReview 2, '2023-03-22', 78, 'Consistent performance';
 EXEC InsertPerformanceReview 3, '2023-06-10', 82, 'Great improvement';
 EXEC InsertPerformanceReview 4, '2023-08-05', 74, 'Needs improvement in code quality';
 EXEC InsertPerformanceReview 5, '2023-10-18', 80, 'Solid performance';
 EXEC InsertPerformanceReview 6, '2023-12-14', 54, 'Average performance';
 EXEC InsertPerformanceReview 6, '2024-03-03', 24, 'Needs improving';
 EXEC InsertPerformanceReview 7, '2024-04-30', 88, 'Outstanding contribution';
 EXEC InsertPerformanceReview 8, '2024-07-21', 81, 'Good team player';
 --TEAM B
 EXEC InsertPerformanceReview 9, '2024-09-12', 89, 'Excellent leadership';
 EXEC InsertPerformanceReview 10, '2024-09-12', 77, 'Good coding skills'; EXEC InsertPerformanceReview 11, '2024-01-15', 83, 'Very reliable'; EXEC InsertPerformanceReview 12, '2024-01-20', 79, 'Consistent worker';
 EXEC InsertPerformanceReview 13, '2024-05-09', 87, 'Strong management'; EXEC InsertPerformanceReview 14, '2024-07-22', 75, 'Dependable';
 --SUPPORT
 EXEC InsertPerformanceReview 15, '2024-06-13', 86, 'Great customer service';
 EXEC InsertPerformanceReview 16, '2024-08-25', 78, 'Good problem-solving skills';
 go
 SET IDENTITY_INSERT Department.DepartmentInfo ON;
□ CREATE PROCEDURE InsertDepartmentInfo
      @DepartmentID INT,
      @DepartmentName VARCHAR(255)
⊟BEGIN
     INSERT INTO Department.DepartmentInfo (department id, department name)
     VALUES (@DepartmentID, @DepartmentName);
 END:
 go
EXEC InsertDepartmentInfo 2, 'Main Team A';
 EXEC InsertDepartmentInfo 3, 'Secondary Team B';
 EXEC InsertDepartmentInfo 4, 'Support Team';
 SET IDENTITY INSERT Department.DepartmentInfo OFF;
 go
```

```
□ CREATE PROCEDURE InsertEmployeeDepartmentInfo
     @EmployeeID INT,
     @DepartmentID INT
ĖBEGIN
     INSERT INTO Department.EmployeeDepartment (employee_id, department_id)
     VALUES (@EmployeeID, @DepartmentID);
 END;
 go
 -- Team A in Software Development
EXEC InsertEmployeeDepartmentInfo 2, 2;
 EXEC InsertEmployeeDepartmentInfo 3, 2;
 EXEC InsertEmployeeDepartmentInfo 4, 2;
 EXEC InsertEmployeeDepartmentInfo 5, 2;
 EXEC InsertEmployeeDepartmentInfo 6, 2;
 EXEC InsertEmployeeDepartmentInfo 7, 2;
 EXEC InsertEmployeeDepartmentInfo 8, 2;
 -- Team B in Software Development
 EXEC InsertEmployeeDepartmentInfo 9, 2;
 EXEC InsertEmployeeDepartmentInfo 10, 2;
 EXEC InsertEmployeeDepartmentInfo 11, 2;
 EXEC InsertEmployeeDepartmentInfo 12, 2;
 -- HR Department
 EXEC InsertEmployeeDepartmentInfo 13, 1;
 EXEC InsertEmployeeDepartmentInfo 14, 1;
 -- Support Team
 EXEC InsertEmployeeDepartmentInfo 15, 3;
 EXEC InsertEmployeeDepartmentInfo 16, 3;
```

## **Stored Procedures SQL**

## **Insert Employee Info**

First time setting up the database I needed access to the primary key.

#### **Insert Performance Review**

## **Insert Department Info**

#### **Insert Employee Department Info**

## **Add New Employee**

When adding a new employee I need to make it add entries to both the EmployeeInfo and the EmployeeDepartment. To create an new employee entry and connect it to the department.

```
ScopeProcedureNe...S4PTHQ\Dean (73)) = X
   □ CREATE PROCEDURE AddNewEmployee
        @FirstName VARCHAR(255),
        @LastName VARCHAR(255),
        @Position VARCHAR(255),
        @HireDate DATE,
         @DepartmentID INT
    AS
   BEGIN
        SET NOCOUNT ON;
        -- Insert the new employee
        INSERT INTO Employee.EmployeeInfo (first_name, last_name, position, hire_date)
        VALUES (@FirstName, @LastName, @Position, @HireDate);
         -- Declare variable to hold the newly inserted employee ID
        DECLARE @NewEmployeeID INT;
         -- Retrieve the newly inserted employee ID
        SELECT @NewEmployeeID = SCOPE_IDENTITY();
        -- Insert the entry in the EmployeeDepartment table
        INSERT INTO Department.EmployeeDepartment (employee_id, department_id)
        VALUES (@NewEmployeeID, @DepartmentID);
         -- Return the newly inserted employee ID
         SELECT @NewEmployeeID AS NewEmployeeID;
    END;
```

## **Update Employee Details**

```
□ CREATE PROCEDURE UpdateEmployeeDetails
     @EmployeeID INT,
     @FirstName VARCHAR(255),
     @LastName VARCHAR(255),
     @Position VARCHAR(255),
     @HireDate DATE,
     @DepartmentID INT
 AS
⊟ BEGIN
     SET NOCOUNT ON;
     BEGIN TRY
         -- Update employee details in Employee.EmployeeInfo table
         UPDATE Employee.EmployeeInfo
Ė
         SET first_name = @FirstName,
             last name = @LastName,
             position = @Position,
             hire date = @HireDate
         WHERE employee_id = @EmployeeID;
         -- Update department ID in Department.EmployeeDepartment table
         UPDATE Department.EmployeeDepartment
         SET department id = @DepartmentID
         WHERE employee_id = @EmployeeID;
         -- Check if any rows were affected
         IF @@ROWCOUNT = 0
         BEGIN
             RAISERROR ('Employee not found or details unchanged.', 16, 1);
         END
     END TRY
     BEGIN CATCH
         DECLARE @ErrorMessage NVARCHAR(4000) = ERROR MESSAGE();
         DECLARE @ErrorSeverity INT = ERROR SEVERITY();
         DECLARE @ErrorState INT = ERROR STATE();
         -- Rollback the transaction if one is active
         IF @@TRANCOUNT > 0
             ROLLBACK;
         -- Raise the error
         RAISERROR (@ErrorMessage, @ErrorSeverity, @ErrorState);
     END CATCH;
 END:
```

## **Get Employee Performance Reviews**

## **Get Top 5 Employees**

```
□ CREATE PROCEDURE GetTop5EmployeesAverageScore
 AS
BEGIN
     SET NOCOUNT ON;
     SELECT TOP 5
Ė
         employee.employee id,
         employee.first_name,
         employee.last_name,
         AVG(pr.score) AS average_score
     FROM
         Employee.EmployeeInfo employee
     INNER JOIN
         Employee.PerformanceReview pr ON employee.employee_id = pr.employee_id
     GROUP BY
         employee.employee_id, employee.first_name, employee.last_name
     ORDER BY
         average_score DESC;
 END;
```

## **Get Employees That Need a Performance Review**

```
CREATE PROCEDURE GetEmployeeDueForReview
     @MonthCutOff INT
 AS
BEGIN
     SET NOCOUNT ON;
     DECLARE @CutOff DATE;
     SET @CutOff = DATEADD(MONTH, -@MonthCutOff, GETDATE());
     SELECT
         employee.employee_id,
         employee.first_name,
         employee.last_name,
         employee.position,
         employee.hire_date,
         MAX(pr.review_date) AS last_review_date
         Employee.EmployeeInfo employee
     LEFT JOIN
         Employee.PerformanceReview pr
         employee.employee_id = pr.employee_id
     GROUP BY
         {\tt employee\_id,\ employee\_first\_name,\ employee\_last\_name,\ employee\_position,\ employee\_hire\_date}
     HAVING
        MAX(pr.review_date) IS NULL OR MAX(pr.review_date) <= @CutOff
     ORDER BY
        last_review_date ASC;
```

## Components

The