

No work is to be done before this matter is finalized and a "Change Order" is issued. This copy to remain with your office. Do not return. Contractor to submit signed letter with price including cost breakdown and change (if any) to construction schedule. Authority having Jurisdiction shall advise of any objections.

TO: QUOREX CONSTRUCTION SERVICES LTD.
1630A 8th Avenue,
Regina, SK S4R 1E5

RE: AURORA FOOD STORE
2000 ANAQUOD ROAD
REGINA, SK
Commission No. 2445

DATE: December 23, 2025

PAGES: 7 (including cover)

RE: Olive Bar Electrical

1.0 ELECTRICAL

- .1 Refer to attached Electrical PCN #29, dated December 10, 2025.
(2 pages text, 2 full size drawings E0.2, E2.1, 2 detail sheets)

Distribution:

Sobeys Inc. – Jeff Craig
Sobeys Inc. – Shanwen Hsu
Quorex Construction Services Ltd. – Chris Walbaum
Quorex Construction Services Ltd. – Dustin Williamson
Lavergne Draward & Associates Inc. – Charles Koop
CGM Engineering – Justin Albo
CGM Engineering – Tony Mitousis
CGM Engineering – Brendan Simpson

jeff.craig@sobeys.com
shanwen.hsu@sobeys.com
c.walbaum@quorex.ca
d.williamson@quorex.ca
ckoop@ldaeng.ca
justin_albo@cgmeng.ca
tony_mitousis@cgmeng.ca
brendan_simpson@cgmeng.ca



Principal
Kevin Fawley, SAA MRAIC

Project: Aurora Grocery Store
2000 Anaquod Road, Regina, Saskatchewan
Subject: Olive Bar
Date: 2025.12.10

Subject: Olive Bar
References: Electrical Drawing E0.2 – Schedules
Electrical Drawing E2.1 – Partial Layout - Power

1. Refer to attached drawing E0.2 - Schedules for revisions in Panel 'D'. Two(2) 20A-1P breakers are replaced with one(1) 25A-2P breaker serving the Olive Bar. The wire size is increased from #12 to #10.
2. Refer to attached drawing E2.4 – Partial Layout – Power. Two(2) duplex receptacles are removed and are replaced with one(1) direct connection junction box serving the Olive Bar. Refer to equipment nameplate and manufacturer's literature for exact requirements.

PANEL '100A'					
400A-347/600V-3PH-4W PANEL SURFACE MOUNTED IN COMPRESSOR ROOM 300					
DESCRIPTION	CIRCUIT BREAKER	PHASE A B C	CIRCUIT BREAKER	DESCRIPTION	
PANEL '6L'	100	1 0 2 3 0 4 5 0 6 7 0 8	25	GAS COOLER #10 WIRE	
TVSS #10 WIRE	30	8 0 10 11 0 12 13 0 14	30	COMPACTOR #10 WIRE	
SPACE	-	15 0 16	30	BALER #10 WIRE	
SPACE	-	17 0 18	-		
SPACE	-	19 0 20	-	SPACE	
SPACE	-	21 0 22	-	SPACE	
SPACE	-	23 0 24	-	SPACE	
SPACE	-	25 0 26	-	SPACE	
SPACE	-	27 0 28	-	SPACE	
SPACE	-	29 0 30	-	SPACE	
SPACE	-	31 0 32	-	SPACE	
SPACE	-	33 0 34	-	SPACE	
SPACE	-	35 0 36	-	SPACE	
SPACE	-	37 0 38	-	SPACE	
SPACE	-	39 0 40	-	SPACE	
SPACE	-	41 0 42	-	SPACE	

PANEL '100B'					
400A-347/600V-3PH-4W PANEL SURFACE MOUNTED IN COMPRESSOR ROOM 300					
DESCRIPTION	CIRCUIT BREAKER	PHASE A B C	CIRCUIT BREAKER	DESCRIPTION	
RTU-1, ROOF TOP UNIT #1 WIRE	125	1 0 2 3 0 4 5 0 6 7 0 8	15	RTU-4, ROOF TOP UNIT	
RTU-2, ROOF TOP UNIT #1 WIRE	70	9 0 10 11 0 12 13 0 14 15 0 16	15	RTU-5, ROOF TOP UNIT	
RTU-3, ROOF TOP UNIT #10 WIRE	30	17 0 18 19 0 20 21 0 22 23 0 24	15	RTU-6, ROOF TOP UNIT	
EX-1, EXHAUST FAN	15	25 0 26 27 0 28 29 0 30 31 0 32	30	AC-1, AIR CURTAIN #10 WIRE	
TVSS #10 WIRE	30	33 0 34 35 0 36 37 0 38 39 0 40	-	SPACE	
SPACE	-	41 0 42	-	SPACE	

PANEL '6L'					
100A-347/600V-3PH-4W PANEL SURFACE MOUNTED IN WEST STAFF CORRIDOR					
DESCRIPTION	CIRCUIT BREAKER	PHASE A B C	CIRCUIT BREAKER	DESCRIPTION	
LIGHTING - SALES - POT LIGHTS	15	1 0 2	15	LIGHTING - SALES	
SPACE	-	3 0 4	15	LIGHTING - SALES	
SPACE	-	5 0 6	15	LIGHTING - SALES	
LIGHTING - SEATING	15	7 0 8	15	LIGHTING - SALES	
LIGHTING - CHECKOUTS	15	9 0 10	15	LIGHTING - SALES	
LIGHTING - OFFICE	15	11 0 12	15	LIGHTING - SALES	
LIGHTING - DELI	15	13 0 14	15	LIGHTING - RECEIVING / WAREHOUSE	
LIGHTING - PHARMACY	15	15 0 16	15	LIGHTING - RECEIVING / WAREHOUSE	
LIGHTING - BAKERY	15	17 0 18	15	LIGHTING - COMPRESSOR ROOM	
LIGHTING - HMR	15	19 0 20	15	LIGHTING - COOLERS	
LIGHTING - SEAFOOD / MEATS / PRODUCE	15	21 0 22	15	LIGHTING - VESTIBULE	
SPACE	-	23 0 24	15	LIGHTING - EXTERIOR	
SPACE	-	25 0 26	-	SPACE	
SPACE	-	27 0 28	-	SPACE	
SPACE	-	29 0 30	-	SPACE	
SPACE	-	31 0 32	-	SPACE	
SPACE	-	33 0 34	-	SPACE	
SPACE	-	35 0 36	-	SPACE	
SPACE	-	37 0 38	-	SPACE	
SPACE	-	39 0 40	-	SPACE	
SPACE	-	41 0 42	-	SPACE	


PANEL 'SD-1'					
1200A-1200/208V-3PH-4W PANEL SURFACE MOUNTED IN WEST STAFF CORRIDOR					
DESCRIPTION	CIRCUIT BREAKER	PHASE A B C	CIRCUIT BREAKER	DESCRIPTION	
PANEL '2A'	200	1 0 2 3 0 4 5 0 6 7 0 8	100	PANEL '1'	
PANEL '2L'	200	9 0 10 11 0 12 13 0 14	100	PANEL 'F'	
PANEL '2B'	200	15 0 16 17 0 18 19 0 20	400	PANEL 'Y'	
PANEL '12	200	21 0 22 23 0 24 25 0 26 27 0 28 29 0 30	200	PANEL 'SM'	
TVSS	30	31 0 32 33 0 34 35 0 36 37 0 38 39 0 40 41 0 42	200	PANEL 'T'	
SPACE	-	43 0 44	-	SPACE	
SPACE	-	45 0 46	-	SPACE	
SPACE	-	47 0 48	-	SPACE	
SPACE	-	49 0 50	-	SPACE	
SPACE	-	51 0 52	-	SPACE	
SPACE	-	53 0 54	-	SPACE	
SPACE	-	55 0 56	-	SPACE	
SPACE	-	57 0 58	-	SPACE	
SPACE	-	59 0 60	-	SPACE	

PANEL 'SD-2'					
1200A-1200/208V-3PH-4W PANEL SURFACE MOUNTED IN COMPRESSOR ROOM 300					
DESCRIPTION	CIRCUIT BREAKER	PHASE A B C	CIRCUIT BREAKER	DESCRIPTION	
PANEL 'O'	100	1 0 2 3 0 4 5 0 6 7 0 8	200	PANEL 'R11'	
PANEL 'C1'	100	9 0 10 11 0 12 13 0 14	400	PANEL 'R21'	
PANEL 'R1M'	200	15 0 16 17 0 18 19 0 20	400	PANEL 'R31'	
PANEL 'Z'	100	21 0 22 23 0 24 25 0 26 27 0 28 29 0 30 31 0 32 33 0 34 35 0 36 37 0 38 39 0 40 41 0 42 43 0 44 45 0 46 47 0 48 49 0 50 51 0 52 53 0 54 55 0 56 57 0 58 59 0 60	22	PANEL 'R41'	
SPACE	-	23 0 24	-	SPACE	
SPACE	-	25 0 26	-	SPACE	
SPACE	-	27 0 28	-	SPACE	
SPACE	-	29 0 30	-	SPACE	
SPACE	-	31 0 32	-	SPACE	
SPACE	-	33 0 34	-	SPACE	
SPACE	-	35 0 36	-	SPACE	
SPACE	-	37 0 38	-	SPACE	
SPACE	-	39 0 40	-	SPACE	
SPACE	-	41 0 42	-	SPACE	
SPACE	-	43 0 44	-	SPACE	
SPACE	-	45 0 46	-	SPACE	
SPACE	-	47 0 48	-	SPACE	
SPACE	-	49 0 50	-	SPACE	
SPACE	-	51 0 52	-	SPACE	
SPACE	-	53 0 54	-	SPACE	
SPACE	-	55 0 56	-	SPACE	
SPACE	-	57 0 58	-	SPACE	
SPACE	-	59 0 60	-	SPACE	

PANEL '2A'					
200A-1200/208V-3PH-4W PANEL SURFACE MOUNTED IN COMPRESSOR ROOM 300					
DESCRIPTION	CIRCUIT BREAKER	PHASE A B C	CIRCUIT BREAKER	DESCRIPTION	
DOOR OPENER (EXTERIOR)	15	1 0 2	15	EXTERIOR SIGNAGE	
DOOR OPENER (EXTERIOR)	15	3 0 4	15	HOUSEKEEPING RECEPTACLES	
DOOR OPENER (INSIDE)	15	5 0 6	15	WAREHOUSE COMPUTER	
DOOR OPENER (INSIDE)	15	7 0 8	15	SHELVING RECEPTACLE	
DOOR OPENER (INSIDE)	15	9 0 10	15	SHELVING RECEPTACLE	
DOOR OPENER (INSIDE)	15	11 0 12	15	SHELVING RECEPTACLE	
BILLBOARD - NORTH	15	13 0 14	15	SHELVING RECEPTACLE	
BILLBOARD - NORTH	15	15 0 16	15	SHELVING RECEPTACLE	
BILLBOARD - NORTH	15	17 0 18	15	SHELVING RECEPTACLE	
BILLBOARD - NORTH	15	19 0 20	15	SHELVING RECEPTACLE	
BILLBOARD - WEST	15	21 0 22	15	SHELVING RECEPTACLE	
BILLBOARD - WEST	15	23 0 24	15	SHELVING RECEPTACLE	
BILLBOARD - WEST	15	25 0 26	15	SHELVING RECEPTACLE	
BILLBOARD - WEST	15	27 0 28	15	SHELVING RECEPTACLE	
EXTERIOR SIGNAGE	15	29 0 30	15	SHELVING RECEPTACLE	
EXTERIOR SIGNAGE	15	31 0 32	15	SHELVING RECEPTACLE	
EXTERIOR SIGNAGE	15	33 0 34	15	SHELVING RECEPTACLE	
EXTERIOR SIGNAGE	15	35 0 36	15	SHELVING RECEPTACLE	
EXTERIOR SIGNAGE	15	37 0 38	15	LIGHT BOX RECEPTACLES	
DRY TYPE MISTING SYSTEM	15	39 0 40	15	DRY TYPE MISTING SYSTEM	
SPACE	-	41 0 42	-	SPACE	
SPACE	-	43 0 44	-	SPACE	
SPACE	-	45 0 46	-	SPACE	
SPACE	-	47 0 48	-	SPACE	
SPACE	-	49 0 50	-	SPACE	
SPACE	-	51 0 52	-	SPACE	
SPACE	-	53 0 54	-	SPACE	
SPACE	-	55 0 56	-	SPACE	
SPACE	-	57 0 58	-	SPACE	
SPACE	-	59 0 60	-	SPACE	
SPACE	-	61 0 62	-	SPACE	
SPACE	-	63 0 64	-	SPACE	
SPACE	-	65 0 66	-	SPACE	
SPACE	-	67 0 68	-	SPACE	
SPACE	-	69 0 70	-	SPACE	
SPACE	-	71 0 72	-	SPACE	
SPACE	-	73 0 74	-	SPACE	
SPACE	-	75 0 76	-	SPACE	
SPACE	-	77 0 78	-	SPACE	
SPACE	-	79 0 80	-	SPACE	
SPACE	-	81 0 82	-	SPACE	
SPACE	-	83 0 84	-	SPACE	

PANEL '2L'					
200A-1200/208V-3PH-4W PANEL SURFACE MOUNTED IN WEST STAFF CORRIDOR					
DESCRIPTION	CIRCUIT BREAKER	PHASE A B C	CIRCUIT BREAKER	DESCRIPTION	
LIGHTING - SALES - TRACK	20	1 0 2	15	DECORATIVE LIGHTING	
LIGHTING - SALES - TRACK	15	3 0 4	20	LIGHTING - TRELLIS	
LIGHTING - SALES - TRACK	15	5 0 6	20	LIGHTING - TRELLIS	
LIGHTING - SALES - TRACK	15	7 0 8	20	LIGHTING - TRELLIS	
LIGHTING - SALES - TRACK	15	9 0 10	15	LIGHTING - BULKHEAD	
LIGHTING - DOCK LIGHTS	15	11 0 12	15	LIGHTING - BULKHEAD	
ILLUMINATION SIGNAGE POWER SUPPLY	15	13 0 14	15	ILLUMINATION SIGNAGE POWER SUPPLY	
ILLUMINATION SIGNAGE POWER SUPPLY	15	15 0 16	15	ILLUMINATION SIGNAGE POWER SUPPLY	
ILLUMINATION SIGNAGE POWER SUPPLY	15	17 0 18	15	ILLUMINATION SIGNAGE POWER SUPPLY	
ILLUMINATION SIGNAGE POWER SUPPLY	15	19 0 20	15	ILLUMINATION SIGNAGE POWER SUPPLY	
ILLUMINATION SIGNAGE POWER SUPPLY	15	21 0 22	-	SPACE	
SPACE	-	23 0 24	-	SPACE	
SPACE	-	25 0 26	-	SPACE	
SPACE	-	27 0 28	-	SPACE	
SPACE	-	29 0 30	-	SPACE	
SPACE	-	31 0 32	-	SPACE	
SPACE	-	33 0 34	-	SPACE	
SPACE	-	35 0 36	-	SPACE	
SPACE	-	37 0 38	-	SPACE	
SPACE	-	39 0 40	-	SPACE	
SPACE	-	41 0 42	-	SPACE	
SPACE	-	43 0 44	-	SPACE	
SPACE	-	45 0 46	-	SPACE	
SPACE	-	47 0 48	-	SPACE	
SPACE	-	49 0 50	-	SPACE	
SPACE	-	51 0 52	-	SPACE	
SPACE	-	53 0 54	-	SPACE	
SPACE	-	55 0 56	-	SPACE	
SPACE	-	57 0 58	-	SPACE	
SPACE	-	59 0 60	-	SPACE	


PANEL 'O'						
100A-120/208V-3PH-4W PANEL RECESS MOUNTED IN OFFICE CORRIDOR						
DESCRIPTION	CIRCUIT BREAKER	PHASE A B C	CIRCUIT BREAKER	DESCRIPTION		
MAIN - HOUSEKEEPING	15	1 0 2				
MAIN - IT RACK	20	3 4 4	15	MAIN - HAND DRYER		
MAIN - IT RACK	20	5 6 6				
MAIN - IT RACK	20	7 8 8	15	MAIN - HAND DRYER		
MAIN - IT RACK	20	9 0 10				
MAIN - CASH OFFICE - SAFE	15	11 0 12		SECOND - HAND DRYER		
MAIN - CASH OFFICE - PRINTER	15	13 0 14				
MAIN - CASH OFFICE - RECEIPTABLES	15	15 0 16		SECOND - HAND DRYER		
MAIN - FILE MANAGER - PRINTER	15	17 0 18		SECOND - WASHROOM RECEPTABLES		
MAIN - FILE MANAGER - RECEPTABLES	15	19 0 20	18	SECOND - HOUSEKEEPING		
MAIN - TELECOM BACKBOARD	20	21 0 22	15	SECOND - HOUSEKEEPING		
MAIN - HOUSEKEEPING	15	23 0 24	18	SECOND - Fridge		
MAIN - DEPARTMENT MANAGER - PRINTER	15	25 0 26	20	SECOND - COUNTER RECEPTABLES		
MAIN - DEPARTMENT MANAGER - RECEPTABLES	15	27 0 28	15	SECOND - MICROWAVE		
MAIN - DEPARTMENT MANAGER - RECEPTABLES	15	29 0 30	15	SECOND - TV		
MAIN - STORE MANAGER - PRINTER	15	31 0 32				
MAIN - STORE MANAGER - RECEPTABLES	15	33 0 34		EV-1, EVAPORATOR		
MAIN - LEARN OFFICE - RECEPTABLES	15	35 0 36				
MAIN - WASHROOM RECEPTABLES	30	37 0 38		EBB-1, BASEBOARD HEATER (2 x 1.0 kW)		
MAIN - JANITOR ROOM	20	39 0 40	15	EBB-1, BASEBOARD HEATER (2 x 1.0 kW)		
MAIN - MICROWAVE	15	41 0 42				
SPACE - SPECIAL PANEL	20	43 0 44	15	EBB-1, BASEBOARD HEATER (2 x 1.0 kW)		
SPACE	45	0 46 15		EBB-1, EXHAUST FAN		
SPACE	47	0 48 15		EF-4, EXHAUST FAN		
SPACE	49	0 50 15		SPACE		
SPACE	51	0 52 15		SPACE		
SPACE	53	0 54 15		SPACE		
SPACE	55	0 56 15		SPACE		
SPACE	57	0 58 15		SPACE		
SPACE	59	0 60 15		SPACE		
SPACE	61	0 62 15		SPACE		
SPACE	63	0 64 15		SPACE		
SPACE	65	0 66 15		SPACE		
SPACE	67	0 68 15		SPACE		
SPACE	69	0 70 15		SPACE		
SPACE	71	0 72 15		SPACE		
SPACE	73	0 74 15		SPACE		
SPACE	75	0 76 15		SPACE		
SPACE	77	0 78 15		SPACE		
SPACE	79	0 80 15		SPACE		
SPACE	81	0 82 15		SPACE		
SPACE	83	0 84 15		SPACE		



1 PARTIAL LAYOUT - POWER - DELI
SCALE: 1/4" = 1'-0"

DRAWING NOTES

1. PROVIDE PERMANENT TYPE WRITTEN LABEL ON ALL RECEPTACLES IDENTIFYING THE CIRCUIT NUMBER AND PANEL BOARD NAME TO WHERE IT IS CONNECTED.
2. VERIFY MOUNTING HEIGHT AND EXACT LOCATION OF RECEPTACLES AND STUDUPS. COORDINATE WITH MILL WORK, MECHANICAL AND REFRIGERATION CONTRACTOR, SUB TRADES AND SAFETY MANAGEMENT PRIOR TO ROUGH-IN.
3. COORDINATE FINAL LOCATION AND POWER / CONTROL REQUIREMENTS OF ALL EQUIPMENT IN VARIOUS DEPARTMENTS. COORDINATE WITH EQUIPMENT / FUTURE SUPPLIERS AND MILLWORK AND MILLWORK INSTALLER PRIOR TO ROUGH-IN.
4. COORDINATE THE HEIGHT OF TV RECEPTACLES WITH DECOR DRAWINGS AND TV MOUNTING BRACKETS.



1 KEY PLAN
SCALE: 1/84" = 1'-0"

DELI / CHEESE PREP. AREA EQUIPMENT SCHEDULE

EQUIP #	QTY	EQUIPMENT	CONDUCTORS (CU.)	VOLTS	LOAD	BREAKER
D-1	2	MANUAL SLICER	#12	-	MANUAL	-
D-2	1	IF REFRIGERATOR UIC UNIT	#12	120V-1PH	1.44 KW	15A-1P
D-3	1	CHEESE GRATER	#12	120V-1PH	560W	15A-1P
D-4	4	FIRMWARE SCALE	#12	120V-1PH	240W	15A-1P
D-5	3	SLICER "DELI BUDDY" SCALE	#12	120V-1PH	420W	15A-1P
D-6	1	IF REFRIGERATOR UIC UNIT	#12	120V-1PH	1.44 KW	15A-1P
D-7	1	SCALE AND PRINTER	#12	120V-1PH	240W	15A-1P
D-8	2	WRAPPER	#12	120V-1PH	725W	15A-1P
D-9	1	FOAMING STATION	#12	120V-1PH	200W	15A-1P
D-21	2	CHEESE DISPLAY	#12	120V-1PH	1.5 KW	20A-1P
D-22	1	OLIVE BAR	#10	208V-1PH	MCA: 16.5	25A-2P

- NOTES:
1. ELECTRICAL CONTRACTOR TO WIRE AND CONNECT ALL KITCHEN EQUIPMENT AS INDICATED. PROVIDE WIRING AND CIRCUIT BREAKERS TO FINAL NAMEPLATE OF THE EQUIPMENT.
 2. ELECTRICAL CONTRACTOR TO CONFIRM ALL EQUIPMENT LOADS, CIRCUIT SIZES, AND MOUNTING HEIGHTS PRIOR TO ROUGH-IN.
 3. ELECTRICAL CONTRACTOR TO PROVIDE ALL RELAYS & WIRING AND MAKE ALL CONNECTIONS FOR INTERLOCKING OF ALL EQUIPMENT AS REQUIRED. CONFIRM AND COORDINATE EXACT REQUIREMENTS ON SITE.
 4. ELECTRICAL CONTRACTOR TO PROVIDE ALL STARTERS AND DISCONNECT SWITCHES AS REQUIRED.
 5. ALL STARTERS ARE TO BE COMPLETE WITH OVERCURRENT PROTECTION.
 6. ELECTRICAL CONTRACTOR TO PROVIDE ALL LINE VOLTAGE CONTROL WIRING AS REQUIRED.
 7. PROVIDE A NEUTRAL WIRE FOR ALL EQUIPMENT.
 8. QUANTITIES ARE FOR UTILITIES INFORMATION ONLY TO DETERMINE LOADS. CONTRACTOR TO CONFIRM EXACT QUANTITIES AND LOCATIONS WITH THE APPROVED EQUIPMENT PACKAGE AND PLAN.

FLORAL PREP. AREA EQUIPMENT SCHEDULE

EQUIP #	QTY	EQUIPMENT	CONDUCTORS (CU.)	VOLTS	LOAD	BREAKER
F-1	1	FLORAL CASH UNIT	#12	120V-1PH	360W	15A-1P
F-2	1	FLORAL WRAPPER	#12	120V-1PH	725W	15A-1P
F-3	2	REFRIGERATED FLORAL CASES	#12	208V-1PH	16.5A	20A-2P

- NOTES:
1. ELECTRICAL CONTRACTOR TO WIRE AND CONNECT ALL KITCHEN EQUIPMENT AS INDICATED. PROVIDE WIRING AND CIRCUIT BREAKERS TO FINAL NAMEPLATE OF THE EQUIPMENT.
 2. ELECTRICAL CONTRACTOR TO CONFIRM ALL EQUIPMENT LOADS, CIRCUIT SIZES, AND MOUNTING HEIGHTS PRIOR TO ROUGH-IN.
 3. ELECTRICAL CONTRACTOR TO PROVIDE ALL RELAYS & WIRING AND MAKE ALL CONNECTIONS FOR INTERLOCKING OF ALL EQUIPMENT AS REQUIRED. CONFIRM AND COORDINATE EXACT REQUIREMENTS ON SITE.
 4. ELECTRICAL CONTRACTOR TO PROVIDE ALL STARTERS AND DISCONNECT SWITCHES AS REQUIRED.
 5. ALL STARTERS ARE TO BE COMPLETE WITH OVERCURRENT PROTECTION.
 6. ELECTRICAL CONTRACTOR TO PROVIDE ALL LINE VOLTAGE CONTROL WIRING AS REQUIRED.
 7. PROVIDE A NEUTRAL WIRE FOR ALL EQUIPMENT.
 8. QUANTITIES ARE FOR UTILITIES INFORMATION ONLY TO DETERMINE LOADS. CONTRACTOR TO CONFIRM EXACT QUANTITIES AND LOCATIONS WITH THE APPROVED EQUIPMENT PACKAGE AND PLAN.

3	PCN-29	2025.12.10	KC
2	PCN-28	2025.11.25	KC
1	PCN-27	2025.11.25	KC

NO. ISSUED FOR DATE BY

DRAWN BY: BS

PRINTING DATE: DECEMBER 10, 2025

CGM 200-1100 CORYDON AVE
WINNIPEG, MB R3M 0Y9
(204) 272-3255
ENGINEERING LTD. PROJECT NO: 24258

NEJ MARK
ARCHITECT

2-54 Adelaide Street Winnipeg Manitoba R3A 0V7
P 204 947 3775 F 204 947 3789 www.nejmark.mb.ca

Drawings and specifications, as instruments of service are the property of the Architect. The copyright in this plan is reserved to the Architect. No reproduction may be made without the permission of the Architect, and when made, must bear their name. All rights to be retained. The contractor is to verify dimensions and data noted herein with conditions on the site and is held responsible for reporting discrepancy to the Architect for adjustment.

PROJECT TITLE:

AURORA GROCERY
STORE
2000 ANAQUOD ROAD
REGINA, SASKATCHEWAN

SHEET TITLE:
PARTIAL LAYOUT -
POWER
COMMISSION NUMBER:
2445
SHEET NUMBER:
E2.1



REQUEST FOR INFORMATION SHEET

Phone: (306) 761-2222
Fax: (306) 761-2300

1630A 8th Ave
Regina, SK S4R 1E5

Date: November 27, 2025

To: Nejmark Architect

Attention: Kevin Fawley

Project: Aurora Food Store

Originator: Croft Electric

Project #: 2096

Spec Section: N/A

Query Number: SEVENTY-NINE

Drawings # E2.1

ISSUE REQUIRING RESPONSE:


- 1) The OLIVE BAR in the deli area do not match the electrical requirements on the drawings. The Electrical drawings show (2) 120 volt 20 amp circuits. The unit that arrived requires a 25Amp 120/208 volt circuit. The current installed breakers and wiring onsite for these coolers are incorrect. How are we to proceed?


DELI / CHEESE PREP. AREA EQUIPMENT SCHEDULE

EQUIP. #	QTY	EQUIPMENT	CONDUCTORS (CU.)	VOLTS	LOAD	BREAKER
D-1	2	MANUAL SLICER	#12	-	MANUAL	-
D-2	1	8' REFRIGERATOR U/C UNIT	#12	120V-1PH	1.44 KW	15A-1P
D-3	1	CHEESE GRATER	#12	120V-1PH	560W	15A-1P
D-4	4	FIRMWARE SCALE	#12	120V-1PH	240W	15A-1P
D-5	3	SLICER "DELI BUDDY" SCALE	#12	120V-1PH	420W	15A-1P
D-6	1	8' REFRIGERATOR U/C UNIT	#12	120V-1PH	1.44 KW	15A-1P
D-7	1	SCALE AND PRINTER	#12	120V-1PH	240W	15A-1P
D-8	2	WRAPPER	#12	120V-1PH	725W	15A-1P
D-9	1	FOAMING STATION	#12	120V-1PH	200W	15A-1P
D-21	2	CHEESE DISPLAY	#12	120V-1PH	1.5 KW	20A-1P
D-22	2	OLIVE BAR	#12	120V-1PH	1.5 KW	20A-1P

NOTES:

1. ELECTRICAL CONTRACTOR TO WIRE AND CONNECT ALL KITCHEN EQUIPMENT AS INDICATED. PROVIDE WIRING AND CIRCUIT BREAKERS TO FINAL NAMEPLATE OF THE EQUIPMENT.
2. ELECTRICAL CONTRACTOR TO CONFIRM ALL EQUIPMENT LOADS, CIRCUIT SIZES, AND MOUNTING HEIGHTS PRIOR TO ROUGH-IN.
3. ELECTRICAL CONTRACTOR TO PROVIDE ALL RELAYS & WIRING AND MAKE ALL CONNECTIONS FOR INTERLOCKING OF ALL EQUIPMENT AS REQUIRED. CONFIRM AND COORDINATE EXACT REQUIREMENTS ON SITE.
4. ELECTRICAL CONTRACTOR TO PROVIDE ALL STARTERS AND DISCONNECT SWITCHES AS REQUIRED.
5. ALL STARTERS ARE TO BE COMPLETE WITH OVERCURRENT PROTECTION.
6. ELECTRICAL CONTRACTOR TO PROVIDE ALL LINE VOLTAGE CONTROL WIRING AS REQUIRED.
7. PROVIDE A NEUTRAL WIRE FOR ALL EQUIPMENT.
8. QUANTITIES ARE FOR UTILITIES INFORMATION ONLY TO DETERMINE LOADS. CONTRACTOR TO CONFIRM EXACT QUANTITIES AND LOCATIONS WITH THE APPROVED EQUIPMENT PACKAGE AND PLAN.





Answer Required By: _____

RESOLUTION TO QUERY:

C.O. Required: Yes: _____ No: _____ C.O. No: _____
Date: _____ Resolution By: _____

CC: __Site_____