

No work is to be done before this matter is finalized and a "Change Order" is issued. This copy to remain with your office. Do not return. Contractor to submit signed letter with price including cost breakdown and change (if any) to construction schedule. Authority having Jurisdiction shall advise of any objections.

TO: QUOREX CONSTRUCTION SERVICES LTD.
 1630A 8th Avenue,
 Regina, SK S4R 1E5

RE: AURORA FOOD STORE
 2000 ANAQUOD ROAD
 REGINA, SK
 Commission No. 2445


DATE: April 30, 2025

PAGES: 4 (including cover)

RE: Seating Area Lights

1.0 ELECTRICAL

- .1 Refer to attached Electrical PCN #3, dated April 30, 2025 (3 pages).
 Provide credit for the deletion of six (6) Type M1 fixtures.



Distribution:

Sobeys Inc. – Jeff Craig
 Sobeys Inc. – Shanwen Hsu
 Quorex Construction Services Ltd. – Chris Walbaum
 Lavergne Draward & Associates Inc. – Charles Koop
 CGM Engineering – Justin Albo
 CGM Engineering – Tony Mitousis
 CGM Engineering – Brendan Simpson



Principal
 Kevin Fawley, SAA MRAIC

jeff.craig@sobeys.com
 shanwen.hsu@sobeys.com
 c.walbaum@quorex.ca
 ckoop@ldaeng.ca
 justin_albo@cgmeng.ca
 tony_mitousis@cgmeng.ca
 brendan_simpson@cgmeng.ca

Project: Aurora Grocery Store
2000 Anaquod Road, Regina, Saskatchewan
Subject: Seating Area Lighting Revisions
Date: 2025.04.30

Subject: Seating Area Lighting Revisions
References: Electrical Drawing E0.2 – Schedules
Electrical Drawing E1.0 - Lighting

1. Refer to attached drawing E0.2 for revised circuiting on electrical panels 6L and 2L.
2. Refer to attached drawing E1.0 for revised lighting layout in 'Seating 103'. Six(6) Type M1 light fixtures are removed and replaced with five(5) Type S light fixtures. Provide credit to the owner for removal of six(6) Type M1 fixtures. Wire and connect new Type S fixtures for seating area to 347/600V panel 6L on a 15A-1P circuit breaker as required.

PANEL '100A'				
400A-347/600V-3PH-4W PANEL SURFACE MOUNTED IN COMPRESSOR ROOM 300				
DESCRIPTION	CIRCUIT BREAKER	PHASE A B C	CIRCUIT BREAKER	DESCRIPTION
PANEL '8L'	100	1 0 2 3 0 1 5 0 15	20	GAS COOLER
TVSS #10 WIRE	30	7 0 8 9 0 10	30	COMPACTOR #10 WIRE
SPACE	-	13 0 14	-	BALER #10 WIRE
SPACE	-	15 0 16	30	SPACE
SPACE	-	17 0 18	-	SPACE
SPACE	-	19 0 20	-	SPACE
SPACE	-	21 0 22	-	SPACE
SPACE	-	23 0 24	-	SPACE
SPACE	-	25 0 26	-	SPACE
SPACE	-	27 0 28	-	SPACE
SPACE	-	29 0 30	-	SPACE
SPACE	-	31 0 32	-	SPACE
SPACE	-	33 0 34	-	SPACE
SPACE	-	35 0 36	-	SPACE
SPACE	-	37 0 38	-	SPACE
SPACE	-	39 0 40	-	SPACE
SPACE	-	41 0 42	-	SPACE

PANEL '100B'				
400A-347/600V-3PH-4W PANEL SURFACE MOUNTED IN COMPRESSOR ROOM 300				
DESCRIPTION	CIRCUIT BREAKER	PHASE A B C	CIRCUIT BREAKER	DESCRIPTION
RTU-1, ROOF TOP UNIT #1 WIRE	125	1 0 2 3 0 4 5 0 6 7 0 8	15	RTU-4, ROOF TOP UNIT
RTU-2, ROOF TOP UNIT #1 WIRE	70	9 0 10 11 0 12 13 0 14	15	RTU-5, ROOF TOP UNIT
RTU-3, ROOF TOP UNIT #10 WIRE	30	15 0 16 17 0 18 19 0 20 21 0 22 23 0 24	15	RTU-6, ROOF TOP UNIT
EF-1, EXHAUST FAN	15	25 0 26 27 0 28 29 0 30	30	AC-1, AIR CURTAIN #10 WIRE
TVSS #10 WIRE	30	31 0 32 33 0 34 35 0 36 37 0 38 39 0 40 41 0 42	-	SPACE
SPACE	-	31 0 32	-	SPACE
SPACE	-	33 0 34	-	SPACE
SPACE	-	35 0 36	-	SPACE
SPACE	-	37 0 38	-	SPACE
SPACE	-	39 0 40	-	SPACE
SPACE	-	41 0 42	-	SPACE

PANEL '8L'				
100A-347/600V-3PH-4W PANEL SURFACE MOUNTED IN WEST STAFF CORRIDOR				
DESCRIPTION	CIRCUIT BREAKER	PHASE A B C	CIRCUIT BREAKER	DESCRIPTION
LIGHTING - SALES - POT LIGHTS	15	1 0 2 3 0 4 5 0 6 7 0 8 9 0 10 11 0 12 13 0 14 15 0 16 17 0 18 19 0 20 21 0 22 23 0 24	15	LIGHTING - SALES
LIGHTING - SEATING	15	7 0 8 9 0 10 11 0 12 13 0 14 15 0 16 17 0 18 19 0 20 21 0 22 23 0 24	15	LIGHTING - SEATING
LIGHTING - CHECKOUTS	15	9 0 10 11 0 12 13 0 14 15 0 16 17 0 18 19 0 20 21 0 22 23 0 24	15	LIGHTING - CHECKOUTS
LIGHTING - OFFICE	15	11 0 12 13 0 14 15 0 16 17 0 18 19 0 20 21 0 22 23 0 24	15	LIGHTING - OFFICE
LIGHTING - DELI	15	13 0 14 15 0 16 17 0 18 19 0 20 21 0 22 23 0 24	15	LIGHTING - DELI
LIGHTING - PHARMACY	15	15 0 16 17 0 18 19 0 20 21 0 22 23 0 24	15	LIGHTING - PHARMACY
LIGHTING - BAKERY	15	17 0 18 19 0 20 21 0 22 23 0 24	15	LIGHTING - BAKERY
LIGHTING - HMR	15	19 0 20 21 0 22 23 0 24	15	LIGHTING - HMR
LIGHTING - SEAFOOD / MEATS / PRODUCE	15	21 0 22 23 0 24 25 0 26 27 0 28 29 0 30 31 0 32 33 0 34 35 0 36 37 0 38 39 0 40 41 0 42	15	LIGHTING - SEAFOOD / MEATS / PRODUCE
SPACE	-	23 0 24	-	SPACE
SPACE	-	25 0 26	-	SPACE
SPACE	-	27 0 28	-	SPACE
SPACE	-	29 0 30	-	SPACE
SPACE	-	31 0 32	-	SPACE
SPACE	-	33 0 34	-	SPACE
SPACE	-	35 0 36	-	SPACE
SPACE	-	37 0 38	-	SPACE
SPACE	-	39 0 40	-	SPACE
SPACE	-	41 0 42	-	SPACE

PANEL 'SD-1'				
1200A-120/208V-3PH-4W PANEL SURFACE MOUNTED IN COMPRESSOR ROOM 300				
DESCRIPTION	CIRCUIT BREAKER	PHASE A B C	CIRCUIT BREAKER	DESCRIPTION
PANEL '2A'	200	1 0 2 3 0 4 5 0 6 7 0 8 9 0 10 11 0 12 13 0 14 15 0 16 17 0 18 19 0 20	100	PANEL '1'
PANEL '2L'	200	8 0 10 9 0 10 11 0 12 13 0 14 15 0 16 17 0 18 19 0 20	100	PANEL '1'
PANEL '2B'	200	13 0 14 15 0 16 17 0 18 19 0 20	400	PANEL '1'
PANEL '12	200	21 0 22 23 0 24 25 0 26 27 0 28 29 0 30 31 0 32 33 0 34 35 0 36 37 0 38 39 0 40 41 0 42 43 0 44 45 0 46 47 0 48 49 0 50 51 0 52 53 0 54 55 0 56 57 0 58 59 0 60	200	PANEL '5M'
TVSS	30	27 0 28 29 0 30 31 0 32 33 0 34 35 0 36 37 0 38 39 0 40 41 0 42 43 0 44 45 0 46 47 0 48 49 0 50 51 0 52 53 0 54 55 0 56 57 0 58 59 0 60	200	PANEL '1'
SPACE	-	31 0 32	-	SPACE
SPACE	-	33 0 34	-	SPACE
SPACE	-	35 0 36	-	SPACE
SPACE	-	37 0 38	-	SPACE
SPACE	-	39 0 40	-	SPACE
SPACE	-	41 0 42	-	SPACE
SPACE	-	43 0 44	-	SPACE
SPACE	-	45 0 46	-	SPACE
SPACE	-	47 0 48	-	SPACE
SPACE	-	49 0 50	-	SPACE
SPACE	-	51 0 52	-	SPACE
SPACE	-	53 0 54	-	SPACE
SPACE	-	55 0 56	-	SPACE
SPACE	-	57 0 58	-	SPACE
SPACE	-	59 0 60	-	SPACE

PANEL 'SD-2'				
1200A-120/208V-3PH-4W PANEL SURFACE MOUNTED IN COMPRESSOR ROOM 300				
DESCRIPTION	CIRCUIT BREAKER	PHASE A B C	CIRCUIT BREAKER	DESCRIPTION
PANEL '1'	100	1 0 2 3 0 4 5 0 6 7 0 8 9 0 10 11 0 12 13 0 14 15 0 16 17 0 18 19 0 20 21 0 22 23 0 24 25 0 26 27 0 28 29 0 30 31 0 32 33 0 34 35 0 36 37 0 38 39 0 40 41 0 42 43 0 44 45 0 46 47 0 48 49 0 50 51 0 52 53 0 54 55 0 56 57 0 58 59 0 60	200	PANEL '11L'
PANEL '11'	100	7 0 8 9 0 10 11 0 12 13 0 14 15 0 16 17 0 18 19 0 20 21 0 22 23 0 24 25 0 26 27 0 28 29 0 30 31 0 32 33 0 34 35 0 36 37 0 38 39 0 40 41 0 42 43 0 44 45 0 46 47 0 48 49 0 50 51 0 52 53 0 54 55 0 56 57 0 58 59 0 60	400	PANEL '12L'
PANEL '13M'	200	13 0 14 15 0 16 17 0 18 19 0 20 21 0 22 23 0 24 25 0 26 27 0 28 29 0 30 31 0 32 33 0 34 35 0 36 37 0 38 39 0 40 41 0 42 43 0 44 45 0 46 47 0 48 49 0 50 51 0 52 53 0 54 55 0 56 57 0 58 59 0 60	400	PANEL '13L'
PANEL '2'	100	21 0 22 23 0 24 25 0 26 27 0 28 29 0 30 31 0 32 33 0 34 35 0 36 37 0 38 39 0 40 41 0 42 43 0 44 45 0 46 47 0 48 49 0 50 51 0 52 53 0 54 55 0 56 57 0 58 59 0 60	400	PANEL '14L'
SPACE	-	23 0 24	-	SPACE
SPACE	-	25 0 26	-	SPACE
SPACE	-	27 0 28	-	SPACE
SPACE	-	29 0 30	-	SPACE
SPACE	-	31 0 32	-	SPACE
SPACE	-	33 0 34	-	SPACE
SPACE	-	35 0 36	-	SPACE
SPACE	-	37 0 38	-	SPACE
SPACE	-	39 0 40	-	SPACE
SPACE	-	41 0 42	-	SPACE
SPACE	-	43 0 44	-	SPACE
SPACE	-	45 0 46	-	SPACE
SPACE	-	47 0 48	-	SPACE
SPACE	-	49 0 50	-	SPACE
SPACE	-	51 0 52	-	SPACE
SPACE	-	53 0 54	-	SPACE
SPACE	-	55 0 56	-	SPACE
SPACE	-	57 0 58	-	SPACE
SPACE	-	59 0 60	-	SPACE



PANEL '2A'				
200A-120/208V-3PH-4W PANEL SURFACE MOUNTED IN COMPRESSOR ROOM 300				
DESCRIPTION	CIRCUIT BREAKER	PHASE A B C	CIRCUIT BREAKER	DESCRIPTION
DOOR OPENER (EXTERIOR)	15	1 0 2 3 0 4 5 0 6 7 0 8 9 0 10 11 0 12 13 0 14 15 0 16 17 0 18 19 0 20 21 0 22 23 0 24	15	EXTERIOR SIGNAGE
DOOR OPENER (EXTERIOR)	15	3 0 4 5 0 6 7 0 8 9 0 10 11 0 12 13 0 14 15 0 16 17 0 18 19 0 20 21 0 22 23 0 24	15	HOUSEKEEPING RECEPTACLES
DOOR OPENER (INSIDE)	15	5 0 6 7 0 8 9 0 10 11 0 12 13 0 14 15 0 16 17 0 18 19 0 20 21 0 22 23 0 24	15	WAREHOUSE COMPUTER
DOOR OPENER (INSIDE)	15	7 0 8 9 0 10 11 0 12 13 0 14 15 0 16 17 0 18 19 0 20 21 0 22 23 0 24	15	SHELVING RECEPTACLE
DOOR OPENER (INSIDE)	15	9 0 10 11 0 12 13 0 14 15 0 16 17 0 18 19 0 20 21 0 22 23 0 24	15	SHELVING RECEPTACLE
BILLBOARD - NORTH	15	13 0 14 15 0 16 17 0 18 19 0 20 21 0 22 23 0 24	15	SHELVING RECEPTACLE
BILLBOARD - NORTH	15	15 0 16 17 0 18 19 0 20 21 0 22 23 0 24	15	SHELVING RECEPTACLE
BILLBOARD - NORTH	15	17 0 18 19 0 20 21 0 22 23 0 24	15	SHELVING RECEPTACLE
BILLBOARD - NORTH	15	19 0 20 21 0 22 23 0 24	15	SHELVING RECEPTACLE
BILLBOARD - WEST	15	21 0 22 23 0 24 25 0 26 27 0 28 29 0 30 31 0 32 33 0 34 35 0 36 37 0 38 39 0 40 41 0 42	15	SHELVING RECEPTACLE
BILLBOARD - WEST	15	23 0 24 25 0 26 27 0 28 29 0 30 31 0 32 33 0 34 35 0 36 37 0 38 39 0 40 41 0 42	15	SHELVING RECEPTACLE
BILLBOARD - WEST	15	25 0 26 27 0 28 29 0 30 31 0 32 33 0 34 35 0 36 37 0 38 39 0 40 41 0 42	15	SHELVING RECEPTACLE
BILLBOARD - WEST	15	27 0 28 29 0 30 31 0 32 33 0 34 35 0 36 37 0 38 39 0 40 41 0 42	15	SHELVING RECEPTACLE
EXTERIOR SIGNAGE	15	29 0 30 31 0 32 33 0 34 35 0 36 37 0 38 39 0 40 41 0 42 43 0 44 45 0 46 47 0 48 49 0 50 51 0 52 53 0 54 55 0 56 57 0 58 59 0 60	15	SHELVING RECEPTACLE
SPACE	-	31 0 32 33 0 34 35 0 36 37 0 38 39 0 40 41 0 42 43 0 44 45 0 46 47 0 48 49 0 50 51 0 52 53 0 54 55 0 56 57 0 58 59 0 60	-	SPACE
SPACE	-	33 0 34 35 0 36 37 0 38 39 0 40 41 0 42 43 0 44 45 0 46 47 0 48 49 0 50 51 0 52 53 0 54 55 0 56 57 0 58 59 0 60	-	SPACE
SPACE	-	35 0 36 37 0 38 39 0 40 41 0 42 43 0 44 45 0 46 47 0 48 49 0 50 51 0 52 53 0 54 55 0 56 57 0 58 59 0 60	-	SPACE
SPACE	-	37 0 38 39 0 40 41 0 42 43 0 44 45 0 46 47 0 48 49 0 50 51 0 52 53 0 54 55 0 56 57 0 58 59 0 60	-	SPACE
SPACE	-	39 0 40 41 0 42 43 0 44 45 0 46 47 0 48 49 0 50 51 0 52 53 0 54 55 0 56 57 0 58 59 0 60	-	SPACE
SPACE	-	41 0 42 43 0 44 45 0 46 47 0 48 49 0 50 51 0 52 53 0 54 55 0 56 57 0 58 59 0 60	-	SPACE
SPACE	-	43 0 44 45 0 46 47 0 48 49 0 50 51 0 52 53 0 54 55 0 56 57 0 58 59 0 60	-	SPACE
SPACE	-	45 0 46 47 0 48 49 0 50 51 0 52 53 0 54 55 0 56 57 0 58 59 0 60	-	SPACE
SPACE	-	47 0 48 49 0 50 51 0 52 53 0 54 55 0 56 57 0 58 59 0 60	-	SPACE
SPACE	-	49 0 50 51 0 52 53 0 54 55 0 56 57 0 58 59 0 60	-	SPACE
SPACE	-	51 0 52 53 0 54 55 0 56 57 0 58 59 0 60	-	SPACE
SPACE	-	53 0 54 55 0 56 57 0 58 59 0 60	-	SPACE
SPACE	-	55 0 56 57 0 58 59 0 60	-	SPACE
SPACE	-	57 0 58 59 0 60	-	SPACE
SPACE	-	59 0 60	-	SPACE

PANEL '2L'

200A-120/208V-3PH-4W PANEL

SURFACE MOUNTED IN WEST STAFF CORRIDOR

DESCRIPTION	CIRCUIT BREAKER	PHASE A B C	CIRCUIT BREAKER	DESCRIPTION
LIGHTING - SALES - TRACK	20	1 0 2	15	SPACE
LIGHTING - SALES - TRACK	15	3 0 4	20	LIGHTING - TRELLIS
LIGHTING - SALES - TRACK	15	5 0 6	20	LIGHTING - TRELLIS
LIGHTING - SALES - TRACK	15	7 0 8	20	LIGHTING - TRELLIS
LIGHTING - SALES - TRACK	15	9 0 10	15	LIGHTING - BULKHEAD
LIGHTING - DOCK LIGHTS	15	11 0 12	15	LIGHTING - BULKHEAD
SPACE	13	0 14	15	SPACE
SPACE	15	0 16	15	SPACE
SPACE	17	0 18	15	SPACE
SPACE	19	0 20	15	SPACE
SPACE	21	0 22	15	SPACE
SPACE	23	0 24	15	SPACE
SPACE	25	0 26	15	SPACE
SPACE	27	0 28	15	SPACE
SPACE	29	0 30	15	SPACE
SPACE	31	0 32	15	SPACE
SPACE	33	0 34	15	SPACE
SPACE	35	0 36	15	SPACE
SPACE	37	0 38	15	SPACE
SPACE	39	0 40	15	SPACE
SPACE	41	0 42	15	SPACE



DRAWING NOTES - LIGHTING

- ALL TRACK LIGHTING TO BE SUSPENDED ON THREADED ROD. FOLLOW MANUFACTURER'S DIRECTIONS FOR QUANTITIES OF SUSPENSION POINTS. TYPICAL.
- PRIOR TO ROUGH-IN OF ALL COOLER/FREEZER LUMINAIRES, COORDINATE WITH THE REFRIGERATION CONTRACTOR TO AVOID CONFLICT WITH EVAPORATION COILS. SEAL CONDUIT TO LUMINAIRES. TYPICAL.
- PROVIDE CEILING MOUNT LOW TEMPERATURE OCCUPANCY SENSOR. COORDINATE WITH REFRIGERATION CONTRACTOR SO SENSOR IS NOT IN DIRECT LINE OF COILS AND FLOW. TYPICAL OF ALL COOLERS.
- PROVIDE DUAL-TECH OCCUPANCY SENSOR. PROVIDE VOLTAGE TO SUIT. SENSOR TO PROVIDE LOCAL CONTROL OF THE LIGHTS IN THE AREA. TYPICAL.
- LIGHT FIXTURE TYPE 'S' TO BE SUSPENDED WITH AIRCRAFT CABLE FROM UNISTRUT SUPPORT BETWEEN JOISTS. TYPICAL.

LIGHTING ZONE SCHEDULE

ZONE	LIGHTING CIRCUIT	AREA DESCRIPTION	CONTROL SCHEME
1	6L-22	VESTIBULE	EMS TIMELOCK
2	6L-2, 6L-4, 6L-6, 6L-8	SALES AREA HIGH BAYS - WEST	EMS TIMELOCK
3	6L-10, 6L-12, 6L-14	SALES AREA HIGH BAYS - EAST	EMS TIMELOCK
4	6L-1, 6L-3, 6L-5, 6L-7	347V SALES AREA POT LIGHTS	EMS TIMELOCK
5	2L-2, 2L-4, 2L-6, 2L-8, 2L-10, 2L-12	120V SALES AREA TRACK AND BULKHEAD LIGHTING	EMS TIMELOCK
6	6L-16, 2L-11	WAREHOUSE / RECEIVING	EMS TIMELOCK
7	6L-18	COMPRESSOR ROOM	EMS TIMELOCK
8	6L-17	BAKERY	EMS TIMELOCK / OCCUPANCY SENSORS
9	6L-15	PHARMACY	EMS TIMELOCK / OCCUPANCY SENSORS
10	6L-21	SEAFOOD / MEATS / PRODUCE	EMS TIMELOCK / OCCUPANCY SENSORS
11	6L-19	H.M.R.	EMS TIMELOCK / OCCUPANCY SENSORS
12	6L-20	LARGE COOLERS	OCCUPANCY SENSOR
13	2L-2	SEATING	EMS TIMELOCK
14	6L-11	OFFICE	OCCUPANCY SENSOR
15	6L-24	EXTERIOR LIGHTS	EMS TIMELOCK

NOTES:
1. ZONE SCHEDULE SHOWN FOR INFORMATION ONLY. WIRING, COMPONENT AND PROGRAMMING REQUIREMENTS TO BE COORDINATED WITH THE SUPPLIER FOR THE SYSTEM USED.

GENERAL NOTES

- ALL SUSPENDED FIXTURE ACCESSORIES AND VISIBLE JUNCTION BOXES TO MATCH CEILING FINISH.
- ELECTRICAL CONTRACTOR TO COORDINATE, INSTALL AND WIRE ALL MILLWORK/FURNITURE LIGHTING FIXTURES SUPPLIED BY OTHERS, INCLUDING FINAL CONNECTIONS.
- UNLESS OTHERWISE NOTED, ALL LIGHTING FIXTURES ARE SUPPLIED AND INSTALLED BY ELECTRICAL CONTRACTOR, INCLUDING, BUT NOT LIMITED TO, ALL NECESSARY MOUNTING HARDWARE SUCH AS STEEL CABLES, GAT CONDUIT, SUPPORTED UNISTRUTS, ETC.
- REFER TO ARCHITECTURAL DECOR LIGHTING AND REFLECTED CEILING PLAN FOR EXACT MOUNTING HEIGHTS OF ALL LUMINAIRES. COORDINATE WITH ARCHITECT.
- LIGHTING CONTROLS (INCLUDING LOW VOLTAGE CONTROLS) SHALL BE PROVIDED AND INSTALLED BY EC.
- COORDINATE THE PURCHASE AND INSTALLATION OF ALL LIGHTING CONTROL EQUIPMENT THROUGH MICRO THERMO WEST. ALL LIGHTING CONTROLS ARE TO BE TIED IN WITH BUILDING EMS SYSTEM AS REQUIRED. COORDINATE EXACT REQUIREMENTS FOR THE LIGHTING CONTROL SYSTEM WITH MICRO THERMO WEST ON SITE.

5	PCN-03	2025.04.24	KC
4	CLAP-01	2025.04.23	KC
3	PCN-02	2025.04.23	KC
2	PCN-01	2025.04.04	KC
1	CONSTRUCTION	2025.03.25	KC
No. ISSUED FOR		DATE	BY
DRAWN BY:		BS	
PRINTING DATE: APRIL 24, 2025			

CGM 200-898 CORYDON AVE
WINNIPEG, MB R3M 0X0
(204) 272-3255
ENGINEERING LTD. PROJECT NO: 24258

NEJ MARK
ARCHITECT

2-54 Adelaide Street Winnipeg Manitoba R3A 0V7
P 204 947 3775 F 204 947 3789 www.nejmark.mb.ca

Drawings and specifications, or instruments of service are the property of the Architect, the copyright is the same being reserved there. No reproduction may be made without the permission of the architect, and when made, must bear their names. All prints to be returned.

The contractor is to verify dimensions and data noted herein with conditions on the site and is held responsible for reporting discrepancies to the architect for adjustment.

PROJECT TITLE:

**AURORA GROCERY
STORE**
2000 ANAQUOD ROAD
REGINA, SASKATCHEWAN

SHEET TITLE:
**FLOOR PLAN -
LIGHTING**
COMMISSION NUMBER:
2445

SHEET NUMBER:
E.10