

Cucumber Report

Apr 2, 2024, 8:27:21 AM

Start : Apr 02, 8:26:40.829 AM

End : Apr 02, 8:27:20.644 AM

Duration : 39.815 s

Features



Scenarios

Steps

PASSED - 2
FAILED - 4
SKIPPED - 0

PASSED - 66
FAILED - 12
SKIPPED - 0


PASSED - 222
FAILED - 12
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Post request</u>	5.108 s	3	3	0	0	9	9	0	0
<u>ProgramModule</u>	10.579 s	37	36	1	0	111	110	1	0
<u>Get (Logout)</u>	1.131 s	3	3	0	0	9	9	0	0
<u>Batch Module POST request</u>	3.700 s	14	6	8	0	42	34	8	0
<u>User Module</u>	17.326 s	13	12	1	0	39	38	1	0
<u>User Role Program Batch Map</u>	1.823 s	8	6	2	0	24	22	2	0

#	Feature Name	Scenario Name
1	<u>ProgramModule</u>	<u>Check if Admin able to create a program with missing additional field</u>
2	<u>Batch Module POST request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>
3		<u>Check if admin able to create a batch with missing additional fields</u>
4		<u>Check if admin able to retrieve a batch with valid BATCH ID</u>
5		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>
6		<u>Check if admin able to retrieve a batch with valid Program ID</u>
7		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>
8		<u>Check if admin able to delete a Batch with valid Batch ID</u>
9		<u>Check if admin able to retrieve a batch after deleting the batch</u>
10	<u>User Module</u>	<u>Check if admin is able to assign Admin to with program/batch by Admin Id</u>
11	<u>User Role Program Batch Map</u>	<u>Admin retrieves assigned program batches for valid AdminId</u>
12		<u>Check if admin is able to delete the program batch for a Admin</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	39	37	2	0	3	1	2	0
@EndToEnd	1	1	0	0	1	1	0	0
@PostRequest	1	1	0	0	1	0	1	0
@GetRequest(allroles)	1	1	0	0	1	0	1	0
@GetRequest(All_Admins)	1	1	0	0	1	0	1	0
@GetRequest(by_AdminID)	1	1	0	0	1	0	1	0
@GetRequest(All_active_admins)	1	1	0	0	1	0	1	0
@GetRequest(Count_of_active_inactive_Admins)	1	1	0	0	1	0	1	0
@GetRequest(Admins_by_program_batches)	1	1	0	0	1	0	1	0
@GetRequest(get_Admin_for_program)	1	1	0	0	1	0	1	0
@GetRequest(get_Admin_by_RoleID)	1	1	0	0	1	0	1	0
@GetRequest(Admin_With_Roles)	1	1	0	0	1	0	1	0
@PutRequest(Update_Admin_Role_Status_By_AdminID)	1	1	0	0	1	0	1	0
@PutRequest(Update_Admin_RoleID)	1	1	0	0	1	0	1	0
@PutRequest(Update_Admin_Role_Program_Batch_Status)	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Post request</u>	3	3	0	0	5.108 s
2	<u>ProgramModule</u>	37	36	1	0	10.579 s
3	<u>Get (Logout)</u>	3	3	0	0	1.131 s
4	<u>Batch Module POST request</u>	14	6	8	0	3.700 s
5	<u>User Module</u>	13	12	1	0	17.326 s
6	<u>User Role Program Batch Map</u>	8	6	2	0	1.823 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Post request</u>	<u>Check if Admin able to generate token with valid credential</u>	3	3	0	0	4.452 s
2		<u>Check if Admin able to generate token with invalid endpoint</u>	3	3	0	0	0.319 s
3		<u>Check if Admin able to generate token with invalid credentials</u>	3	3	0	0	0.194 s
4	<u>ProgramModule</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	3	3	0	0	1.117 s
5		<u>Check if Admin able to create a program with valid endpoint and request body without Authorization</u>	3	3	0	0	0.394 s
6		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.383 s
7		<u>Check if Admin able to create a program with already existing program name</u>	3	3	0	0	0.311 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if Admin able to create a program with missing values in the request body</u>	3	3	0	0	0.243 s
9		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.273 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>ProgramModule</u>	<u>Check if Admin able to create a program without program name starting with a number</u>	3	3	0	0	0.218 s
11		<u>Check if Admin able to create a program with missing additional field</u>	3	2	1	0	0.240 s
12		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.391 s
13		<u>Check if Admin able to retrieve all programs with valid Endpoint without auth</u>	3	3	0	0	0.185 s
14		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.155 s
15		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.174 s
16		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	3	0	0	0.170 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17		<u>Check if Admin able to retrieve all programs with valid prgm id without auth</u>	3	3	0	0	0.169 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>ProgramModule</u>	<u>Check if Admin able to retrieve a program with invalid program ID</u>	3	3	0	0	0.164 s
19		<u>Check if Admin able to retrieve a program with invalid baseURI</u>	3	3	0	0	0.299 s
20		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.340 s
21		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.372 s
22		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.159 s
23		<u>Check if Admin able to retrieve all programs with invalid Method</u>	3	3	0	0	0.333 s
24		<u>Check if Admin able to retrieve all programs without Authorization</u>	3	3	0	0	0.205 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>ProgramModule</u>	<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	3	3	0	0	0.312 s
26		<u>Check if Admin able to update a program with invalid programID endpoint and valid request body</u>	3	3	0	0	0.247 s
27		<u>Check if Admin able to update a program without request body</u>	3	3	0	0	0.216 s
28		<u>Check if Admin able to update a program with invalid baseURI</u>	3	3	0	0	0.224 s
29		<u>Check if Admin able to update a program with invalid method</u>	3	3	0	0	0.224 s
30		<u>Check if Admin able to update a program without Authorization</u>	3	3	0	0	0.227 s
31		<u>Check if Admin able to update a program with Valid program Name and request body</u>	3	3	0	0	0.268 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
32		<u>Check if Admin able to update a program with invalid program Name and request body</u>	3	3	0	0	0.247 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>ProgramModule</u>	<u>Check if Admin able to update a program using valid program name - missing mandatory fields in request body</u>	3	3	0	0	0.211 s
34		<u>Check if Admin able to upadte a program with program name starting with a number</u>	3	3	0	0	0.205 s
35		<u>Check if Admin able to update a program with invalid program Description</u>	3	3	0	0	0.218 s
36		<u>Check if Admin able to update a program status</u>	3	3	0	0	0.217 s
37		<u>Check if Admin able to delete a program with valid LMS API, invalid programName</u>	3	3	0	0	0.136 s
38		<u>Check if Admin able to delete a program by pgrm name without Authorization</u>	3	3	0	0	0.166 s
39		<u>Check if Admin able to delete a program with valid LMS API, invalid programId</u>	3	3	0	0	0.169 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
40		<u>Check if Admin able to delete a program without Authorization</u>	3	3	0	0	0.155 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
41	<u>Get (Logout)</u>	<u>Check if Admin able to logout</u>	3	3	0	0	0.162 s
42		<u>Check if Admin able to logout with invalid endpoint</u>	3	3	0	0	0.612 s
43		<u>Check if Admin able to logout</u>	3	3	0	0	0.309 s
44	<u>Batch Module POST request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>	3	2	1	0	0.310 s
45		<u>Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)</u>	3	3	0	0	0.164 s
46		<u>Check if admin able to create a Batch missing mandatory fields in request body</u>	3	3	0	0	0.206 s
47		<u>Check if admin able to create a batch with invalid endpoint</u>	3	3	0	0	0.216 s
48		<u>Check if admin able to create a batch with missing additional fields</u>	3	2	1	0	0.217 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
49		<u>Check if admin able to create a batch with invalid data in request body</u>	3	3	0	0	0.238 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
50	<u>Batch Module POST request</u>	<u>Check if admin able to retrieve all batches with valid LMS API</u>	3	3	0	0	0.859 s
51		<u>Check if admin able to retrieve all batches with invalid Endpoint</u>	3	3	0	0	0.157 s
52		<u>Check if admin able to retrieve a batch with valid BATCH ID</u>	3	2	1	0	0.144 s
53		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	3	2	1	0	0.162 s
54		<u>Check if admin able to retrieve a batch with valid Program ID</u>	3	2	1	0	0.158 s
55		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	3	2	1	0	0.259 s
56		<u>Check if admin able to delete a Batch with valid Batch ID</u>	3	2	1	0	0.158 s
57		<u>Check if admin able to retrieve a batch after deleting the batch</u>	3	2	1	0	0.157 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
58	<u>User Module</u>	<u>Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields</u>	3	3	0	0	1.364 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
59	<u>User Module</u>	<u>Check if admin is able to retrieve all the available roles</u>	3	3	0	0	2.611 s
60		<u>Check if admin able to retrieve all Admin with valid endpoint</u>	3	3	0	0	1.315 s
61		<u>Check if admin able to retrieve a Admin with valid Admin ID</u>	3	3	0	0	1.131 s
62		<u>Check if admin able to retrieve all active Admins</u>	3	3	0	0	1.530 s
63		<u>Check if admin is able to get count of active and inactive Admins</u>	3	3	0	0	1.248 s
64		<u>Check if admin is able to get the Admins by program batches for valid batch ID</u>	3	3	0	0	0.867 s
65		<u>Check if admin is able to get the Admins for valid program Id</u>	3	3	0	0	0.190 s
66		<u>Check if admin is able to retrieve Admins by valid role ID</u>	3	3	0	0	5.179 s
67		<u>Check if admin able to retrieve all Admins with roles</u>	3	3	0	0	0.544 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
68		<u>Check if admin is able to update role status of a Admin with valid Admin id</u>	3	3	0	0	0.208 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
69	<u>User Module</u>	<u>Check if admin is able to update role id of a Admin by valid Admin id</u>	3	3	0	0	0.435 s
70		<u>Check if admin is able to assign Admin to with program/batch by Admin Id</u>	3	2	1	0	0.527 s
71	<u>User Role Program Batch Map</u>	<u>Admin retrieve all Admins with assigned program batches</u>	3	3	0	0	0.719 s
72		<u>Check if admin is able to retrieve all Admins with assigned program batches with No Authorization</u>	3	3	0	0	0.140 s
73		<u>Admin retrieve assigned program batches for valid AdminId</u>	3	2	1	0	0.136 s
74		<u>Check if admin is able to retrieve assigned program batches for invalid AdminId</u>	3	3	0	0	0.152 s
75		<u>Check if admin is able to retrieve assigned program batches for valid AdminId with No authorization</u>	3	3	0	0	0.180 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
76		<u>Check if admin is able to delete the program batch for a Admin</u>	3	2	1	0	0.127 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
77	<u>User Role Program Batch Map</u>	<u>Check if admin is able to delete the program batch for invalid Admin</u>	3	3	0	0	0.139 s
78		<u>Check if admin is able to delete the program batch for valid Admin and No Authorization</u>	3	3	0	0	0.152 s

Post request



PASSED	DURATION - 5.108 s	Scenarios		Steps	
/ 8:26:40.829 AM // 8:26:45.937 AM /		Total - 3		Total - 9	
		Pass - 3		Pass - 9	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if Admin able to generate token with valid credential

<div>PASSED</div> <div>DURATION - 4.452 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:26:40.834 AM // 8:26:45.286 AM /</div>				
<div>Post request</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.995 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 200 created with auto generated token	PASSED	3.387 s

Check if Admin able to generate token with invalid endpoint

PASSED	DURATION - 0.319 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:26:45.402 AM // 8:26:45.721 AM /				
Post request				
@EndToEnd				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with invalid endpoint	PASSED	0.002 s
3	Then Admin receives 401 unauthorized	PASSED	0.309 s

Check if Admin able to generate token with invalid credentials



PASSED	DURATION - 0.194 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:26:45.743 AM // 8:26:45.937 AM /				
Post request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with invalid credentials	PASSED	0.002 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 400 Bad request	PASSED	0.189 s

ProgramModule



FAILED	DURATION - 10.579 s	Scenarios		Steps	
/ 8:26:45.976 AM // 8:26:56.555 AM /		Total - 37		Total - 111	
		Pass - 36		Pass - 110	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Check if Admin able to create a program with valid endpoint and request body with Authorization

PASSED	DURATION - 1.117 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:26:45.976 AM // 8:26:47.093 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.013 s
2	When Admin sends HTTPS Request and request Body with endpoint	PASSED	1.089 s
3	Then Admin receives 201 Created Status with response body.	PASSED	0.002 s

Check if Admin able to create a program with valid endpoint and request body without Authorization

PASSED	DURATION - 0.394 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:26:47.122 AM // 8:26:47.516 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.002 s
2	When Admin sends Post Request and request Body with endpoint without Authorization	PASSED	0.382 s
3	Then Admin receives 401 Unauthorized error for post	PASSED	0.001 s

Check if Admin able to create a program with invalid endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends HTTPS Request and request Body with invalid endpoint	PASSED	0.375 s
3	Then Admin receives 404 not found Status with message and boolean success details	PASSED	0.002 s

Check if Admin able to create a program with already existing program name





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with exsisting prgm name and request Body with endpoint	PASSED	0.306 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s

Check if Admin able to create a program with missing values in the request body

<div>PASSED</div> <div>DURATION - 0.243 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:26:48.280 AM // 8:26:48.523 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.002 s
2	When Admin sends Post Request and missing Pgm Name in request Body with endpoint	PASSED	0.237 s
3	Then Admin receives 400 Bad Request Status for missing value	PASSED	0.001 s

Check if Admin able to create a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.273 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 8:26:48.548 AM // 8:26:48.821 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Get Request instead of post and request Body with endpoint	PASSED	0.268 s
3	Then Admin receives 405 Method Not Allowed	PASSED	0.001 s

Check if Admin able to create a program without program name starting with a number

PASSED	DURATION - 0.218 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:26:48.843 AM // 8:26:49.061 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.213 s
3	Then Admin receives 400 Bad Request Status for Pgm name starting with number	PASSED	0.001 s



Check if Admin able to create a program with missing additional field

<div>FAILED</div> <div>DURATION - 0.240 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:26:49.091 AM // 8:26:49.331 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with request Body with missing additional field with endpoint	PASSED	0.217 s
3	Then Admin receives 200 ok for missing additional fields in program post request body <pre>java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_for_missing_additional_fields_in_program_post_request_body(ProgramModuleSD.java:136)</pre>	FAILED	0.018 s



#	Step / Hook Details	Status	Duration
	at ?.Admin receives 200 ok for missing additional fields in program post request body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:46) * Not displayable characters are replaced by '?'.		

Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div>	<div>DURATION - 0.391 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:26:49.360 AM // 8:26:49.751 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint	PASSED	0.386 s
3	Then Admin receives 200 OK Status with response body.	PASSED	0.002 s

Check if Admin able to retrieve all programs with valid Endpoint without auth

PASSED	DURATION - 0.185 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:26:49.771 AM // 8:26:49.956 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request and request Body with endpoint without Authorization	PASSED	0.179 s
3	Then Admin receives 401 Unauthorized error for put	PASSED	0.003 s

Check if Admin able to create a program with invalid endpoint

<div>PASSED</div> <div>DURATION - 0.155 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:26:49.983 AM // 8:26:50.138 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request and request Body with invalid endpoint	PASSED	0.145 s
3	Then Admin receives 404 not found Status for GET with message and boolean success details	PASSED	0.001 s

Check if Admin able to create a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.174 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:26:50.154 AM // 8:26:50.328 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Post Request instead of get and request Body with endpoint	PASSED	0.170 s
3	Then Admin receives 405 Method Not Allowed message	PASSED	0.001 s

Check if Admin able to retrieve a program with valid program ID

<div>PASSED</div> <div>DURATION - 0.170 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:26:50.359 AM // 8:26:50.529 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get program Request with endpoint	PASSED	0.164 s
3	Then Admin receives 200 OK Status code with response body.	PASSED	0.001 s

Check if Admin able to retrieve all programs with valid prgm id without auth

PASSED	DURATION - 0.169 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:26:50.558 AM // 8:26:50.727 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get Request by pgm id and request Body with endpoint without Authorization	PASSED	0.165 s
3	Then Admin receives 401 Unauthorized error for put by pgm id	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid program ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request with invlaid ID and endpoint	PASSED	0.158 s
3	Then Admin receives 404 Not Found Status for invalid PG Id with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid baseURI





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with invalid baseURI	PASSED	0.000 s
2	When Admin sends Get Request Request with endpoint	PASSED	0.292 s
3	Then Admin receives 404 Not Found Status for invalid baseurl with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid Endpoint

<div>PASSED</div>	<div>DURATION - 0.340 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:26:51.246 AM // 8:26:51.586 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request with pgm Id and request Body with invalid endpoint	PASSED	0.333 s
3	Then Admin receives 404 Not Found Status for Get with Pgm Id with message and boolean success details	PASSED	0.000 s

Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div>	<div>DURATION - 0.372 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:26:51.609 AM // 8:26:51.981 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends Get All programs with users Request with endpoint	PASSED	0.367 s
3	Then Admin receives 200 OK Status with response body of Users	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends Get Request for all users with request Body with invalid endpoint	PASSED	0.153 s
3	Then Admin receives 404 Not Found Status for Get w for all users with message and boolean success details	PASSED	0.002 s

Check if Admin able to retrieve all programs with invalid Method





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends post all users Request instead of get with endpoint	PASSED	0.327 s
3	Then Admin receives 405 Method Not Allowed for get all users invalid method	PASSED	0.001 s

Check if Admin able to retrieve all programs without Authorization

PASSED	DURATION - 0.205 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:26:52.555 AM // 8:26:52.760 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint without auth	PASSED	0.200 s
3	Then Admin receives 401 Status with response body as Unauthorized	PASSED	0.001 s

Check if Admin able to update a program with valid programID endpoint and valid request body

PASSED	DURATION - 0.312 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:26:52.780 AM // 8:26:53.092 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with valid endpoint	PASSED	0.308 s
3	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.001 s

Check if Admin able to update a program with invalid programID endpoint and valid request body

<div>PASSED</div>	<div>DURATION - 0.247 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:26:53.120 AM // 8:26:53.367 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with invalid prgm Id and valid endpoint	PASSED	0.241 s
3	Then Admin receives 404 Not Found Status for update pgm invalid pgm id with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program without request body

<div>PASSED</div>	<div>DURATION - 0.216 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:26:53.395 AM // 8:26:53.611 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request missing mandate field and valid endpoint	PASSED	0.211 s
3	Then Admin receives 400 Bad Request Status for put for missing mandate field with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program with invalid baseURI

<div>PASSED</div> <div>DURATION - 0.224 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:26:53.624 AM // 8:26:53.848 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields with invalid baseurl	PASSED	0.001 s
2	When Admin sends Put Request with invalid baseurl valid endpoint	PASSED	0.216 s
3	Then Admin receives 404 Not Found Status for put invalid baseurl with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.224 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:26:53.888 AM // 8:26:54.112 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.006 s
2	When Admin sends get request instead of put Request with valid endpoint	PASSED	0.207 s
3	Then Admin receives 405 Method Not Allowed for using get instead of put	PASSED	0.001 s

Check if Admin able to update a program without Authorization

PASSED	DURATION - 0.227 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:26:54.138 AM // 8:26:54.365 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with endpoint without auth	PASSED	0.224 s
3	Then Admin receives 401 Status with response body as Unauthorized for put by pgm id	PASSED	0.000 s

Check if Admin able to update a program with Valid program Name and request body

<div>PASSED</div>	<div>DURATION - 0.268 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:26:54.395 AM // 8:26:54.663 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with Program name with valid endpoint	PASSED	0.263 s
3	Then Admin receives 200 OK Status code with updated value in response body.	PASSED	0.001 s

Check if Admin able to update a program with invalid program Name and request body

PASSED	DURATION - 0.247 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:26:54.675 AM // 8:26:54.922 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with invalid Program name with valid endpoint	PASSED	0.241 s
3	Then Admin receives 404 Not Found Status for put with invalid pg namewith message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program using valid program name - missing mandatory fields in request body

<div>PASSED</div>	<div>DURATION - 0.211 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:26:54.947 AM // 8:26:55.158 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API with missing mandatory fields	PASSED	0.001 s
2	When Admin sends Put Request with valid prgom name with valid endpoint	PASSED	0.206 s
3	Then Admin receives 400 Bad Request Status for missing field with message and boolean success details	PASSED	0.001 s

Check if Admin able to upadte a program with program name starting with a number

<div>PASSED</div> <div>DURATION - 0.205 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:26:55.179 AM // 8:26:55.384 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.200 s
3	Then Admin receives 400 Bad Request Status for put Pgm name starting with number	PASSED	0.001 s

Check if Admin able to update a program with invalid program Description

<div>PASSED</div>	<div>DURATION - 0.218 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:26:55.409 AM // 8:26:55.627 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request and Pgm Descrip starting with Number in request Body with endpoint	PASSED	0.214 s
3	Then Admin receives 400 Bad Request Status for put Pgm descrip starting with number	PASSED	0.001 s

Check if Admin able to update a program status

<div>PASSED</div> <div>DURATION - 0.217 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:26:55.649 AM // 8:26:55.866 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request for status change with valid endpoint	PASSED	0.211 s
3	Then Admin receives 200 OK Status with updated prgm status value in response body.	PASSED	0.001 s

Check if Admin able to delete a program with valid LMS API,invalid programName

<div>PASSED</div>	<div>DURATION - 0.136 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:26:55.880 AM // 8:26:56.016 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programName	PASSED	0.001 s
2	When Admin sends Delete by invalid ProgramName Request with endpoint	PASSED	0.132 s
3	Then Admin receives 404 Not Found Status for delete invalid pgramewith message and boolean success details	PASSED	0.001 s

Check if Admin able to delete a program by pgrm name without Authorization

PASSED	DURATION - 0.166 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:26:56.028 AM // 8:26:56.194 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.002 s
2	When Admin sends delete Request by program name with endpoint without auth	PASSED	0.162 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm name	PASSED	0.000 s

Check if Admin able to delete a program with valid LMS API,invalid programId

PASSED	DURATION - 0.169 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:26:56.219 AM // 8:26:56.388 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programId	PASSED	0.001 s
2	When Admin sends Delete by invalid ProgramID Request with endpoint	PASSED	0.164 s
3	Then Admin receives 404 Not Found Status for delete invalid pgid with message and boolean success details	PASSED	0.001 s

Check if Admin able to delete a program without Authorization



<div>PASSED</div> <div>DURATION - 0.155 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:26:56.400 AM // 8:26:56.555 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.001 s
2	When Admin sends delete Request by program id with endpoint without auth	PASSED	0.149 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm id	PASSED	0.001 s

Get (Logout)

<div>PASSED</div>	<div>DURATION - 1.131 s</div>	<div>Scenarios</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>3</div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>9</div></div>
<div>/ 8:26:56.583 AM // 8:26:57.714 AM /</div>					



Check if Admin able to logout

<div>PASSED</div>	<div>DURATION - 0.162 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 8:26:56.583 AM // 8:26:56.745 AM /</div>				
<div>Get (Logout)</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request	PASSED	0.001 s
2	When Admin calls Get Https method with valid endpoint	PASSED	0.155 s



#	Step / Hook Details	Status	Duration
3	Then Admin receives 200 ok and response with "Logout successful"	PASSED	0.002 s

Check if Admin able to logout with invalid endpoint

PASSED	DURATION - 0.612 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:26:56.768 AM // 8:26:57.380 AM /				
Get (Logout)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request	PASSED	0.002 s
2	When Admin calls Get Https method with invalid endpoint	PASSED	0.462 s
3	Then Admin receives 404 Not found	PASSED	0.147 s

Check if Admin able to logout



PASSED	DURATION - 0.309 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:26:57.405 AM // 8:26:57.714 AM /				
Get (Logout)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request	PASSED	0.000 s
2	When Admin calls Get Https method with valid endpoint	PASSED	0.151 s
3	Then Admin receives 401 unauthorized	PASSED	0.151 s

Batch Module POST request


FAILED	DURATION - 3.700 s	Scenarios Total - 14 Pass - 6 Fail - 8 Skip - 0		Steps Total - 42 Pass - 34 Fail - 8 Skip - 0	
/ 8:26:57.734 AM // 8:27:01.434 AM /					

Check if admin able to create a Batch with valid endpoint and request body (non existing values)

FAILED	DURATION - 0.310 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 8:26:57.734 AM // 8:26:58.044 AM /				
Batch Module POST request				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with valid data in request body	PASSED	0.002 s
2	When Admin sends HTTPS Request with endpoint to create batch	PASSED	0.301 s
3	Then Admin receives 201 Created Status with response body java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response_body(ProgramBatchModuleSD.java:37) at ?.Admin receives 201 Created Status with response body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:10) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with existing value in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with endpoint to create batch	PASSED	0.160 s
3	Then Admin receives 400 Bad Request Status with message in the response body	PASSED	0.001 s

Check if admin able to create a Batch missing mandatory fields in request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data in request body	PASSED	0.000 s
2	When Admin sends POST Request with endpoint to create batch	PASSED	0.202 s
3	Then Admin receives 400 Bad Request Status with message	PASSED	0.001 s

Check if admin able to create a batch with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request	PASSED	0.000 s
2	When Admin sends HTTPS Request with invalid endpoint	PASSED	0.212 s
3	Then Admin receives 404 not found Status	PASSED	0.001 s



Check if admin able to create a batch with missing additional fields



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with missing additional fields	PASSED	0.000 s
2	When Admin sends HTTPS Request with valid endpoint to create batch	PASSED	0.213 s
3	Then Admin receives 201 Created Status with response java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response(ProgramBatchModuleSD.java:108) at ?.Admin receives 201 Created Status with response(file:///C:/Users/sudha/git/	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:39) * Not displayable characters are replaced by '?'. 		

Check if admin able to create a batch with invalid data in request body

<div><div>PASSED</div><div>DURATION - 0.238 s</div></div>	 <table><caption>Bar Chart Data</caption><tr><th>Step</th><th>Duration (s)</th></tr><tr><td>1</td><td>0.238</td></tr></table>	Step	Duration (s)	1	0.238	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
Step	Duration (s)						
1	0.238						
/ 8:26:58.961 AM // 8:26:59.199 AM /							
Batch Module POST request							



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data fields in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with valid endpoint	PASSED	0.235 s
3	Then Admin receives 400 Bad Request Status with message and boolean success	PASSED	0.001 s

Check if admin able to retrieve all batches with valid LMS API

<div>PASSED</div> <div>DURATION - 0.859 s</div>	<div><table><caption>Bar Chart Data</caption><tr><th>Step</th><th>Duration (s)</th></tr><tr><td>1</td><td>0.859</td></tr></table></div>	Step	Duration (s)	1	0.859	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
Step	Duration (s)						
1	0.859						
<div>/ 8:26:59.227 AM // 8:27:00.086 AM /</div>							
<div>Batch Module POST request</div>							



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.000 s
2	When Admin sends HTTPS Get Request with endpoint to get batch	PASSED	0.856 s
3	Then Admin receives 200 OK Status with response body	PASSED	0.000 s

Check if admin able to retrieve all batches with invalid Endpoint

<div>PASSED</div> <div>DURATION - 0.157 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:27:00.111 AM // 8:27:00.268 AM /</div>			
<div>Batch Module POST request</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid endpoint	PASSED	0.002 s
2	When Admin sends HTTPS GET Request with invalid endpoint to get all batches	PASSED	0.152 s
3	Then Admin receives 404 status with error message Not Found	PASSED	0.002 s



Check if admin able to retrieve a batch with valid BATCH ID

<div>FAILED</div> <div>DURATION - 0.144 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:27:00.291 AM // 8:27:00.435 AM /</div>				
<div>Batch Module POST request</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.000 s
2	When Admin sends Get Request with endpoint for batch module	PASSED	0.137 s
3	Then Admin receives 200 OK Status with response in the response body <pre>java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_ok_status_with_response_in_the_response_body(ProgramBatchModuleSD.java:180)</pre>	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	at ?.Admin receives 200 OK Status with response in the response body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:67) * Not displayable characters are replaced by '?'. 		

Check if admin able to retrieve a batch with valid BATCH NAME

FAILED	DURATION - 0.162 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 8:27:00.447 AM // 8:27:00.609 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch Name	PASSED	0.001 s
2	When Admin sends Get batch Request with endpoint for batch module	PASSED	0.157 s
3	Then Admin receives 200 Status code with response body java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_status_code_with_response_body(ProgramBatchModuleSD.java:199) at ?.Admin receives 200 Status code with response body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:74) * Not displayable characters are replaced by '?'. 	FAILED	0.003 s

Check if admin able to retrieve a batch with valid Program ID

FAILED	DURATION - 0.158 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 8:27:00.632 AM // 8:27:00.790 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Program Id	PASSED	0.001 s
2	When Admin sends HTTPS Request to get batch by program Id with endpoint	PASSED	0.151 s
3	Then Admin receives status code 200 OK Status with response body java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_receives_status_code_ok_status_with_response_body(ProgramBatchModuleSD.java:218) at ?.Admin receives status code 200 OK Status with response body(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:81) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body

<div>FAILED</div> <div>DURATION - 0.259 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 8:27:00.812 AM // 8:27:01.071 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid BatchId and Data	PASSED	0.001 s
2	When Admin sends HTTPS Request to update with endpoint	PASSED	0.254 s
3	Then Admin receives 200 OK Status with updated value in response body for update request. java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_receives_ok_status_with_updated_value_in_response_body_for_update_request(ProgramBatchModuleSD.java:237) at ?.Admin receives 200 OK Status with updated value in response body for update request.(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:88) * Not displayable characters are replaced by '?'.	FAILED	0.001 s



Check if admin able to delete a Batch with valid Batch ID

FAILED	DURATION - 0.158 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 8:27:01.095 AM // 8:27:01.253 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request with valid BatchId	PASSED	0.001 s
2	When Admin sends HTTPS Request to delete with endpoint	PASSED	0.154 s
3	Then Admin receives 200 Ok status with message to delete batch java.lang.AssertionError: expected [200] but found [0] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419)	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_status_with_message_to_delete_batch(ProgramModuleSD.java:526) at ?.Admin receives 200 Ok status with message to delete batch(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:95) * Not displayable characters are replaced by '?'. </pre>		

Check if admin able to retrieve a batch after deleting the batch



<div><div>FAILED</div><div>DURATION - 0.157 s</div></div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 8:27:01.277 AM // 8:27:01.434 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.003 s
2	When Admin sends HTTPS GET Request with valid id	PASSED	0.149 s
3	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body. <pre> java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_ok_status_with_batch_status_field_in_the_response_body(ProgramBatchModuleSD.java:266) at ?.Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:102) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.003 s

User Module



<div>FAILED</div>	<div>DURATION - 17.326 s</div>	<div>Scenarios</div> <div>Total - 13</div> <div>Pass - 12</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 39</div> <div>Pass - 38</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:27:01.474 AM // 8:27:18.800 AM /</div>					

Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields

<div>PASSED</div> <div>DURATION - 1.364 s</div>		Steps	
/ 8:27:01.474 AM // 8:27:02.838 AM /		Total - 3	
User Module		Pass - 3	
@PostRequest		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with all mandatory fields for User Module	PASSED	0.005 s
2	When Admin sends HTTPS Request with endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 201 Created Status with response body for User Module	PASSED	1.349 s



Check if admin is able to retrieve all the available roles

<div>PASSED</div> <div>DURATION - 2.611 s</div>		Steps	
/ 8:27:02.861 AM // 8:27:05.472 AM /		Total - 3	
User Module		Pass - 3	
@GetRequest(allroles)		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.002 s
2	When Admin sends HTTPS Request with GET All Roles endpoint for User Module	PASSED	0.001 s



#	Step / Hook Details	Status	Duration
3	Then Admin receives 200 OK for User Module	PASSED	2.606 s

Check if admin able to retrieve all Admin with valid endpoint

PASSED	DURATION - 1.315 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:27:05.498 AM // 8:27:06.813 AM /				
User Module				
@GetRequest(All_Admins)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with valid endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK Status with response body for User Module	PASSED	1.310 s

Check if admin able to retrieve a Admin with valid Admin ID

PASSED	DURATION - 1.131 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:27:06.823 AM // 8:27:07.954 AM /				
User Module				
@GetRequest(by_AdminID)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid AdminId	PASSED	0.000 s
2	When Admin sends HTTPS Request with valid endpoint for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK Status with response body for User Module	PASSED	1.128 s

Check if admin able to retrieve all active Admins

PASSED	DURATION - 1.530 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:27:07.967 AM // 8:27:09.497 AM /				
<i>User Module</i>				
@GetRequest(All_active_admins)				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for active admins	PASSED	0.000 s
2	When Admin sends HTTPS Request with Get ALL Active Users endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK with all Active Admins response body for User Module	PASSED	1.527 s

Check if admin is able to get count of active and inactive Admins

PASSED	DURATION - 1.248 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:27:09.506 AM // 8:27:10.754 AM /				
<i>User Module</i>				
@GetRequest(Count_of_active_inactive_Admins)				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK With count of all active and inactive admins for User Module	PASSED	1.246 s

Check if admin is able to get the Admins by program batches for valid batch ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid batch Id for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to get Admins by program batch for valid batchId for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK for admins by program batches for valid adminId for User Module	PASSED	0.864 s

Check if admin is able to get the Admins for valid program Id





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to get admins with valid program Id for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to get the Admins for valid program Id for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK to get the Admins for valid program Id for User Module	PASSED	0.187 s

Check if admin is able to retrieve Admins by valid role ID

<div>PASSED</div>	<div>DURATION - 5.179 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:27:11.863 AM // 8:27:17.042 AM /</div>				
<div>User Module</div>				
<div>@GetRequest(get_Admin_by_RoleID)</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid role ID to retrieve Admins by valid role ID	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to retrieve Admins by valid role ID	PASSED	0.000 s
3	Then Admin receives 200 OK when retrieved Admins by valid role ID for User Module	PASSED	5.176 s

Check if admin able to retrieve all Admins with roles

<div>PASSED</div>	<div>DURATION - 0.544 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:27:17.049 AM // 8:27:17.593 AM /</div>				
<div>User Module</div>				
<div>@GetRequest(Admin_With_Roles)</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins with roles	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to retrieve all Admins with roles	PASSED	0.001 s
3	Then Admin receives 200 OK Status with response body after retrieved all Admins with roles for User Module	PASSED	0.541 s

Check if admin is able to update role status of a Admin with valid Admin id

<div>PASSED</div>	<div>DURATION - 0.208 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:27:17.613 AM // 8:27:17.821 AM /</div>				
<div>User Module</div>				
<div>@PutRequest(Update_Admin_Role_Status_By_AdminID)</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid data in request body to update role status	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to update role status	PASSED	0.000 s
3	Then Admin receives 200 Ok Status with response message after update of role status for User Module	PASSED	0.206 s

Check if admin is able to update role id of a Admin by valid Admin id

PASSED	DURATION - 0.435 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:27:17.831 AM // 8:27:18.266 AM /				
User Module				
@PutRequest(Update_Admin_RoleID)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid request body for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to update Admin roleid by valid AdminId	PASSED	0.000 s
3	Then Admin receives 200 OK Status with response body to update Admin roleid	PASSED	0.433 s

Check if admin is able to assign Admin to with program/batch by Admin Id


<div>FAILED</div> <div>DURATION - 0.527 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 8:27:18.273 AM // 8:27:18.800 AM /</div>				
<div>User Module</div>				
<div>@PutRequest(Update_Admin_Role_Program_Batch_St- atus)</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid data in request body to assign Admin with program/batch by Admin Id	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to assign Admin with program/batch by Admin Id	PASSED	0.000 s
3	Then Admin receives 200 Ok Status with response message to assign Admin to with program/batch by Admin Id java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.UserModuleSD. admin_receives_ok_status_with_response_message_to_assign_admin_to_with_program_batch_by_admin_id(UserModuleSD.java:243) at ?.Admin receives 200 Ok Status with response message to assign Admin to with program/batch by Admin Id(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/004UserModule.feature:88) * Not displayable characters are replaced by '?'. 	FAILED	0.524 s

User Role Program Batch Map


<div>FAILED</div> <div>DURATION - 1.823 s</div>		<div>Scenarios</div> <div>Total - 8</div> <div>Pass - 6</div> <div>Fail - 2</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 24</div> <div>Pass - 22</div> <div>Fail - 2</div> <div>Skip - 0</div>	<div></div>
/ 8:27:18.821 AM // 8:27:20.644 AM /					

Admin retrieves all Admins with assigned program batches





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins assigned to programs/batches with Authorization to bearer token	PASSED	0.000 s
2	When Admin sends HTTPS GET Request to retrieve all Admins assigned to programs/batches with Authorization to bearer token	PASSED	0.000 s
3	Then Admin receives statuscode 200 OK for Role Program Batch Map	PASSED	0.717 s

Check if admin is able to retrieve all Admins with assigned program batches with No Authorization





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins assigned to programs/batches with authorization to No Auth	PASSED	0.001 s
2	When Admin sends HTTPS Request without authorization	PASSED	0.000 s
3	Then Admin receives status 401 with Unauthorized message for Role Program Batch Map	PASSED	0.138 s

Admin retrieves assigned program batches for valid AdminId

<div>FAILED</div>	<div>DURATION - 0.136 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 8:27:19.696 AM // 8:27:19.832 AM /</div>				
<div>User Role Program Batch Map</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by AdminId with Authorization to bearer token	PASSED	0.000 s
2	When Admin sends HTTPS Request to get program batches for valid AdminId	PASSED	0.000 s
3	Then Admin will receive 200 OK for Role Program Batch Map java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.UserRoleProgramBatchMapSD. admin_will_receive_ok_for_role_program_batch_map(UserRoleProgramBatchMapSD.java:79) at ?.Admin will receive 200 OK for Role Program Batch Map(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 005UserRoleProgrmBatchMap.feature:16) * Not displayable characters are replaced by '?'. 	FAILED	0.134 s

Check if admin is able to retrieve assigned program batches for invalid AdminId

<div>PASSED</div>	<div>DURATION - 0.152 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:27:19.851 AM // 8:27:20.003 AM /</div>				
<div>User Role Program Batch Map</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by invalid AdminID with Authorization to bearer token	PASSED	0.000 s
2	When Admin sends HTTPS Request to get program batches for invalid AdminId	PASSED	0.000 s
3	Then Admin receives 404 with message for Role Program Batch Map	PASSED	0.150 s

Check if admin is able to retrieve assigned program batches for valid AdminId with No authorization

<div>PASSED</div> <div>DURATION - 0.180 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:27:20.021 AM // 8:27:20.201 AM /</div>			
<div>User Role Program Batch Map</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by valid AdminID with authorization to No Auth	PASSED	0.000 s
2	When Admin sends HTTPS Request to get Program/Batch by valid Admin Id without authorization	PASSED	0.000 s
3	Then Admin will receive status 401 with Unauthorized message for Role Program Batch Map	PASSED	0.178 s



Check if admin is able to delete the program batch for a Admin

<div>FAILED</div> <div>DURATION - 0.127 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 8:27:20.208 AM // 8:27:20.335 AM /				
User Role Program Batch Map				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by AdminId with Authorization to bearer token	PASSED	0.001 s
2	When Admin sends HTTPS Request to Delete program/batch by Admin Id	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
3	<p>Then Admin receives Status Code 200 OK after delete operation for Role Program Batch Map</p> <pre> java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.UserRoleProgramBatchMapSD.admin_receives_status_code_ok_after_delete_operation_for_role_program_batch_map(UserRoleProgramBatchMapSD.java:145) at ?.Admin receives Status Code 200 OK after delete operation for Role Program Batch Map(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/005UserRoleProgrmBatchMap.feature:31) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.125 s

Check if admin is able to delete the program batch for invalid Admin

PASSED	DURATION - 0.139 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:27:20.345 AM // 8:27:20.484 AM /				
User Role Program Batch Map				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by invalid AdminId with Authorization to bearer token	PASSED	0.000 s
2	When Admin sends HTTPS Request to delete program/batch by invalid Admin Id	PASSED	0.000 s
3	Then Admin will receive 404 with message for Role Program Batch Map	PASSED	0.138 s


Check if admin is able to delete the program batch for valid Admin and No Authorization

PASSED

DURATION - 0.152 s

/ 8:27:20.492 AM // 8:27:20.644 AM /

User Role Program Batch Map



Step	Duration (s)
1	0.001
2	0.000
3	0.152


Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by valid AdminId with authorization to No Auth	PASSED	0.001 s
2	When Admin sends HTTPS Request to delete program/batch by Admin id without Authorization	PASSED	0.000 s
3	Then Admin will receive status code 401 with Unauthorized message for Role Program Batch Map	PASSED	0.150 s