

Cucumber Report

Apr 2, 2024, 8:16:54 AM

Start : Apr 02, 8:16:18.407 AM

End : Apr 02, 8:16:53.752 AM

Duration : 35.345 s

Features



Scenarios

Steps

PASSED - 2
FAILED - 4
SKIPPED - 0

PASSED - 65
FAILED - 13
SKIPPED - 0

PASSED - 221
FAILED - 13
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Post request</u>	5.174 s	3	3	0	0	9	9	0	0
<u>ProgramModule</u>	10.958 s	37	36	1	0	111	110	1	0
<u>Get (Logout)</u>	0.887 s	3	3	0	0	9	9	0	0
<u>Batch Module POST request</u>	4.480 s	14	8	6	0	42	36	6	0
<u>User Module</u>	10.426 s	13	9	4	0	39	35	4	0
<u>User Role Program Batch Map</u>	3.263 s	8	6	2	0	24	22	2	0


#	Feature Name	Scenario Name
1	<u>ProgramModule</u>	<u>Check if Admin able to create a program with missing additional field</u>
2	<u>Batch Module POST request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>
3		<u>Check if admin able to create a batch with missing additional fields</u>
4		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>
5		<u>Check if admin able to retrieve a batch with valid Program ID</u>
6		<u>Check if admin able to delete a Batch with valid Batch ID</u>
7		<u>Check if admin able to retrieve a batch after deleting the batch</u>
8	<u>User Module</u>	<u>Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields</u>
9		<u>Check if admin is able to update role status of a Admin with valid Admin id</u>
10		<u>Check if admin is able to update role id of a Admin by valid Admin id</u>
11		<u>Check if admin is able to assign Admin to with program/batch by Admin Id</u>
12	<u>User Role Program Batch Map</u>	<u>Admin retrieves assigned program batches for valid AdminId</u>

#	Feature Name	Scenario Name
13	<u>User Role Program Batch Map</u>	<u>Check if admin is able to delete the program batch for a Admin</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	39	37	2	0	3	1	2	0
@EndToEnd	1	1	0	0	1	1	0	0
@PostRequest	1	0	1	0	1	0	1	0
@GetRequest(allroles)	1	1	0	0	1	0	1	0
@GetRequest(All_Admins)	1	1	0	0	1	0	1	0
@GetRequest(by_AdminID)	1	1	0	0	1	0	1	0
@GetRequest(All_active_admins)	1	1	0	0	1	0	1	0
@GetRequest(Count_of_active_inactive_Admins)	1	1	0	0	1	0	1	0
@GetRequest(Admins_by_program_batches)	1	1	0	0	1	0	1	0
@GetRequest(get_Admin_for_program)	1	1	0	0	1	0	1	0
@GetRequest(get_Admin_by_RoleID)	1	1	0	0	1	0	1	0
@GetRequest(Admin_With_Roles)	1	1	0	0	1	0	1	0
@PutRequest(Update_Admin_Role_Status_By_AdminID)	1	0	1	0	1	0	1	0
@PutRequest(Update_Admin_RoleID)	1	0	1	0	1	0	1	0
@PutRequest(Update_Admin_Role_Program_Batch_Status)	1	0	1	0	1	0	1	0




#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>Post request</u>	3	3	0	0	5.174 s
2	<u>ProgramModule</u>	37	36	1	0	10.958 s
3	<u>Get (Logout)</u>	3	3	0	0	0.887 s
4	<u>Batch Module POST request</u>	14	8	6	0	4.480 s
5	<u>User Module</u>	13	9	4	0	10.426 s
6	<u>User Role Program Batch Map</u>	8	6	2	0	3.263 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Post request</u>	<u>Check if Admin able to generate token with valid credential</u>	3	3	0	0	4.466 s
2		<u>Check if Admin able to generate token with invalid endpoint</u>	3	3	0	0	0.329 s
3		<u>Check if Admin able to generate token with invalid credentials</u>	3	3	0	0	0.212 s
4	<u>ProgramModule</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	3	3	0	0	0.901 s
5		<u>Check if Admin able to create a program with valid endpoint and request body without Authorization</u>	3	3	0	0	0.343 s
6		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.365 s
7		<u>Check if Admin able to create a program with already existing program name</u>	3	3	0	0	0.285 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if Admin able to create a program with missing values in the request body</u>	3	3	0	0	0.226 s
9		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.251 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>ProgramModule</u>	<u>Check if Admin able to create a program without program name starting with a number</u>	3	3	0	0	0.235 s
11		<u>Check if Admin able to create a program with missing additional field</u>	3	2	1	0	0.231 s
12		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.354 s
13		<u>Check if Admin able to retrieve all programs with valid Endpoint without auth</u>	3	3	0	0	0.152 s
14		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.247 s
15		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.223 s
16		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	3	0	0	0.167 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17		<u>Check if Admin able to retrieve all programs with valid prgm id without auth</u>	3	3	0	0	0.156 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>ProgramModule</u>	<u>Check if Admin able to retrieve a program with invalid program ID</u>	3	3	0	0	0.179 s
19		<u>Check if Admin able to retrieve a program with invalid baseURI</u>	3	3	0	0	0.349 s
20		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.179 s
21		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.638 s
22		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.161 s
23		<u>Check if Admin able to retrieve all programs with invalid Method</u>	3	3	0	0	0.166 s
24		<u>Check if Admin able to retrieve all programs without Authorization</u>	3	3	0	0	0.173 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>ProgramModule</u>	<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	3	3	0	0	0.543 s
26		<u>Check if Admin able to update a program with invalid programID endpoint and valid request body</u>	3	3	0	0	0.238 s
27		<u>Check if Admin able to update a program without request body</u>	3	3	0	0	0.234 s
28		<u>Check if Admin able to update a program with invalid baseURI</u>	3	3	0	0	0.247 s
29		<u>Check if Admin able to update a program with invalid method</u>	3	3	0	0	0.242 s
30		<u>Check if Admin able to update a program without Authorization</u>	3	3	0	0	0.231 s
31		<u>Check if Admin able to update a program with Valid program Name and request body</u>	3	3	0	0	0.310 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
32		<u>Check if Admin able to update a program with invalid program Name and request body</u>	3	3	0	0	0.256 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>ProgramModule</u>	<u>Check if Admin able to update a program using valid program name - missing mandatory fields in request body</u>	3	3	0	0	0.290 s
34		<u>Check if Admin able to upadte a program with program name starting with a number</u>	3	3	0	0	0.236 s
35		<u>Check if Admin able to update a program with invalid program Description</u>	3	3	0	0	0.240 s
36		<u>Check if Admin able to update a program status</u>	3	3	0	0	0.300 s
37		<u>Check if Admin able to delete a program with valid LMS API, invalid programName</u>	3	3	0	0	0.186 s
38		<u>Check if Admin able to delete a program by pgrm name without Authorization</u>	3	3	0	0	0.165 s
39		<u>Check if Admin able to delete a program with valid LMS API, invalid programId</u>	3	3	0	0	0.147 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
40		<u>Check if Admin able to delete a program without Authorization</u>	3	3	0	0	0.172 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
41	<u>Get (Logout)</u>	<u>Check if Admin able to logout</u>	3	3	0	0	0.149 s
42		<u>Check if Admin able to logout with invalid endpoint</u>	3	3	0	0	0.400 s
43		<u>Check if Admin able to logout</u>	3	3	0	0	0.300 s
44	<u>Batch Module POST request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>	3	2	1	0	0.275 s
45		<u>Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)</u>	3	3	0	0	0.163 s
46		<u>Check if admin able to create a Batch missing mandatory fields in request body</u>	3	3	0	0	0.219 s
47		<u>Check if admin able to create a batch with invalid endpoint</u>	3	3	0	0	0.224 s
48		<u>Check if admin able to create a batch with missing additional fields</u>	3	2	1	0	0.270 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
49		<u>Check if admin able to create a batch with invalid data in request body</u>	3	3	0	0	0.238 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
50	<u>Batch Module POST request</u>	<u>Check if admin able to retrieve all batches with valid LMS API</u>	3	3	0	0	1.150 s
51		<u>Check if admin able to retrieve all batches with invalid Endpoint</u>	3	3	0	0	0.159 s
52		<u>Check if admin able to retrieve a batch with valid BATCH ID</u>	3	3	0	0	0.157 s
53		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	3	2	1	0	0.149 s
54		<u>Check if admin able to retrieve a batch with valid Program ID</u>	3	2	1	0	0.156 s
55		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	3	3	0	0	0.561 s
56		<u>Check if admin able to delete a Batch with valid Batch ID</u>	3	2	1	0	0.171 s
57		<u>Check if admin able to retrieve a batch after deleting the batch</u>	3	2	1	0	0.333 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
58	<u>User Module</u>	<u>Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields</u>	3	2	1	0	0.813 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
59	<u>User Module</u>	<u>Check if admin is able to retrieve all the available roles</u>	3	3	0	0	2.915 s
60		<u>Check if admin able to retrieve all Admin with valid endpoint</u>	3	3	0	0	1.776 s
61		<u>Check if admin able to retrieve a Admin with valid Admin ID</u>	3	3	0	0	1.316 s
62		<u>Check if admin able to retrieve all active Admins</u>	3	3	0	0	0.823 s
63		<u>Check if admin is able to get count of active and inactive Admins</u>	3	3	0	0	0.158 s
64		<u>Check if admin is able to get the Admins by program batches for valid batch ID</u>	3	3	0	0	0.175 s
65		<u>Check if admin is able to get the Admins for valid program Id</u>	3	3	0	0	0.163 s
66		<u>Check if admin is able to retrieve Admins by valid role ID</u>	3	3	0	0	1.092 s
67		<u>Check if admin able to retrieve all Admins with roles</u>	3	3	0	0	0.154 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
68		<u>Check if admin is able to update role status of a Admin with valid Admin id</u>	3	2	1	0	0.335 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
69	<u>User Module</u>	<u>Check if admin is able to update role id of a Admin by valid Admin id</u>	3	2	1	0	0.186 s
70		<u>Check if admin is able to assign Admin to with program/batch by Admin Id</u>	3	2	1	0	0.314 s
71	<u>User Role Program Batch Map</u>	<u>Admin retrieve all Admins with assigned program batches</u>	3	3	0	0	0.834 s
72		<u>Check if admin is able to retrieve all Admins with assigned program batches with No Authorization</u>	3	3	0	0	0.169 s
73		<u>Admin retrieve assigned program batches for valid AdminId</u>	3	2	1	0	0.190 s
74		<u>Check if admin is able to retrieve assigned program batches for invalid AdminId</u>	3	3	0	0	0.168 s
75		<u>Check if admin is able to retrieve assigned program batches for valid AdminId with No authorization</u>	3	3	0	0	1.274 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
76		<u>Check if admin is able to delete the program batch for a Admin</u>	3	2	1	0	0.177 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
77	<u>User Role Program Batch Map</u>	<u>Check if admin is able to delete the program batch for invalid Admin</u>	3	3	0	0	0.165 s
78		<u>Check if admin is able to delete the program batch for valid Admin and No Authorization</u>	3	3	0	0	0.192 s

Post request



<div>PASSED</div>	<div>DURATION - 5.174 s</div>	<div>Scenarios</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:16:18.407 AM // 8:16:23.581 AM /</div>					

Check if Admin able to generate token with valid credential

<div>PASSED</div>	<div>DURATION - 4.466 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:16:18.411 AM // 8:16:22.877 AM /</div>				
<div>Post request</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.970 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.002 s
3	Then Admin receives 200 created with auto generated token	PASSED	3.443 s

Check if Admin able to generate token with invalid endpoint

PASSED	DURATION - 0.329 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:16:22.992 AM // 8:16:23.321 AM /				
Post request				
@EndToEnd				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with invalid endpoint	PASSED	0.001 s
3	Then Admin receives 401 unauthorized	PASSED	0.322 s

Check if Admin able to generate token with invalid credentials



PASSED	DURATION - 0.212 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:16:23.369 AM // 8:16:23.581 AM /				
Post request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with invalid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 400 Bad request	PASSED	0.206 s

ProgramModule



FAILED	DURATION - 10.958 s	Scenarios		Steps	
/ 8:16:23.645 AM // 8:16:34.603 AM /		Total - 37		Total - 111	
		Pass - 36		Pass - 110	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Check if Admin able to create a program with valid endpoint and request body with Authorization

<div>PASSED</div>	<div>DURATION - 0.901 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:16:23.646 AM // 8:16:24.547 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.009 s
2	When Admin sends HTTPS Request and request Body with endpoint	PASSED	0.874 s
3	Then Admin receives 201 Created Status with response body.	PASSED	0.002 s

Check if Admin able to create a program with valid endpoint and request body without Authorization

PASSED	DURATION - 0.343 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:16:24.611 AM // 8:16:24.954 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and request Body with endpoint without Authorization	PASSED	0.337 s
3	Then Admin receives 401 Unauthorized error for post	PASSED	0.001 s

Check if Admin able to create a program with invalid endpoint

PASSED		DURATION - 0.365 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:16:24.991 AM // 8:16:25.356 AM /						
ProgramModule						
@tag						



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends HTTPS Request and request Body with invalid endpoint	PASSED	0.360 s
3	Then Admin receives 404 not found Status with message and boolean success details	PASSED	0.002 s

Check if Admin able to create a program with already existing program name

PASSED	DURATION - 0.285 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:16:25.390 AM // 8:16:25.675 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.002 s
2	When Admin sends Post Request with exsisting prgm name and request Body with endpoint	PASSED	0.279 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s

Check if Admin able to create a program with missing values in the request body

<div>PASSED</div> <div>DURATION - 0.226 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:16:25.693 AM // 8:16:25.919 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and missing Pgm Name in request Body with endpoint	PASSED	0.222 s
3	Then Admin receives 400 Bad Request Status for missing value	PASSED	0.000 s

Check if Admin able to create a program with invalid method

<div>PASSED</div> <div>DURATION - 0.251 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:16:25.944 AM // 8:16:26.195 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Get Request instead of post and request Body with endpoint	PASSED	0.247 s
3	Then Admin receives 405 Method Not Allowed	PASSED	0.000 s

Check if Admin able to create a program without program name starting with a number

<div>PASSED</div>	<div>DURATION - 0.235 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:16:26.212 AM // 8:16:26.447 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.230 s
3	Then Admin receives 400 Bad Request Status for Pgm name starting with number	PASSED	0.001 s



Check if Admin able to create a program with missing additional field

FAILED	DURATION - 0.231 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 8:16:26.471 AM // 8:16:26.702 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Post Request with request Body with missing additional field with endpoint	PASSED	0.216 s
3	Then Admin receives 200 ok for missing additional fields in program post request body <pre>java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_for_missing_additional_fields_in_program_post_request_body(ProgramModuleSD.java:136)</pre>	FAILED	0.010 s



#	Step / Hook Details	Status	Duration
	<p>at ?.Admin receives 200 ok for missing additional fields in program post request body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:46)</p> <p>* Not displayable characters are replaced by '?'. </p>		

Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div> <div>DURATION - 0.354 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:16:26.718 AM // 8:16:27.072 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint	PASSED	0.350 s
3	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

Check if Admin able to retrieve all programs with valid Endpoint without auth

<div>PASSED</div>	<div>DURATION - 0.152 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 8:16:27.101 AM // 8:16:27.253 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request and request Body with endpoint without Authorization	PASSED	0.147 s
3	Then Admin receives 401 Unauthorized error for put	PASSED	0.001 s

Check if Admin able to create a program with invalid endpoint

<div>PASSED</div> <div>DURATION - 0.247 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:16:27.280 AM // 8:16:27.527 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request and request Body with invalid endpoint	PASSED	0.241 s
3	Then Admin receives 404 not found Status for GET with message and boolean success details	PASSED	0.001 s

Check if Admin able to create a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.223 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:16:27.552 AM // 8:16:27.775 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Post Request instead of get and request Body with endpoint	PASSED	0.218 s
3	Then Admin receives 405 Method Not Allowed message	PASSED	0.001 s

Check if Admin able to retrieve a program with valid program ID

<div>PASSED</div>	<div>DURATION - 0.167 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:16:27.798 AM // 8:16:27.965 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get program Request with endpoint	PASSED	0.163 s
3	Then Admin receives 200 OK Status code with response body.	PASSED	0.000 s

Check if Admin able to retrieve all programs with valid prgm id without auth

<div>PASSED</div>	<div>DURATION - 0.156 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:16:27.983 AM // 8:16:28.139 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get Request by pgm id and request Body with endpoint without Authorization	PASSED	0.152 s
3	Then Admin receives 401 Unauthorized error for put by pgm id	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid program ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request with invlaid ID and endpoint	PASSED	0.173 s
3	Then Admin receives 404 Not Found Status for invalid PG Id with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid baseURI





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with invalid baseURI	PASSED	0.001 s
2	When Admin sends Get Request Request with endpoint	PASSED	0.342 s
3	Then Admin receives 404 Not Found Status for invalid baseurl with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid Endpoint

<div>PASSED</div> <div>DURATION - 0.179 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:16:28.749 AM // 8:16:28.928 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request with pgm Id and request Body with invalid endpoint	PASSED	0.172 s
3	Then Admin receives 404 Not Found Status for Get with Pgm Id with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div>	<div>DURATION - 0.638 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:16:28.957 AM // 8:16:29.595 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends Get All programs with users Request with endpoint	PASSED	0.633 s
3	Then Admin receives 200 OK Status with response body of Users	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends Get Request for all users with request Body with invalid endpoint	PASSED	0.156 s
3	Then Admin receives 404 Not Found Status for Get w for all users with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve all programs with invalid Method





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends post all users Request instead of get with endpoint	PASSED	0.161 s
3	Then Admin receives 405 Method Not Allowed for get all users invalid method	PASSED	0.000 s

Check if Admin able to retrieve all programs without Authorization

PASSED	DURATION - 0.173 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:16:30.005 AM // 8:16:30.178 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint without auth	PASSED	0.169 s
3	Then Admin receives 401 Status with response body as Unauthorized	PASSED	0.000 s

Check if Admin able to update a program with valid programID endpoint and valid request body

PASSED	DURATION - 0.543 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:16:30.198 AM // 8:16:30.741 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with valid endpoint	PASSED	0.536 s
3	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.003 s

Check if Admin able to update a program with invalid programID endpoint and valid request body

<div>PASSED</div> <div>DURATION - 0.238 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:16:30.758 AM // 8:16:30.996 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with invalid prgm Id and valid endpoint	PASSED	0.232 s
3	Then Admin receives 404 Not Found Status for update pgm invalid pgm id with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program without request body

PASSED	DURATION - 0.234 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:16:31.021 AM // 8:16:31.255 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request missing mandate field and valid endpoint	PASSED	0.229 s
3	Then Admin receives 400 Bad Request Status for put for missing mandate field with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program with invalid baseURI

<div>PASSED</div> <div>DURATION - 0.247 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:16:31.280 AM // 8:16:31.527 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields with invalid baseurl	PASSED	0.000 s
2	When Admin sends Put Request with invalid baseurl valid endpoint	PASSED	0.242 s
3	Then Admin receives 404 Not Found Status for put invalid baseurl with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.242 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:16:31.552 AM // 8:16:31.794 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends get request instead of put Request with valid endpoint	PASSED	0.235 s
3	Then Admin receives 405 Method Not Allowed for using get instead of put	PASSED	0.001 s

Check if Admin able to update a program without Authorization

<div>PASSED</div>	<div>DURATION - 0.231 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:16:31.819 AM // 8:16:32.050 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with endpoint without auth	PASSED	0.227 s
3	Then Admin receives 401 Status with response body as Unauthorized for put by pgm id	PASSED	0.001 s

Check if Admin able to update a program with Valid program Name and request body

PASSED	DURATION - 0.310 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:16:32.083 AM // 8:16:32.393 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with Program name with valid endpoint	PASSED	0.305 s
3	Then Admin receives 200 OK Status code with updated value in response body.	PASSED	0.000 s

Check if Admin able to update a program with invalid program Name and request body

<div>PASSED</div>	<div>DURATION - 0.256 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:16:32.415 AM // 8:16:32.671 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with invalid Program name with valid endpoint	PASSED	0.253 s
3	Then Admin receives 404 Not Found Status for put with invalid pg namewith message and boolean success details	PASSED	0.000 s

Check if Admin able to update a program using valid program name - missing mandatory fields in request body

PASSED	DURATION - 0.290 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:16:32.701 AM // 8:16:32.991 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API with missing mandatory fields	PASSED	0.002 s
2	When Admin sends Put Request with valid prgom name with valid endpoint	PASSED	0.283 s
3	Then Admin receives 400 Bad Request Status for missing field with message and boolean success details	PASSED	0.001 s

Check if Admin able to upadte a program with program name starting with a number

<div>PASSED</div> <div>DURATION - 0.236 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:16:33.013 AM // 8:16:33.249 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.231 s
3	Then Admin receives 400 Bad Request Status for put Pgm name starting with number	PASSED	0.001 s

Check if Admin able to update a program with invalid program Description

<div>PASSED</div>	<div>DURATION - 0.240 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 8:16:33.272 AM // 8:16:33.512 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request and Pgm Descrip starting with Number in request Body with endpoint	PASSED	0.236 s
3	Then Admin receives 400 Bad Request Status for put Pgm descrip starting with number	PASSED	0.001 s

Check if Admin able to update a program status

<div>PASSED</div>	<div>DURATION - 0.300 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:16:33.537 AM // 8:16:33.837 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request for status change with valid endpoint	PASSED	0.296 s
3	Then Admin receives 200 OK Status with updated prgm status value in response body.	PASSED	0.001 s

Check if Admin able to delete a program with valid LMS API,invalid programName

PASSED	DURATION - 0.186 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:16:33.862 AM // 8:16:34.048 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programName	PASSED	0.001 s
2	When Admin sends Delete by invalid ProgramName Request with endpoint	PASSED	0.180 s
3	Then Admin receives 404 Not Found Status for delete invalid pgramewith message and boolean success details	PASSED	0.002 s

Check if Admin able to delete a program by pgrm name without Authorization





#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.001 s
2	When Admin sends delete Request by program name with endpoint without auth	PASSED	0.160 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm name	PASSED	0.001 s

Check if Admin able to delete a program with valid LMS API,invalid programId





#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programId	PASSED	0.001 s
2	When Admin sends Delete by invalid ProgramID Request with endpoint	PASSED	0.143 s
3	Then Admin receives 404 Not Found Status for delete invalid pgid with message and boolean success details	PASSED	0.001 s

Check if Admin able to delete a program without Authorization



PASSED	DURATION - 0.172 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:16:34.431 AM // 8:16:34.603 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.001 s
2	When Admin sends delete Request by program id with endpoint without auth	PASSED	0.166 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm id	PASSED	0.001 s

Get (Logout)

PASSED	DURATION - 0.887 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 8:16:34.627 AM // 8:16:35.514 AM /					



Check if Admin able to logout

PASSED	DURATION - 0.149 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:16:34.627 AM // 8:16:34.776 AM /				
Get (Logout)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request	PASSED	0.001 s
2	When Admin calls Get Https method with valid endpoint	PASSED	0.143 s



#	Step / Hook Details	Status	Duration
3	Then Admin receives 200 ok and response with "Logout successful"	PASSED	0.001 s

Check if Admin able to logout with invalid endpoint

PASSED	DURATION - 0.400 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:16:34.787 AM // 8:16:35.187 AM /				
Get (Logout)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request	PASSED	0.001 s
2	When Admin calls Get Https method with invalid endpoint	PASSED	0.255 s
3	Then Admin receives 404 Not found	PASSED	0.141 s

Check if Admin able to logout



PASSED	DURATION - 0.300 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:16:35.214 AM // 8:16:35.514 AM /				
Get (Logout)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request	PASSED	0.001 s
2	When Admin calls Get Https method with valid endpoint	PASSED	0.147 s
3	Then Admin receives 401 unauthorized	PASSED	0.149 s

Batch Module POST request


FAILED	DURATION - 4.480 s	Scenarios		Steps	
/ 8:16:35.534 AM // 8:16:40.014 AM /		Total - 14		Total - 42	
		Pass - 8		Pass - 36	
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 0	

Check if admin able to create a Batch with valid endpoint and request body (non existing values)

FAILED	DURATION - 0.275 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 8:16:35.534 AM // 8:16:35.809 AM /				
Batch Module POST request				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with valid data in request body	PASSED	0.005 s
2	When Admin sends HTTPS Request with endpoint to create batch	PASSED	0.261 s
3	Then Admin receives 201 Created Status with response body	FAILED	0.003 s
	java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response_body(ProgramBatchModuleSD.java:37) at ?.Admin receives 201 Created Status with response body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:10) * Not displayable characters are replaced by '?'.		

Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with existing value in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with endpoint to create batch	PASSED	0.159 s
3	Then Admin receives 400 Bad Request Status with message in the response body	PASSED	0.001 s

Check if admin able to create a Batch missing mandatory fields in request body




#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data in request body	PASSED	0.001 s
2	When Admin sends POST Request with endpoint to create batch	PASSED	0.215 s
3	Then Admin receives 400 Bad Request Status with message	PASSED	0.000 s

Check if admin able to create a batch with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request	PASSED	0.000 s
2	When Admin sends HTTPS Request with invalid endpoint	PASSED	0.216 s
3	Then Admin receives 404 not found Status	PASSED	0.001 s



Check if admin able to create a batch with missing additional fields



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with missing additional fields	PASSED	0.001 s
2	When Admin sends HTTPS Request with valid endpoint to create batch	PASSED	0.265 s
3	Then Admin receives 201 Created Status with response java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response(ProgramBatchModuleSD.java:108) at ?.Admin receives 201 Created Status with response(file:///C:/Users/sudha/git/	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:39) * Not displayable characters are replaced by '?'. 		

Check if admin able to create a batch with invalid data in request body

PASSED	DURATION - 0.238 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0				
/ 8:16:36.791 AM // 8:16:37.029 AM /							
Batch Module POST request							


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data fields in request body	PASSED	0.002 s
2	When Admin sends HTTPS POST Request with valid endpoint	PASSED	0.233 s
3	Then Admin receives 400 Bad Request Status with message and boolean success	PASSED	0.001 s

Check if admin able to retrieve all batches with valid LMS API

PASSED	DURATION - 1.150 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0				
/ 8:16:37.039 AM // 8:16:38.189 AM /							
Batch Module POST request							


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Get Request with endpoint to get batch	PASSED	1.146 s
3	Then Admin receives 200 OK Status with response body	PASSED	0.000 s

Check if admin able to retrieve all batches with invalid Endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid endpoint	PASSED	0.001 s
2	When Admin sends HTTPS GET Request with invalid endpoint to get all batches	PASSED	0.156 s
3	Then Admin receives 404 status with error message Not Found	PASSED	0.001 s

Check if admin able to retrieve a batch with valid BATCH ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.002 s
2	When Admin sends Get Request with endpoint for batch module	PASSED	0.152 s
3	Then Admin receives 200 OK Status with response in the response body	PASSED	0.001 s

Check if admin able to retrieve a batch with valid BATCH NAME

<div>FAILED</div>	<div>DURATION - 0.149 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 8:16:38.566 AM // 8:16:38.715 AM /</div>				
<div>Batch Module POST request</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch Name	PASSED	0.001 s
2	When Admin sends Get batch Request with endpoint for batch module	PASSED	0.144 s
3	Then Admin receives 200 Status code with response body java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_status_code_with_response_body(ProgramBatchModuleSD.java:199) at ?.Admin receives 200 Status code with response body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:74) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s

Check if admin able to retrieve a batch with valid Program ID

<div>FAILED</div> <div>DURATION - 0.156 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 8:16:38.736 AM // 8:16:38.892 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Program Id	PASSED	0.000 s
2	When Admin sends HTTPS Request to get batch by program Id with endpoint	PASSED	0.150 s
3	Then Admin receives status code 200 OK Status with response body java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD. admin_receives_status_code_ok_status_with_response_body(ProgramBatchModuleSD.java:218) at ?.Admin receives status code 200 OK Status with response body(file:///C:/Users/sudha/git/ Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/ 003ProgramBatchModule.feature:81) * Not displayable characters are replaced by '?'. 	FAILED	0.003 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body

PASSED	DURATION - 0.561 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:16:38.909 AM // 8:16:39.470 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid BatchId and Data	PASSED	0.000 s
2	When Admin sends HTTPS Request to update with endpoint	PASSED	0.555 s
3	Then Admin receives 200 OK Status with updated value in response body for update request.	PASSED	0.001 s

Check if admin able to delete a Batch with valid Batch ID

FAILED	DURATION - 0.171 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div> <div></div>
/ 8:16:39.496 AM // 8:16:39.667 AM /			
Batch Module POST request			



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request with valid BatchId	PASSED	0.001 s
2	When Admin sends HTTPS Request to delete with endpoint	PASSED	0.167 s
3	Then Admin receives 200 Ok status with message to delete batch java.lang.AssertionError: expected [200] but found [0] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_status_with_message_to_delete_batch(ProgramModuleSD.java:526) at ?.Admin receives 200 Ok status with message to delete batch(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:95) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s

Check if admin able to retrieve a batch after deleting the batch



<div>FAILED</div>	<div>DURATION - 0.333 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:16:39.681 AM // 8:16:40.014 AM /</div>				
<div>Batch Module POST request</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.001 s
2	When Admin sends HTTPS GET Request with valid id	PASSED	0.152 s
3	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body. <pre>java.lang.AssertionError: expected [Inactive] but found [active] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_ok_status_with_batch_status_field_in_the_response_body(ProgramBatchModuleSD.java:268) at ?.Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:102) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.178 s

User Module



FAILED	DURATION - 10.426 s	Scenarios		Steps	
/ 8:16:40.038 AM // 8:16:50.464 AM /		Total - 13 Pass - 9 Fail - 4 Skip - 0		Total - 39 Pass - 35 Fail - 4 Skip - 0	

Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields

FAILED		DURATION - 0.813 s			Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 8:16:40.038 AM // 8:16:40.851 AM /						
User Module						
@PostRequest						



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with all mandatory fields for User Module	PASSED	0.004 s
2	When Admin sends HTTPS Request with endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 201 Created Status with response body for User Module java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.UserModuleSD.admin_receives_created_status_with_response_body_for_user_module(UserModuleSD.java:31) at ?.Admin receives 201 Created Status with response body for User Module(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/004UserModule.feature:8) * Not displayable characters are replaced by '?'. 	FAILED	0.804 s

Check if admin is able to retrieve all the available roles

PASSED	DURATION - 2.915 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:16:40.864 AM // 8:16:43.779 AM /				
User Module				
@GetRequest(allroles)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with GET All Roles endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK for User Module	PASSED	2.912 s

Check if admin able to retrieve all Admin with valid endpoint

<div>PASSED</div>	<div>DURATION - 1.776 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:16:43.806 AM // 8:16:45.582 AM /</div>				
<div>User Module</div>				
<div>@GetRequest(All_Admins)</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with valid endpoint for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK Status with response body for User Module	PASSED	1.772 s

Check if admin able to retrieve a Admin with valid Admin ID

<div>PASSED</div>	<div>DURATION - 1.316 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:16:45.604 AM // 8:16:46.920 AM /</div>				
<div>User Module</div>				
<div>@GetRequest(by_AdminID)</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid AdminId	PASSED	0.001 s
2	When Admin sends HTTPS Request with valid endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK Status with response body for User Module	PASSED	1.312 s

Check if admin able to retrieve all active Admins

<div>PASSED</div>	<div>DURATION - 0.823 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:16:46.933 AM // 8:16:47.756 AM /</div>				
<div>User Module</div>				
<div>@GetRequest(All_active_admins)</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for active admins	PASSED	0.001 s
2	When Admin sends HTTPS Request with Get ALL Active Users endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK with all Active Admins response body for User Module	PASSED	0.819 s

Check if admin is able to get count of active and inactive Admins

<div>PASSED</div>	<div>DURATION - 0.158 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:16:47.777 AM // 8:16:47.935 AM /</div>				
<div>User Module</div>				
<div>@GetRequest(Count_of_active_inactive_Admins)</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK With count of all active and inactive admins for User Module	PASSED	0.156 s

Check if admin is able to get the Admins by program batches for valid batch ID

PASSED	DURATION - 0.175 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:16:47.954 AM // 8:16:48.129 AM /				
User Module				
@GetRequest(Admins_by_program_batches)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid batch Id for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to get Admins by program batch for valid batchId for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK for admins by program batches for valid adminId for User Module	PASSED	0.172 s

Check if admin is able to get the Admins for valid program Id

PASSED	DURATION - 0.163 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:16:48.141 AM // 8:16:48.304 AM /				
User Module				
@GetRequest(get_Admin_for_program)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to get admins with valid program Id for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to get the Admins for valid program Id for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK to get the Admins for valid program Id for User Module	PASSED	0.160 s

Check if admin is able to retrieve Admins by valid role ID

<div>PASSED</div>	<div>DURATION - 1.092 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:16:48.322 AM // 8:16:49.414 AM /</div>				
<div>User Module</div>				
<div>@GetRequest(get_Admin_by_RoleID)</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid role ID to retrieve Admins by valid role ID	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to retrieve Admins by valid role ID	PASSED	0.000 s
3	Then Admin receives 200 OK when retrieved Admins by valid role ID for User Module	PASSED	1.089 s

Check if admin able to retrieve all Admins with roles

<div>PASSED</div> <div>DURATION - 0.154 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:16:49.425 AM // 8:16:49.579 AM /</div>			
<div>User Module</div>			
<div>@GetRequest(Admin_With_Roles)</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins with roles	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to retrieve all Admins with roles	PASSED	0.000 s
3	Then Admin receives 200 OK Status with response body after retrieved all Admins with roles for User Module	PASSED	0.151 s

Check if admin is able to update role status of a Admin with valid Admin id

<div>FAILED</div> <div>DURATION - 0.335 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 8:16:49.597 AM // 8:16:49.932 AM /</div>				
<div>User Module</div>				
<div>@PutRequest(Update_Admin_Role_Status_By_AdminID)</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid data in request body to update role status	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to update role status	PASSED	0.000 s
3	Then Admin receives 200 Ok Status with response message after update of role status for User Module java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.UserModuleSD. admin_receives_ok_status_with_response_message_after_update_of_role_status_for_user_module(UserModuleSD.java:223) at ?.Admin receives 200 Ok Status with response message after update of role status for User Module(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/004UserModule.feature:74) * Not displayable characters are replaced by '?'. 	FAILED	0.332 s

Check if admin is able to update role id of a Admin by valid Admin id

<div>FAILED</div> <div>DURATION - 0.186 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 8:16:49.956 AM // 8:16:50.142 AM /</div>				
<div>User Module</div>				
<div>@PutRequest(Update_Admin_RoleID)</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid request body for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to update Admin roleId by valid AdminId	PASSED	0.001 s
3	Then Admin receives 200 OK Status with response body to update Admin roleId java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.UserModuleSD.admin_receives_ok_status_with_response_body_to_update_admin_role_id(UserModuleSD.java:204) at ?.Admin receives 200 OK Status with response body to update Admin roleId(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/004UserModule.feature:81) * Not displayable characters are replaced by '?'.	FAILED	0.183 s



Check if admin is able to assign Admin to with program/batch by Admin Id

FAILED		DURATION - 0.314 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>		
/ 8:16:50.150 AM // 8:16:50.464 AM /							
User Module							
@PutRequest(Update_Admin_Role_Program_Batch_Status)							



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid data in request body to assign Admin with program/batch by Admin Id	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to assign Admin with program/batch by Admin Id	PASSED	0.000 s
3	Then Admin receives 200 Ok Status with response message to assign Admin to with program/batch by Admin Id java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419)	FAILED	0.311 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.UserModuleSD. admin_receives_ok_status_with_response_message_to_assign_admin_to_with_program_batch_by_admin_id(UserModuleSD.java:243) at ?.Admin receives 200 Ok Status with response message to assign Admin to with program/batch by Admin Id(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/004UserModule.feature:88) * Not displayable characters are replaced by '?'. </pre>		

User Role Program Batch Map


FAILED	DURATION - 3.263 s	Scenarios		Steps	
/ 8:16:50.489 AM // 8:16:53.752 AM /		Total - 8		Total - 24	
		Pass - 6		Pass - 22	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

Admin retrieves all Admins with assigned program batches

<div>PASSED</div>	<div>DURATION - 0.834 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:16:50.489 AM // 8:16:51.323 AM /</div>				
<div>User Role Program Batch Map</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins assigned to programs/batches with Authorization to bearer token	PASSED	0.000 s
2	When Admin sends HTTPS GET Request to retrieve all Admins assigned to programs/batches with Authorization to bearer token	PASSED	0.000 s
3	Then Admin receives statuscode 200 OK for Role Program Batch Map	PASSED	0.830 s

Check if admin is able to retrieve all Admins with assigned program batches with No Authorization



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins assigned to programs/batches with authorization to No Auth	PASSED	0.001 s
2	When Admin sends HTTPS Request without authorization	PASSED	0.000 s
3	Then Admin receives status 401 with Unauthorized message for Role Program Batch Map	PASSED	0.167 s



Admin retrieves assigned program batches for valid AdminId



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by AdminId with Authorization to bearer token	PASSED	0.001 s
2	When Admin sends HTTPS Request to get program batches for valid AdminId	PASSED	0.000 s
3	Then Admin will receive 200 OK for Role Program Batch Map java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.UserRoleProgramBatchMapSD. admin_will_receive_ok_for_role_program_batch_map(UserRoleProgramBatchMapSD.java:79)	FAILED	0.187 s



#	Step / Hook Details	Status	Duration
	at ?.Admin will receive 200 OK for Role Program Batch Map(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/005UserRoleProgrmBatchMap.feature:16) * Not displayable characters are replaced by '?'.		

Check if admin is able to retrieve assigned program batches for invalid AdminId

<div>PASSED</div>	<div>DURATION - 0.168 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:16:51.714 AM // 8:16:51.882 AM /</div>				
<div>User Role Program Batch Map</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by invalid AdminID with Authorization to bearer token	PASSED	0.000 s
2	When Admin sends HTTPS Request to get program batches for invalid AdminId	PASSED	0.000 s
3	Then Admin receives 404 with message for Role Program Batch Map	PASSED	0.166 s

Check if admin is able to retrieve assigned program batches for valid AdminId with No authorization

<div>PASSED</div> <div>DURATION - 1.274 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 8:16:51.889 AM // 8:16:53.163 AM /				
User Role Program Batch Map				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by valid AdminID with authorization to No Auth	PASSED	0.002 s
2	When Admin sends HTTPS Request to get Program/Batch by valid Admin Id without authorization	PASSED	0.001 s
3	Then Admin will receive status 401 with Unauthorized message for Role Program Batch Map	PASSED	1.271 s

Check if admin is able to delete the program batch for a Admin

<div><div>FAILED</div><div>DURATION - 0.177 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 2</div><div>Fail - 1</div><div>Skip - 0</div></div>	<div></div>
/ 8:16:53.179 AM // 8:16:53.356 AM /				
User Role Program Batch Map				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by AdminId with Authorization to bearer token	PASSED	0.001 s
2	When Admin sends HTTPS Request to Delete program/batch by Admin Id	PASSED	0.000 s
3	Then Admin receives Status Code 200 OK after delete operation for Role Program Batch Map <pre> java.lang.AssertionError: expected [200] but found [404] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.UserRoleProgramBatchMapSD.admin_receives_status_code_ok_after_delete_operation_for_role_program_batch_map(UserRoleProgramBatchMapSD.java:145) at ?.Admin receives Status Code 200 OK after delete operation for Role Program Batch Map(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/005UserRoleProgramBatchMap.feature:31) </pre> * Not displayable characters are replaced by '?'.	FAILED	0.175 s

Check if admin is able to delete the program batch for invalid Admin

<div>PASSED</div>	<div>DURATION - 0.165 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:16:53.377 AM // 8:16:53.542 AM /</div>				
<div>User Role Program Batch Map</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by invalid AdminId with Authorization to bearer token	PASSED	0.000 s
2	When Admin sends HTTPS Request to delete program/batch by invalid Admin Id	PASSED	0.001 s
3	Then Admin will receive 404 with message for Role Program Batch Map	PASSED	0.163 s

Check if admin is able to delete the program batch for valid Admin and No Authorization

<div>PASSED</div> <div>DURATION - 0.192 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:16:53.560 AM // 8:16:53.752 AM /</div>				
<div>User Role Program Batch Map</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by valid AdminId with authorization to No Auth	PASSED	0.001 s
2	When Admin sends HTTPS Request to delete program/batch by Admin id without Authorization	PASSED	0.000 s
3	Then Admin will receive status code 401 with Unauthorized message for Role Program Batch Map	PASSED	0.190 s