

Cucumber Report

Apr 2, 2024, 11:08:44 AM

Start : Apr 02, 11:08:26.783 AM

End : Apr 02, 11:08:43.583 AM

Duration : 16.800 s

Features



Scenarios

Steps

PASSED - 2
FAILED - 2
SKIPPED - 0

PASSED - 62
FAILED - 2
SKIPPED - 0


PASSED - 190
FAILED - 2
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Post request</u>	3.924 s	3	3	0	0	9	9	0	0
<u>ProgramModule</u>	7.603 s	36	35	1	0	108	107	1	0
<u>Batch Module POST request</u>	2.405 s	12	11	1	0	36	35	1	0
<u>User Module</u>	2.818 s	13	13	0	0	39	39	0	0

#	Feature Name	Scenario Name
1	<u>ProgramModule</u>	<u>Check if Admin able to create a program with missing additional field</u>
2	<u>Batch Module POST request</u>	<u>Check if admin able to create a batch with missing additional fields</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	38	37	1	0	3	1	2	0
@EndToEnd	1	1	0	0	1	1	0	0
@PostRequest	1	1	0	0	1	1	0	0
@GetRequest(allroles)	1	1	0	0	1	1	0	0
@GetRequest(All_Admins)	1	1	0	0	1	1	0	0
@GetRequest(by_AdminID)	1	1	0	0	1	1	0	0
@GetRequest(All_active_admins)	1	1	0	0	1	1	0	0
@GetRequest(Count_of_active_inactive_Admins)	1	1	0	0	1	1	0	0
@GetRequest(get_Admin_by_RoleID)	1	1	0	0	1	1	0	0
@GetRequest(Admin_With_Roles)	1	1	0	0	1	1	0	0
@PutRequest(Update_Admin_Role_Status_By_AdminID)	1	1	0	0	1	1	0	0
@PutRequest(Update_Admin_RoleID)	1	1	0	0	1	1	0	0
@PutRequest(Update_Admin_Role_Program_Batch_Status)	1	1	0	0	1	1	0	0
@GetRequest(get_Admin_for_program)	1	1	0	0	1	1	0	0
@GetRequest(Admins_by_program_batches)	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>Post request</u>	3	3	0	0	3.924 s
2	<u>ProgramModule</u>	36	35	1	0	7.603 s
3	<u>Batch Module POST request</u>	12	11	1	0	2.405 s
4	<u>User Module</u>	13	13	0	0	2.818 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Post request</u>	<u>Check if Admin able to generate token with valid credential</u>	3	3	0	0	3.403 s
2		<u>Check if Admin able to generate token with invalid endpoint</u>	3	3	0	0	0.252 s
3		<u>Check if Admin able to generate token with invalid credentials</u>	3	3	0	0	0.164 s
4	<u>ProgramModule</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	3	3	0	0	0.660 s
5		<u>Check if Admin able to create a program with valid endpoint and request body without Authorization</u>	3	3	0	0	0.287 s
6		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.360 s
7		<u>Check if Admin able to create a program with already existing program name</u>	3	3	0	0	0.234 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if Admin able to create a program with missing values in the request body</u>	3	3	0	0	0.219 s
9		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.238 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>ProgramModule</u>	<u>Check if Admin able to create a program without program name starting with a number</u>	3	3	0	0	0.204 s
11		<u>Check if Admin able to create a program with missing additional field</u>	3	2	1	0	0.213 s
12		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.127 s
13		<u>Check if Admin able to retrieve all programs with valid Endpoint without auth</u>	3	3	0	0	0.134 s
14		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.172 s
15		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.144 s
16		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	3	0	0	0.159 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17		<u>Check if Admin able to retrieve all programs with valid prgm id without auth</u>	3	3	0	0	0.128 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>ProgramModule</u>	<u>Check if Admin able to retrieve a program with invalid program ID</u>	3	3	0	0	0.128 s
19		<u>Check if Admin able to retrieve a program with invalid baseURI</u>	3	3	0	0	0.238 s
20		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.130 s
21		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.152 s
22		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.124 s
23		<u>Check if Admin able to retrieve all programs with invalid Method</u>	3	3	0	0	0.152 s
24		<u>Check if Admin able to retrieve all programs without Authorization</u>	3	3	0	0	0.141 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>ProgramModule</u>	<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	3	3	0	0	0.219 s
26		<u>Check if Admin able to update a program with invalid programID endpoint and valid request body</u>	3	3	0	0	0.183 s
27		<u>Check if Admin able to update a program without request body</u>	3	3	0	0	0.268 s
28		<u>Check if Admin able to update a program with invalid baseURI</u>	3	3	0	0	0.180 s
29		<u>Check if Admin able to update a program with invalid method</u>	3	3	0	0	0.172 s
30		<u>Check if Admin able to update a program without Authorization</u>	3	3	0	0	0.175 s
31		<u>Check if Admin able to update a program with Valid program Name and request body</u>	3	3	0	0	0.195 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
32		<u>Check if Admin able to update a program with invalid program Name and request body</u>	3	3	0	0	0.193 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>ProgramModule</u>	<u>Check if Admin able to update a program using valid program name - missing mandatory fields in request body</u>	3	3	0	0	0.177 s
34		<u>Check if Admin able to upadte a program with program name starting with a number</u>	3	3	0	0	0.229 s
35		<u>Check if Admin able to update a program with invalid program Description</u>	3	3	0	0	0.169 s
36		<u>Check if Admin able to delete a program with valid LMS API, invalid programName</u>	3	3	0	0	0.145 s
37		<u>Check if Admin able to delete a program by pgrm name without Authorization</u>	3	3	0	0	0.142 s
38		<u>Check if Admin able to delete a program with valid LMS API, invalid programId</u>	3	3	0	0	0.133 s
39		<u>Check if Admin able to delete a program without Authorization</u>	3	3	0	0	0.186 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
40	<u>Batch Module POST request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>	3	3	0	0	0.227 s
41		<u>Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)</u>	3	3	0	0	0.175 s
42		<u>Check if admin able to create a Batch missing mandatory fields in request body</u>	3	3	0	0	0.183 s
43		<u>Check if admin able to create a batch with invalid endpoint</u>	3	3	0	0	0.355 s
44		<u>Check if admin able to create a batch with missing additional fields</u>	3	2	1	0	0.234 s
45		<u>Check if admin able to create a batch with invalid data in request body</u>	3	3	0	0	0.186 s
46		<u>Check if admin able to retrieve all batches with valid LMS API</u>	3	3	0	0	0.140 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
47		<u>Check if admin able to retrieve all batches with invalid Endpoint</u>	3	3	0	0	0.145 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
48	<u>Batch Module POST request</u>	<u>Check if admin able to retrieve a batch with valid BATCH ID</u>	3	3	0	0	0.119 s
49		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	3	3	0	0	0.149 s
50		<u>Check if admin able to retrieve a batch with valid Program ID</u>	3	3	0	0	0.134 s
51		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	3	3	0	0	0.224 s
52	<u>User Module</u>	<u>Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields</u>	3	3	0	0	0.712 s
53		<u>Check if admin is able to retrieve all the available roles</u>	3	3	0	0	0.264 s
54		<u>Check if admin able to retrieve all Admin with valid endpoint</u>	3	3	0	0	0.143 s
55		<u>Check if admin able to retrieve a Admin with valid Admin ID</u>	3	3	0	0	0.142 s
56		<u>Check if admin able to retrieve all active Admins</u>	3	3	0	0	0.171 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
57		<u>Check if admin is able to get count of active and inactive Admins</u>	3	3	0	0	0.173 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
58	<u>User Module</u>	<u>Check if admin is able to retrieve Admins by valid role ID</u>	3	3	0	0	0.157 s
59		<u>Check if admin able to retrieve all Admins with roles</u>	3	3	0	0	0.132 s
60		<u>Check if admin is able to update role status of a Admin with valid Admin id</u>	3	3	0	0	0.177 s
61		<u>Check if admin is able to update role id of a Admin by valid Admin id</u>	3	3	0	0	0.153 s
62		<u>Check if admin is able to assign Admin to with program/batch by Admin Id</u>	3	3	0	0	0.142 s
63		<u>Check if admin is able to get the Admins for valid program Id</u>	3	3	0	0	0.156 s
64		<u>Check if admin is able to get the Admins by program batches for valid batch ID</u>	3	3	0	0	0.149 s

Post request



PASSED	DURATION - 3.924 s	Scenarios		Steps	
/ 11:08:26.783 AM // 11:08:30.707 AM /		Total - 3		Total - 9	
		Pass - 3		Pass - 9	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if Admin able to generate token with valid credential

<div>PASSED</div> <div>DURATION - 3.403 s</div>	<div></div>	Steps	<div></div>
/ 11:08:26.786 AM // 11:08:30.189 AM /		Total - 3	
Post request		Pass - 3	
@tag		Fail - 0	
		Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.733 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.002 s
3	Then Admin receives 200 created with auto generated token	PASSED	2.618 s

Check if Admin able to generate token with invalid endpoint

<div>PASSED</div> <div>DURATION - 0.252 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:08:30.272 AM // 11:08:30.524 AM /</div>			
<div>Post request</div>			
<div>@EndToEnd</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.002 s
2	When Admin calls Post Https method with invalid endpoint	PASSED	0.000 s
3	Then Admin receives 401 unauthorized	PASSED	0.243 s

Check if Admin able to generate token with invalid credentials



PASSED	DURATION - 0.164 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:30.543 AM // 11:08:30.707 AM /				
Post request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with invalid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.000 s
3	Then Admin receives 400 Bad request	PASSED	0.159 s

ProgramModule



FAILED		DURATION - 7.603 s		Scenarios Total - 36 Pass - 35 Fail - 1 Skip - 0		Steps Total - 108 Pass - 107 Fail - 1 Skip - 0			
/ 11:08:30.738 AM // 11:08:38.341 AM /									

Check if Admin able to create a program with valid endpoint and request body with Authorization

<div>PASSED</div>	<div>DURATION - 0.660 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 11:08:30.738 AM // 11:08:31.398 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.014 s
2	When Admin sends HTTPS Request and request Body with endpoint	PASSED	0.632 s
3	Then Admin receives 201 Created Status with response body.	PASSED	0.002 s

Check if Admin able to create a program with valid endpoint and request body without Authorization

PASSED	DURATION - 0.287 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:31.441 AM // 11:08:31.728 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and request Body with endpoint without Authorization	PASSED	0.282 s
3	Then Admin receives 401 Unauthorized error for post	PASSED	0.000 s

Check if Admin able to create a program with invalid endpoint





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends HTTPS Request and request Body with invalid endpoint	PASSED	0.357 s
3	Then Admin receives 404 not found Status with message and boolean success details	PASSED	0.000 s

Check if Admin able to create a program with already existing program name





#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with exsisting prgm name and request Body with endpoint	PASSED	0.228 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s

Check if Admin able to create a program with missing values in the request body

<div>PASSED</div>	<div>DURATION - 0.219 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:08:32.373 AM // 11:08:32.592 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Post Request and missing Pgm Name in request Body with endpoint	PASSED	0.216 s
3	Then Admin receives 400 Bad Request Status for missing value	PASSED	0.001 s

Check if Admin able to create a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.238 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:08:32.604 AM // 11:08:32.842 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.003 s
2	When Admin sends Get Request instead of post and request Body with endpoint	PASSED	0.232 s
3	Then Admin receives 405 Method Not Allowed	PASSED	0.001 s

Check if Admin able to create a program without program name starting with a number

PASSED	DURATION - 0.204 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:08:32.852 AM // 11:08:33.056 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Post Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.201 s
3	Then Admin receives 400 Bad Request Status for Pgm name starting with number	PASSED	0.000 s



Check if Admin able to create a program with missing additional field

<div>FAILED</div> <div>DURATION - 0.213 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:08:33.078 AM // 11:08:33.291 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with request Body with missing additional field with endpoint	PASSED	0.199 s
3	Then Admin receives 200 ok for missing additional fields in program post request body <pre>java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_for_missing_additional_fields_in_program_post_request_body(ProgramModuleSD.java:136)</pre>	FAILED	0.011 s



#	Step / Hook Details	Status	Duration
	at ?.Admin receives 200 ok for missing additional fields in program post request body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:46) * Not displayable characters are replaced by '?'. 		

Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div> <div>DURATION - 0.127 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 11:08:33.300 AM // 11:08:33.427 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint	PASSED	0.124 s
3	Then Admin receives 200 OK Status with response body.	PASSED	0.000 s

Check if Admin able to retrieve all programs with valid Endpoint without auth

<div>PASSED</div>	<div>DURATION - 0.134 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 11:08:33.452 AM // 11:08:33.586 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request and request Body with endpoint without Authorization	PASSED	0.132 s
3	Then Admin receives 401 Unauthorized error for put	PASSED	0.000 s

Check if Admin able to create a program with invalid endpoint

<div>PASSED</div>	<div>DURATION - 0.172 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:08:33.596 AM // 11:08:33.768 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.002 s
2	When Admin sends Get Request and request Body with invalid endpoint	PASSED	0.166 s
3	Then Admin receives 404 not found Status for GET with message and boolean success details	PASSED	0.001 s

Check if Admin able to create a program with invalid method

<div>PASSED</div> <div>DURATION - 0.144 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:08:33.777 AM // 11:08:33.921 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Post Request instead of get and request Body with endpoint	PASSED	0.141 s
3	Then Admin receives 405 Method Not Allowed message	PASSED	0.001 s

Check if Admin able to retrieve a program with valid program ID

<div>PASSED</div>	<div>DURATION - 0.159 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:08:33.932 AM // 11:08:34.091 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get program Request with endpoint	PASSED	0.156 s
3	Then Admin receives 200 OK Status code with response body.	PASSED	0.001 s

Check if Admin able to retrieve all programs with valid prgm id without auth

PASSED	DURATION - 0.128 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:08:34.100 AM // 11:08:34.228 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get Request by pgm id and request Body with endpoint without Authorization	PASSED	0.124 s
3	Then Admin receives 401 Unauthorized error for put by pgm id	PASSED	0.000 s

Check if Admin able to retrieve a program with invalid program ID

PASSED	DURATION - 0.128 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:34.248 AM // 11:08:34.376 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request with invlaid ID and endpoint	PASSED	0.125 s
3	Then Admin receives 404 Not Found Status for invalid PG Id with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid baseURI

PASSED	DURATION - 0.238 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:34.384 AM // 11:08:34.622 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with invalid baseURI	PASSED	0.000 s
2	When Admin sends Get Request Request with endpoint	PASSED	0.235 s
3	Then Admin receives 404 Not Found Status for invalid baseurl with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid Endpoint

PASSED	DURATION - 0.130 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:34.631 AM // 11:08:34.761 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request with pgm Id and request Body with invalid endpoint	PASSED	0.128 s
3	Then Admin receives 404 Not Found Status for Get with Pgm Id with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve all programs with valid Endpoint

PASSED	DURATION - 0.152 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:34.783 AM // 11:08:34.935 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends Get All programs with users Request with endpoint	PASSED	0.149 s
3	Then Admin receives 200 OK Status with response body of Users	PASSED	0.000 s

Check if Admin able to retrieve a program with invalid Endpoint

PASSED	DURATION - 0.124 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:34.945 AM // 11:08:35.069 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends Get Request for all users with request Body with invalid endpoint	PASSED	0.120 s
3	Then Admin receives 404 Not Found Status for Get w for all users with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve all programs with invalid Method

PASSED	DURATION - 0.152 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:35.092 AM // 11:08:35.244 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends post all users Request instead of get with endpoint	PASSED	0.149 s
3	Then Admin receives 405 Method Not Allowed for get all users invalid method	PASSED	0.000 s

Check if Admin able to retrieve all programs without Authorization

PASSED	DURATION - 0.141 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:35.252 AM // 11:08:35.393 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint without auth	PASSED	0.140 s
3	Then Admin receives 401 Status with response body as Unauthorized	PASSED	0.000 s

Check if Admin able to update a program with valid programID endpoint and valid request body

PASSED	DURATION - 0.219 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:35.405 AM // 11:08:35.624 AM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with valid endpoint	PASSED	0.214 s
3	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.001 s

Check if Admin able to update a program with invalid programID endpoint and valid request body





#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with invalid prgm Id and valid endpoint	PASSED	0.178 s
3	Then Admin receives 404 Not Found Status for update pgm invalid pgm id with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program without request body





#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request missing mandate field and valid endpoint	PASSED	0.263 s
3	Then Admin receives 400 Bad Request Status for put for missing mandate field with message and boolean success details	PASSED	0.002 s

Check if Admin able to update a program with invalid baseURI

<div>PASSED</div>	<div>DURATION - 0.180 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:08:36.113 AM // 11:08:36.293 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields with invalid baseurl	PASSED	0.001 s
2	When Admin sends Put Request with invalid baseurl valid endpoint	PASSED	0.177 s
3	Then Admin receives 404 Not Found Status for put invalid baseurl with message and boolean success details	PASSED	0.000 s

Check if Admin able to update a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.172 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:08:36.313 AM // 11:08:36.485 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends get request instead of put Request with valid endpoint	PASSED	0.169 s
3	Then Admin receives 405 Method Not Allowed for using get instead of put	PASSED	0.000 s

Check if Admin able to update a program without Authorization

<div>PASSED</div>	<div>DURATION - 0.175 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:08:36.492 AM // 11:08:36.667 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with endpoint without auth	PASSED	0.172 s
3	Then Admin receives 401 Status with response body as Unauthorized for put by pgm id	PASSED	0.000 s

Check if Admin able to update a program with Valid program Name and request body

PASSED	DURATION - 0.195 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:08:36.675 AM // 11:08:36.870 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with Program name with valid endpoint	PASSED	0.192 s
3	Then Admin receives 200 OK Status code with updated value in response body.	PASSED	0.000 s

Check if Admin able to update a program with invalid program Name and request body

<div>PASSED</div> <div>DURATION - 0.193 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:08:36.886 AM // 11:08:37.079 AM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with invalid Program name with valid endpoint	PASSED	0.189 s
3	Then Admin receives 404 Not Found Status for put with invalid pg namewith message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program using valid program name - missing mandatory fields in request body

<div>PASSED</div>	<div>DURATION - 0.177 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:08:37.100 AM // 11:08:37.277 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API with missing mandatory fields	PASSED	0.001 s
2	When Admin sends Put Request with valid prgom name with valid endpoint	PASSED	0.174 s
3	Then Admin receives 400 Bad Request Status for missing field with message and boolean success details	PASSED	0.001 s

Check if Admin able to upadte a program with program name starting with a number

PASSED	DURATION - 0.229 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:08:37.285 AM // 11:08:37.514 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.224 s
3	Then Admin receives 400 Bad Request Status for put Pgm name starting with number	PASSED	0.000 s

Check if Admin able to update a program with invalid program Description

<div>PASSED</div>	<div>DURATION - 0.169 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:08:37.523 AM // 11:08:37.692 AM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.002 s
2	When Admin sends Put Request and Pgm Descrip starting with Number in request Body with endpoint	PASSED	0.165 s
3	Then Admin receives 400 Bad Request Status for put Pgm descrip starting with number	PASSED	0.001 s

Check if Admin able to delete a program with valid LMS API,invalid programName

PASSED	DURATION - 0.145 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:37.714 AM // 11:08:37.859 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programName	PASSED	0.000 s
2	When Admin sends Delete by invalid ProgramName Request with endpoint	PASSED	0.143 s
3	Then Admin receives 404 Not Found Status for delete invalid pgnamewith message and boolean success details	PASSED	0.001 s

Check if Admin able to delete a program by pgmr name without Authorization

PASSED	DURATION - 0.142 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:37.864 AM // 11:08:38.006 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.001 s
2	When Admin sends delete Request by program name with endpoint without auth	PASSED	0.137 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm name	PASSED	0.000 s

Check if Admin able to delete a program with valid LMS API,invalid programId

PASSED	DURATION - 0.133 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:38.013 AM // 11:08:38.146 AM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programId	PASSED	0.000 s
2	When Admin sends Delete by invalid ProgramID Request with endpoint	PASSED	0.130 s
3	Then Admin receives 404 Not Found Status for delete invalid pgid with message and boolean success details	PASSED	0.001 s

Check if Admin able to delete a program without Authorization



PASSED	DURATION - 0.186 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:38.155 AM // 11:08:38.341 AM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.002 s
2	When Admin sends delete Request by program id with endpoint without auth	PASSED	0.181 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm id	PASSED	0.000 s

Batch Module POST request



FAILED	DURATION - 2.405 s	Scenarios Total - 12 Pass - 11 Fail - 1 Skip - 0		Steps Total - 36 Pass - 35 Fail - 1 Skip - 0	
/ 11:08:38.351 AM // 11:08:40.756 AM /					

Check if admin able to create a Batch with valid endpoint and request body (non existing values)

PASSED	DURATION - 0.227 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:38.351 AM // 11:08:38.578 AM /				
Batch Module POST request				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with valid data in request body	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to create batch	PASSED	0.223 s
3	Then Admin receives 201 Created Status with response body	PASSED	0.001 s



Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)

PASSED	DURATION - 0.175 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:38.597 AM // 11:08:38.772 AM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with existing value in request body	PASSED	0.000 s
2	When Admin sends HTTPS POST Request with endpoint to create batch	PASSED	0.172 s



#	Step / Hook Details	Status	Duration
3	Then Admin receives 400 Bad Request Status with message in the response body	PASSED	0.001 s

Check if admin able to create a Batch missing mandatory fields in request body

PASSED	DURATION - 0.183 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:08:38.778 AM // 11:08:38.961 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data in request body	PASSED	0.001 s
2	When Admin sends POST Request with endpoint to create batch	PASSED	0.181 s
3	Then Admin receives 400 Bad Request Status with message	PASSED	0.001 s

Check if admin able to create a batch with invalid endpoint

PASSED	DURATION - 0.355 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:08:38.983 AM // 11:08:39.338 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request	PASSED	0.002 s
2	When Admin sends HTTPS Request with invalid endpoint	PASSED	0.349 s
3	Then Admin receives 404 not found Status	PASSED	0.001 s

Check if admin able to create a batch with missing additional fields

<div>FAILED</div> <div>DURATION - 0.234 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 11:08:39.346 AM // 11:08:39.580 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with missing additional fields	PASSED	0.001 s
2	When Admin sends HTTPS Request with valid endpoint to create batch	PASSED	0.230 s
3	Then Admin receives 201 Created Status with response java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response(ProgramBatchModuleSD.java:108) at ?.Admin receives 201 Created Status with response(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:39) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s

Check if admin able to create a batch with invalid data in request body

<div>PASSED</div>	<div>DURATION - 0.186 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:08:39.588 AM // 11:08:39.774 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data fields in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with valid endpoint	PASSED	0.184 s
3	Then Admin receives 400 Bad Request Status with message and boolean success	PASSED	0.001 s

Check if admin able to retrieve all batches with valid LMS API

PASSED	DURATION - 0.140 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:39.780 AM // 11:08:39.920 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.000 s
2	When Admin sends HTTPS Get Request with endpoint to get batch	PASSED	0.138 s
3	Then Admin receives 200 OK Status with response body	PASSED	0.001 s

Check if admin able to retrieve all batches with invalid Endpoint

PASSED	DURATION - 0.145 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:39.942 AM // 11:08:40.087 AM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid endpoint	PASSED	0.001 s
2	When Admin sends HTTPS GET Request with invalid endpoint to get all batches	PASSED	0.143 s
3	Then Admin receives 404 status with error message Not Found	PASSED	0.000 s

Check if admin able to retrieve a batch with valid BATCH ID

<div>PASSED</div>	<div>DURATION - 0.119 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:08:40.095 AM // 11:08:40.214 AM /				
Batch Module POST request				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.000 s
2	When Admin sends Get Request with endpoint for batch module	PASSED	0.116 s
3	Then Admin receives 200 OK Status with response in the response body	PASSED	0.001 s

Check if admin able to retrieve a batch with valid BATCH NAME

<div>PASSED</div>	<div>DURATION - 0.149 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 11:08:40.221 AM // 11:08:40.370 AM /</div>				
<div>Batch Module POST request</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch Name	PASSED	0.001 s
2	When Admin sends Get batch Request with endpoint for batch module	PASSED	0.146 s
3	Then Admin receives 200 Status code with response body	PASSED	0.001 s

Check if admin able to retrieve a batch with valid Program ID



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Program Id	PASSED	0.000 s
2	When Admin sends HTTPS Request to get batch by program Id with endpoint	PASSED	0.131 s
3	Then Admin receives status code 200 OK Status with response body	PASSED	0.002 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body





#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid BatchId and Data	PASSED	0.000 s
2	When Admin sends HTTPS Request to update with endpoint	PASSED	0.221 s
3	Then Admin receives 200 OK Status with updated value in response body for update request.	PASSED	0.000 s

User Module



<div>PASSED</div>	<div>DURATION - 2.818 s</div>	<div>Scenarios</div> <div>Total - 13</div> <div>Pass - 13</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>13</div></div>	<div>Steps</div> <div>Total - 39</div> <div>Pass - 39</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>39</div></div>
<div>/ 11:08:40.765 AM // 11:08:43.583 AM /</div>					

Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields

<div>PASSED</div>	<div>DURATION - 0.712 s</div>		Steps	
/ 11:08:40.765 AM // 11:08:41.477 AM /			Total - 3	
User Module			Pass - 3	
@PostRequest			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with all mandatory fields for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint for User Module	PASSED	0.001 s
3	Then Admin receives 201 Created Status with response body for User Module	PASSED	0.707 s



Check if admin is able to retrieve all the available roles

PASSED	DURATION - 0.264 s		Steps	
/ 11:08:41.490 AM // 11:08:41.754 AM /			Total - 3	
User Module			Pass - 3	
@GetRequest(allroles)			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with GET All Roles endpoint for User Module	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
3	Then Admin receives 200 OK for User Module	PASSED	0.262 s

Check if admin able to retrieve all Admin with valid endpoint

PASSED	DURATION - 0.143 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:41.766 AM // 11:08:41.909 AM /				
User Module				
@GetRequest(All_Admins)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with valid endpoint for User Module	PASSED	0.002 s
3	Then Admin receives 200 OK Status with response body for User Module	PASSED	0.139 s

Check if admin able to retrieve a Admin with valid Admin ID

PASSED	DURATION - 0.142 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:41.928 AM // 11:08:42.070 AM /				
User Module				
@GetRequest(by_AdminID)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid AdminId	PASSED	0.001 s
2	When Admin sends HTTPS Request with valid endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK Status with response body for User Module	PASSED	0.140 s

Check if admin able to retrieve all active Admins

<div>PASSED</div>	<div>DURATION - 0.171 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 11:08:42.079 AM // 11:08:42.250 AM /</div>				
<div>User Module</div>				
<div>@GetRequest(All_active_admins)</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for active admins	PASSED	0.000 s
2	When Admin sends HTTPS Request with Get ALL Active Users endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK with all Active Admins response body for User Module	PASSED	0.169 s

Check if admin is able to get count of active and inactive Admins

PASSED	DURATION - 0.173 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:42.257 AM // 11:08:42.430 AM /				
User Module				
@GetRequest(Count_of_active_inactive_Admins)				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint for User Module	PASSED	0.000 s
3	Then Admin receices 200 OK With count of all active and inactive admins for User Module	PASSED	0.170 s

Check if admin is able to retrieve Admins by valid role ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid role ID to retrieve Admins by valid role ID	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to retrieve Admins by valid role ID	PASSED	0.001 s
3	Then Admin receives 200 OK when retrieved Admins by valid role ID for User Module	PASSED	0.153 s

Check if admin able to retrieve all Admins with roles





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins with roles	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to retrieve all Admins with roles	PASSED	0.000 s
3	Then Admin receives 200 OK Status with response body after retrieved all Admins with roles for User Module	PASSED	0.130 s

Check if admin is able to update role status of a Admin with valid Admin id

PASSED	DURATION - 0.177 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:42.762 AM // 11:08:42.939 AM /				
User Module				
@PutRequest(Update_Admin_Role_Status_By_AdminID)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid data in request body to update role status	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to update role status	PASSED	0.000 s
3	Then Admin receives 200 Ok Status with response message after update of role status for User Module	PASSED	0.174 s

Check if admin is able to update role id of a Admin by valid Admin id

PASSED	DURATION - 0.153 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:08:42.945 AM // 11:08:43.098 AM /				
User Module				
@PutRequest(Update_Admin_RoleID)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid request body for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to update Admin roleid by valid AdminId	PASSED	0.000 s
3	Then Admin receives 200 OK Status with response body to update Admin roleid	PASSED	0.151 s

Check if admin is able to assign Admin to with program/batch by Admin Id

<div>PASSED</div>	<div>DURATION - 0.142 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:08:43.120 AM // 11:08:43.262 AM /				
User Module				
@PutRequest(Update_Admin_Role_Program_Batch_Status)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid data in request body to assign Admin with program/batch by Admin Id	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to assign Admin with program/batch by Admin Id	PASSED	0.000 s
3	Then Admin receives 200 Ok Status with response message to assign Admin to with program/batch by Admin Id	PASSED	0.140 s

Check if admin is able to get the Admins for valid program Id

<div>PASSED</div>	<div>DURATION - 0.156 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:08:43.270 AM // 11:08:43.426 AM /				
User Module				
@GetRequest(get_Admin_for_program)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to get admins with valid program Id for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint to get the Admins for valid program Id for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK to get the Admins for valid program Id for User Module	PASSED	0.154 s

Check if admin is able to get the Admins by program batches for valid batch ID


PASSED

DURATION - 0.149 s

/ 11:08:43.434 AM // 11:08:43.583 AM /

User Module

@GetRequest(Admins_by_program_batches)




Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid batch Id for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to get Admins by program batch for valid batchId for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK for admins by program batches for valid adminId for User Module	PASSED	0.148 s