

Cucumber Report

Apr 2, 2024, 1:34:20 PM

Start : Apr 02, 1:33:54.539 PM

End : Apr 02, 1:34:19.595 PM

Duration : 25.056 s

Features



Scenarios

Steps

PASSED - 5
FAILED - 2
SKIPPED - 0

PASSED - 77
FAILED - 2
SKIPPED - 0


PASSED - 235
FAILED - 2
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Post request</u>	5.693 s	3	3	0	0	9	9	0	0
<u>ProgramModule</u>	9.007 s	36	35	1	0	108	107	1	0
<u>Batch Module POST request</u>	2.912 s	12	11	1	0	36	35	1	0
<u>User Module</u>	4.033 s	13	13	0	0	39	39	0	0
<u>User Role Program Batch Map</u>	1.342 s	7	7	0	0	21	21	0	0
<u>Delete All modules</u>	0.967 s	5	5	0	0	15	15	0	0
<u>Get (Logout)</u>	0.981 s	3	3	0	0	9	9	0	0

#	Feature Name	Scenario Name
1	<u>ProgramModule</u>	<u>Check if Admin able to create a program with missing additional field</u>
2	<u>Batch Module POST request</u>	<u>Check if admin able to create a batch with missing additional fields</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	38	37	1	0	3	1	2	0
@EndToEnd	1	1	0	0	1	1	0	0
@PostRequest	1	1	0	0	1	1	0	0
@GetRequest(allroles)	1	1	0	0	1	1	0	0
@GetRequest(All_Admins)	1	1	0	0	1	1	0	0
@GetRequest(by_AdminID)	1	1	0	0	1	1	0	0
@GetRequest(All_active_admins)	1	1	0	0	1	1	0	0
@GetRequest(Count_of_active_inactive_Admins)	1	1	0	0	1	1	0	0
@GetRequest(get_Admin_by_RoleID)	1	1	0	0	1	1	0	0
@GetRequest(Admin_With_Roles)	1	1	0	0	1	1	0	0
@PutRequest(Update_Admin_Role_Status_By_AdminID)	1	1	0	0	1	1	0	0
@PutRequest(Update_Admin_RoleID)	1	1	0	0	1	1	0	0
@PutRequest(Update_Admin_Role_Program_Batch_Status)	1	1	0	0	1	1	0	0
@GetRequest(get_Admin_for_program)	1	1	0	0	1	1	0	0
@GetRequest(Admins_by_program_batches)	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>Post request</u>	3	3	0	0	5.693 s
2	<u>ProgramModule</u>	36	35	1	0	9.007 s
3	<u>Batch Module POST request</u>	12	11	1	0	2.912 s
4	<u>User Module</u>	13	13	0	0	4.033 s
5	<u>User Role Program Batch Map</u>	7	7	0	0	1.342 s
6	<u>Delete All modules</u>	5	5	0	0	0.967 s
7	<u>Get (Logout)</u>	3	3	0	0	0.981 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Post request</u>	<u>Check if Admin able to generate token with valid credential</u>	3	3	0	0	5.062 s
2		<u>Check if Admin able to generate token with invalid endpoint</u>	3	3	0	0	0.319 s
3		<u>Check if Admin able to generate token with invalid credentials</u>	3	3	0	0	0.169 s
4	<u>ProgramModule</u>	<u>Check if Admin able to create a program with valid endpoint and request body with Authorization</u>	3	3	0	0	0.702 s
5		<u>Check if Admin able to create a program with valid endpoint and request body without Authorization</u>	3	3	0	0	0.319 s
6		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.369 s
7		<u>Check if Admin able to create a program with already existing program name</u>	3	3	0	0	0.231 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>Check if Admin able to create a program with missing values in the request body</u>	3	3	0	0	0.256 s
9		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.262 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>ProgramModule</u>	<u>Check if Admin able to create a program without program name starting with a number</u>	3	3	0	0	0.232 s
11		<u>Check if Admin able to create a program with missing additional field</u>	3	2	1	0	0.232 s
12		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.158 s
13		<u>Check if Admin able to retrieve all programs with valid Endpoint without auth</u>	3	3	0	0	0.145 s
14		<u>Check if Admin able to create a program with invalid endpoint</u>	3	3	0	0	0.147 s
15		<u>Check if Admin able to create a program with invalid method</u>	3	3	0	0	0.161 s
16		<u>Check if Admin able to retrieve a program with valid program ID</u>	3	3	0	0	0.158 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17		<u>Check if Admin able to retrieve all programs with valid prgm id without auth</u>	3	3	0	0	0.154 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>ProgramModule</u>	<u>Check if Admin able to retrieve a program with invalid program ID</u>	3	3	0	0	0.154 s
19		<u>Check if Admin able to retrieve a program with invalid baseURI</u>	3	3	0	0	0.265 s
20		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.155 s
21		<u>Check if Admin able to retrieve all programs with valid Endpoint</u>	3	3	0	0	0.190 s
22		<u>Check if Admin able to retrieve a program with invalid Endpoint</u>	3	3	0	0	0.145 s
23		<u>Check if Admin able to retrieve all programs with invalid Method</u>	3	3	0	0	0.152 s
24		<u>Check if Admin able to retrieve all programs without Authorization</u>	3	3	0	0	0.166 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
25	<u>ProgramModule</u>	<u>Check if Admin able to update a program with valid programID endpoint and valid request body</u>	3	3	0	0	0.316 s
26		<u>Check if Admin able to update a program with invalid programID endpoint and valid request body</u>	3	3	0	0	0.226 s
27		<u>Check if Admin able to update a program without request body</u>	3	3	0	0	0.430 s
28		<u>Check if Admin able to update a program with invalid baseURI</u>	3	3	0	0	0.419 s
29		<u>Check if Admin able to update a program with invalid method</u>	3	3	0	0	0.233 s
30		<u>Check if Admin able to update a program without Authorization</u>	3	3	0	0	0.222 s
31		<u>Check if Admin able to update a program with Valid program Name and request body</u>	3	3	0	0	0.270 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
32		<u>Check if Admin able to update a program with invalid program Name and request body</u>	3	3	0	0	0.219 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
33	<u>ProgramModule</u>	<u>Check if Admin able to update a program using valid program name - missing mandatory fields in request body</u>	3	3	0	0	0.226 s
34		<u>Check if Admin able to upadte a program with program name starting with a number</u>	3	3	0	0	0.204 s
35		<u>Check if Admin able to update a program with invalid program Description</u>	3	3	0	0	0.193 s
36		<u>Check if Admin able to delete a program with valid LMS API, invalid programName</u>	3	3	0	0	0.144 s
37		<u>Check if Admin able to delete a program by pgrm name without Authorization</u>	3	3	0	0	0.183 s
38		<u>Check if Admin able to delete a program with valid LMS API, invalid programId</u>	3	3	0	0	0.139 s
39		<u>Check if Admin able to delete a program without Authorization</u>	3	3	0	0	0.177 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
40	<u>Batch Module POST request</u>	<u>Check if admin able to create a Batch with valid endpoint and request body (non existing values)</u>	3	3	0	0	0.300 s
41		<u>Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)</u>	3	3	0	0	0.174 s
42		<u>Check if admin able to create a Batch missing mandatory fields in request body</u>	3	3	0	0	0.227 s
43		<u>Check if admin able to create a batch with invalid endpoint</u>	3	3	0	0	0.361 s
44		<u>Check if admin able to create a batch with missing additional fields</u>	3	2	1	0	0.304 s
45		<u>Check if admin able to create a batch with invalid data in request body</u>	3	3	0	0	0.259 s
46		<u>Check if admin able to retrieve all batches with valid LMS API</u>	3	3	0	0	0.196 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
47		<u>Check if admin able to retrieve all batches with invalid Endpoint</u>	3	3	0	0	0.139 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
48	<u>Batch Module POST request</u>	<u>Check if admin able to retrieve a batch with valid BATCH ID</u>	3	3	0	0	0.130 s
49		<u>Check if admin able to retrieve a batch with valid BATCH NAME</u>	3	3	0	0	0.162 s
50		<u>Check if admin able to retrieve a batch with valid Program ID</u>	3	3	0	0	0.155 s
51		<u>Check if admin able to update a Batch with valid batchID and mandatory fields in request body</u>	3	3	0	0	0.300 s
52	<u>User Module</u>	<u>Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields</u>	3	3	0	0	0.773 s
53		<u>Check if admin is able to retrieve all the available roles</u>	3	3	0	0	0.806 s
54		<u>Check if admin able to retrieve all Admin with valid endpoint</u>	3	3	0	0	0.225 s
55		<u>Check if admin able to retrieve a Admin with valid Admin ID</u>	3	3	0	0	0.247 s
56		<u>Check if admin able to retrieve all active Admins</u>	3	3	0	0	0.256 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
57		<u>Check if admin is able to get count of active and inactive Admins</u>	3	3	0	0	0.206 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
58	<u>User Module</u>	<u>Check if admin is able to retrieve Admins by valid role ID</u>	3	3	0	0	0.226 s
59		<u>Check if admin able to retrieve all Admins with roles</u>	3	3	0	0	0.178 s
60		<u>Check if admin is able to update role status of a Admin with valid Admin id</u>	3	3	0	0	0.200 s
61		<u>Check if admin is able to update role id of a Admin by valid Admin id</u>	3	3	0	0	0.209 s
62		<u>Check if admin is able to assign Admin to with program/batch by Admin Id</u>	3	3	0	0	0.169 s
63		<u>Check if admin is able to get the Admins for valid program Id</u>	3	3	0	0	0.148 s
64		<u>Check if admin is able to get the Admins by program batches for valid batch ID</u>	3	3	0	0	0.158 s
65	<u>User Role Program Batch Map</u>	<u>Admin retrieves all Admins with assigned program batches</u>	3	3	0	0	0.222 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
66		<u>Check if admin is able to retrieve all Admins with assigned program batches with No Authorization</u>	3	3	0	0	0.193 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
67	<u>User Role Program Batch Map</u>	<u>Admin retrieves assigned program batches for valid AdminId</u>	3	3	0	0	0.162 s
68		<u>Check if admin is able to retrieve assigned program batches for invalid AdminId</u>	3	3	0	0	0.168 s
69		<u>Check if admin is able to retrieve assigned program batches for valid AdminId with No authorization</u>	3	3	0	0	0.154 s
70		<u>Check if admin is able to delete the program batch for invalid Admin</u>	3	3	0	0	0.166 s
71		<u>Check if admin is able to delete the program batch for valid Admin and No Authorization</u>	3	3	0	0	0.179 s
72	<u>Delete All modules</u>	<u>Check if admin is able to delete the program batch for a Admin</u>	3	3	0	0	0.148 s
73		<u>Check if admin able to delete a Batch with valid Batch ID</u>	3	3	0	0	0.145 s
74		<u>Check if admin able to retrieve a batch after deleting the batch</u>	3	3	0	0	0.288 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
75		<u>Check if Admin able to delete a program with valid programName</u>	3	3	0	0	0.146 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
76	<u>Delete All modules</u>	<u>Check if Admin able to delete a program with valid program ID</u>	3	3	0	0	0.177 s
77	<u>Get (Logout)</u>	<u>Check if Admin able to logout</u>	3	3	0	0	0.150 s
78		<u>Check if Admin able to logout with invalid endpoint</u>	3	3	0	0	0.421 s
79		<u>Check if Admin able to logout</u>	3	3	0	0	0.369 s

Post request



PASSED	DURATION - 5.693 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 1:33:54.539 PM // 1:34:00.232 PM /					

Check if Admin able to generate token with valid credential

<div><div>PASSED</div><div>DURATION - 5.062 s</div></div>		<div></div>	<div>Steps Total - 3 Pass - 3 Fail - 0 Skip - 0</div>	<div></div>
/ 1:33:54.543 PM // 1:33:59.605 PM /				
Post request				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	1.409 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 200 created with auto generated token	PASSED	3.574 s

Check if Admin able to generate token with invalid endpoint

<div>PASSED</div>	<div>DURATION - 0.319 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:33:59.710 PM // 1:34:00.029 PM /</div>				
<div>Post request</div>				
<div>@EndToEnd</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.002 s
2	When Admin calls Post Https method with invalid endpoint	PASSED	0.001 s
3	Then Admin receives 401 unauthorized	PASSED	0.310 s

Check if Admin able to generate token with invalid credentials



PASSED	DURATION - 0.169 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:00.063 PM // 1:34:00.232 PM /				
Post request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request with invalid credentials	PASSED	0.001 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.001 s
3	Then Admin receives 400 Bad request	PASSED	0.162 s

ProgramModule



FAILED	DURATION - 9.007 s	Scenarios Total - 36 Pass - 35 Fail - 1 Skip - 0		Steps Total - 108 Pass - 107 Fail - 1 Skip - 0					
/ 1:34:00.261 PM // 1:34:09.268 PM /									

Check if Admin able to create a program with valid endpoint and request body with Authorization

<div>PASSED</div> <div>DURATION - 0.702 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:34:00.261 PM // 1:34:00.963 PM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.008 s
2	When Admin sends HTTPS Request and request Body with endpoint	PASSED	0.679 s
3	Then Admin receives 201 Created Status with response body.	PASSED	0.001 s

Check if Admin able to create a program with valid endpoint and request body without Authorization

PASSED	DURATION - 0.319 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:00.983 PM // 1:34:01.302 PM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and request Body with endpoint without Authorization	PASSED	0.311 s
3	Then Admin receives 401 Unauthorized error for post	PASSED	0.001 s

Check if Admin able to create a program with invalid endpoint



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends HTTPS Request and request Body with invalid endpoint	PASSED	0.364 s
3	Then Admin receives 404 not found Status with message and boolean success details	PASSED	0.001 s

Check if Admin able to create a program with already existing program name



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request with exsisting prgm name and request Body with endpoint	PASSED	0.224 s
3	Then Admin receives 400 Bad Request Status with message and boolean success details	PASSED	0.001 s

Check if Admin able to create a program with missing values in the request body

PASSED	DURATION - 0.256 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:01.948 PM // 1:34:02.204 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Post Request and missing Pgm Name in request Body with endpoint	PASSED	0.253 s
3	Then Admin receives 400 Bad Request Status for missing value	PASSED	0.001 s

Check if Admin able to create a program with invalid method

PASSED	DURATION - 0.262 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:02.221 PM // 1:34:02.483 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.000 s
2	When Admin sends Get Request instead of post and request Body with endpoint	PASSED	0.257 s
3	Then Admin receives 405 Method Not Allowed	PASSED	0.001 s

Check if Admin able to create a program without program name starting with a number

<div>PASSED</div> <div>DURATION - 0.232 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:34:02.496 PM // 1:34:02.728 PM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.001 s
2	When Admin sends Post Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.228 s
3	Then Admin receives 400 Bad Request Status for Pgm name starting with number	PASSED	0.000 s



Check if Admin able to create a program with missing additional field

FAILED		DURATION - 0.232 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 1:34:02.754 PM // 1:34:02.986 PM /						
ProgramModule						
@tag						

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request for the LMS with request body	PASSED	0.002 s
2	When Admin sends Post Request with request Body with missing additional field with endpoint	PASSED	0.218 s
3	Then Admin receives 200 ok for missing additional fields in program post request body <pre>java.lang.AssertionError: expected [200] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramModuleSD.admin_receives_ok_for_missing_additional_fields_in_program_post_request_body(ProgramModuleSD.java:136)</pre>	FAILED	0.008 s



#	Step / Hook Details	Status	Duration
	at ?.Admin receives 200 ok for missing additional fields in program post request body(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/002PrgramModule.feature:46) * Not displayable characters are replaced by '?'.		

Check if Admin able to retrieve all programs with valid Endpoint

<div>PASSED</div>	<div>DURATION - 0.158 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:34:03.009 PM // 1:34:03.167 PM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.003 s
2	When Admin sends HTTPS Request with endpoint	PASSED	0.152 s
3	Then Admin receives 200 OK Status with response body.	PASSED	0.001 s

Check if Admin able to retrieve all programs with valid Endpoint without auth

PASSED	DURATION - 0.145 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:03.191 PM // 1:34:03.336 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request and request Body with endpoint without Authorization	PASSED	0.139 s
3	Then Admin receives 401 Unauthorized error for put	PASSED	0.001 s

Check if Admin able to create a program with invalid endpoint

PASSED	DURATION - 0.147 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:03.348 PM // 1:34:03.495 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request and request Body with invalid endpoint	PASSED	0.144 s
3	Then Admin receives 404 not found Status for GET with message and boolean success details	PASSED	0.000 s

Check if Admin able to create a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.161 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:34:03.507 PM // 1:34:03.668 PM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Post Request instead of get and request Body with endpoint	PASSED	0.157 s
3	Then Admin receives 405 Method Not Allowed message	PASSED	0.000 s

Check if Admin able to retrieve a program with valid program ID

<div>PASSED</div> <div>DURATION - 0.158 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:34:03.690 PM // 1:34:03.848 PM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.001 s
2	When Admin sends Get program Request with endpoint	PASSED	0.152 s
3	Then Admin receives 200 OK Status code with response body.	PASSED	0.001 s

Check if Admin able to retrieve all programs with valid prgm id without auth

PASSED	DURATION - 0.154 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:34:03.870 PM // 1:34:04.024 PM /				
ProgramModule				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with valid Program ID	PASSED	0.000 s
2	When Admin sends Get Request by pgm id and request Body with endpoint without Authorization	PASSED	0.149 s
3	Then Admin receives 401 Unauthorized error for put by pgm id	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid program ID

PASSED	DURATION - 0.154 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:04.035 PM // 1:34:04.189 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.001 s
2	When Admin sends Get Request with invlaid ID and endpoint	PASSED	0.150 s
3	Then Admin receives 404 Not Found Status for invalid PG Id with message and boolean success details	PASSED	0.000 s

Check if Admin able to retrieve a program with invalid baseURI

PASSED	DURATION - 0.265 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:04.210 PM // 1:34:04.475 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API with invalid baseURI	PASSED	0.001 s
2	When Admin sends Get Request Request with endpoint	PASSED	0.260 s
3	Then Admin receives 404 Not Found Status for invalid baseurl with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid Endpoint

<div>PASSED</div>	<div>DURATION - 0.155 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:34:04.487 PM // 1:34:04.642 PM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API	PASSED	0.000 s
2	When Admin sends Get Request with pgm Id and request Body with invalid endpoint	PASSED	0.151 s
3	Then Admin receives 404 Not Found Status for Get with Pgm Id with message and boolean success details	PASSED	0.000 s

Check if Admin able to retrieve all programs with valid Endpoint

PASSED	DURATION - 0.190 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:34:04.654 PM // 1:34:04.844 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends Get All programs with users Request with endpoint	PASSED	0.183 s
3	Then Admin receives 200 OK Status with response body of Users	PASSED	0.001 s

Check if Admin able to retrieve a program with invalid Endpoint

PASSED	DURATION - 0.145 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:04.854 PM // 1:34:04.999 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends Get Request for all users with request Body with invalid endpoint	PASSED	0.140 s
3	Then Admin receives 404 Not Found Status for Get w for all users with message and boolean success details	PASSED	0.001 s

Check if Admin able to retrieve all programs with invalid Method

PASSED	DURATION - 0.152 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:05.023 PM // 1:34:05.175 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.001 s
2	When Admin sends post all users Request instead of get with endpoint	PASSED	0.149 s
3	Then Admin receives 405 Method Not Allowed for get all users invalid method	PASSED	0.001 s

Check if Admin able to retrieve all programs without Authorization

PASSED	DURATION - 0.166 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:05.199 PM // 1:34:05.365 PM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for the LMS API for Users	PASSED	0.000 s
2	When Admin sends HTTPS Request with endpoint without auth	PASSED	0.161 s
3	Then Admin receives 401 Status with response body as Unauthorized	PASSED	0.000 s

Check if Admin able to update a program with valid programID endpoint and valid request body

PASSED	DURATION - 0.316 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:05.382 PM // 1:34:05.698 PM /				
ProgramModule				
@tag				


#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with valid endpoint	PASSED	0.310 s
3	Then Admin receives 200 OK Status with updated value in response body.	PASSED	0.002 s

Check if Admin able to update a program with invalid programID endpoint and valid request body





#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with invalid prgm Id and valid endpoint	PASSED	0.222 s
3	Then Admin receives 404 Not Found Status for update pgm invalid pgm id with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program without request body





#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request missing mandate field and valid endpoint	PASSED	0.424 s
3	Then Admin receives 400 Bad Request Status for put for missing mandate field with message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program with invalid baseURI

<div>PASSED</div>	<div>DURATION - 0.419 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:34:06.432 PM // 1:34:06.851 PM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields with invalid baseurl	PASSED	0.000 s
2	When Admin sends Put Request with invalid baseurl valid endpoint	PASSED	0.416 s
3	Then Admin receives 404 Not Found Status for put invalid baseurl with message and boolean success details	PASSED	0.000 s

Check if Admin able to update a program with invalid method

<div>PASSED</div>	<div>DURATION - 0.233 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:34:06.866 PM // 1:34:07.099 PM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends get request instead of put Request with valid endpoint	PASSED	0.228 s
3	Then Admin receives 405 Method Not Allowed for using get instead of put	PASSED	0.001 s

Check if Admin able to update a program without Authorization

<div>PASSED</div> <div>DURATION - 0.222 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:34:07.122 PM // 1:34:07.344 PM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API endpoint with request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request with endpoint without auth	PASSED	0.218 s
3	Then Admin receives 401 Status with response body as Unauthorized for put by pgm id	PASSED	0.000 s

Check if Admin able to update a program with Valid program Name and request body

<div>PASSED</div>	<div>DURATION - 0.270 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:34:07.357 PM // 1:34:07.627 PM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with Program name with valid endpoint	PASSED	0.265 s
3	Then Admin receives 200 OK Status code with updated value in response body.	PASSED	0.001 s

Check if Admin able to update a program with invalid program Name and request body

<div>PASSED</div> <div>DURATION - 0.219 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:34:07.653 PM // 1:34:07.872 PM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request with invalid Program name with valid endpoint	PASSED	0.215 s
3	Then Admin receives 404 Not Found Status for put with invalid pg namewith message and boolean success details	PASSED	0.001 s

Check if Admin able to update a program using valid program name - missing mandatory fields in request body

PASSED	DURATION - 0.226 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:34:07.897 PM // 1:34:08.123 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request for the LMS API with missing mandatory fields	PASSED	0.001 s
2	When Admin sends Put Request with valid prgom name with valid endpoint	PASSED	0.221 s
3	Then Admin receives 400 Bad Request Status for missing field with message and boolean success details	PASSED	0.000 s

Check if Admin able to upadte a program with program name starting with a number

<div>PASSED</div> <div>DURATION - 0.204 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:34:08.134 PM // 1:34:08.338 PM /</div>			
<div>ProgramModule</div>			
<div>@tag</div>			



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.001 s
2	When Admin sends Put Request and Pgm Name starting with Number in request Body with endpoint	PASSED	0.199 s
3	Then Admin receives 400 Bad Request Status for put Pgm name starting with number	PASSED	0.001 s

Check if Admin able to update a program with invalid program Description

<div>PASSED</div>	<div>DURATION - 0.193 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:34:08.362 PM // 1:34:08.555 PM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with Program Name for the LMS API endpoint with valid request Body with mandatory , additional fields.	PASSED	0.000 s
2	When Admin sends Put Request and Pgm Descrip starting with Number in request Body with endpoint	PASSED	0.189 s
3	Then Admin receives 400 Bad Request Status for put Pgm descrip starting with number	PASSED	0.001 s

Check if Admin able to delete a program with valid LMS API,invalid programName

PASSED	DURATION - 0.144 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:08.567 PM // 1:34:08.711 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programName	PASSED	0.001 s
2	When Admin sends Delete by invalid ProgramName Request with endpoint	PASSED	0.139 s
3	Then Admin receives 404 Not Found Status for delete invalid pgnamewith message and boolean success details	PASSED	0.001 s

Check if Admin able to delete a program by pgmr name without Authorization

PASSED	DURATION - 0.183 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:08.734 PM // 1:34:08.917 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.000 s
2	When Admin sends delete Request by program name with endpoint without auth	PASSED	0.180 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm name	PASSED	0.000 s

Check if Admin able to delete a program with valid LMS API,invalid programId

PASSED	DURATION - 0.139 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:34:08.930 PM // 1:34:09.069 PM /				
ProgramModule				
@tag				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and invalid programId	PASSED	0.001 s
2	When Admin sends Delete by invalid ProgramID Request with endpoint	PASSED	0.133 s
3	Then Admin receives 404 Not Found Status for delete invalid pgid with message and boolean success details	PASSED	0.000 s

Check if Admin able to delete a program without Authorization



<div>PASSED</div>	<div>DURATION - 0.177 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:34:09.091 PM // 1:34:09.268 PM /</div>				
<div>ProgramModule</div>				
<div>@tag</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.001 s
2	When Admin sends delete Request by program id with endpoint without auth	PASSED	0.172 s
3	Then Admin receives 401 Status with response body as Unauthorized for delete by pgm id	PASSED	0.000 s

Batch Module POST request



FAILED	DURATION - 2.912 s	Scenarios Total - 12 Pass - 11 Fail - 1 Skip - 0		Steps Total - 36 Pass - 35 Fail - 1 Skip - 0	
/ 1:34:09.288 PM // 1:34:12.200 PM /					

Check if admin able to create a Batch with valid endpoint and request body (non existing values)

PASSED	DURATION - 0.300 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:09.288 PM // 1:34:09.588 PM /				
Batch Module POST request				
@tag				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with valid data in request body	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to create batch	PASSED	0.292 s
3	Then Admin receives 201 Created Status with response body	PASSED	0.000 s



Check if admin able to create a Batch with valid endpoint and request body (existing value in Batch Name)

PASSED	DURATION - 0.174 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:09.612 PM // 1:34:09.786 PM /				
Batch Module POST request				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with existing value in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with endpoint to create batch	PASSED	0.170 s



#	Step / Hook Details	Status	Duration
3	Then Admin receives 400 Bad Request Status with message in the response body	PASSED	0.000 s

Check if admin able to create a Batch missing mandatory fields in request body

PASSED	DURATION - 0.227 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:09.796 PM // 1:34:10.023 PM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data in request body	PASSED	0.001 s
2	When Admin sends POST Request with endpoint to create batch	PASSED	0.223 s
3	Then Admin receives 400 Bad Request Status with message	PASSED	0.001 s

Check if admin able to create a batch with invalid endpoint

PASSED	DURATION - 0.361 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:10.046 PM // 1:34:10.407 PM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request	PASSED	0.001 s
2	When Admin sends HTTPS Request with invalid endpoint	PASSED	0.351 s
3	Then Admin receives 404 not found Status	PASSED	0.001 s

Check if admin able to create a batch with missing additional fields

<div><div>FAILED</div><div>DURATION - 0.304 s</div></div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 1:34:10.430 PM // 1:34:10.734 PM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with missing additional fields	PASSED	0.001 s
2	When Admin sends HTTPS Request with valid endpoint to create batch	PASSED	0.300 s
3	Then Admin receives 201 Created Status with response java.lang.AssertionError: expected [201] but found [400] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:1419) at org.testng.Assert.assertEquals(Assert.java:1449) at com.lms.api.StepDefinitions.ProgramBatchModuleSD.admin_receives_created_status_with_response(ProgramBatchModuleSD.java:108) at ?.Admin receives 201 Created Status with response(file:///C:/Users/sudha/git/Team12_APIExplorers_LMS_Hackathon_Mar2024/src/test/resources/features/003ProgramBatchModule.feature:39) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s

Check if admin able to create a batch with invalid data in request body

PASSED	DURATION - 0.259 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:10.758 PM // 1:34:11.017 PM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates POST Request with invalid data fields in request body	PASSED	0.001 s
2	When Admin sends HTTPS POST Request with valid endpoint	PASSED	0.256 s
3	Then Admin receives 400 Bad Request Status with message and boolean success	PASSED	0.001 s

Check if admin able to retrieve all batches with valid LMS API

PASSED	DURATION - 0.196 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:11.026 PM // 1:34:11.222 PM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request	PASSED	0.001 s
2	When Admin sends HTTPS Get Request with endpoint to get batch	PASSED	0.193 s
3	Then Admin receives 200 OK Status with response body	PASSED	0.001 s

Check if admin able to retrieve all batches with invalid Endpoint

PASSED	DURATION - 0.139 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:11.244 PM // 1:34:11.383 PM /				
Batch Module POST request				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with invalid endpoint	PASSED	0.000 s
2	When Admin sends HTTPS GET Request with invalid endpoint to get all batches	PASSED	0.137 s
3	Then Admin receives 404 status with error message Not Found	PASSED	0.001 s

Check if admin able to retrieve a batch with valid BATCH ID

<div>PASSED</div>	<div>DURATION - 0.130 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:34:11.397 PM // 1:34:11.527 PM /				
Batch Module POST request				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.001 s
2	When Admin sends Get Request with endpoint for batch module	PASSED	0.127 s
3	Then Admin receives 200 OK Status with response in the response body	PASSED	0.000 s

Check if admin able to retrieve a batch with valid BATCH NAME

<div>PASSED</div>	<div>DURATION - 0.162 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 1:34:11.548 PM // 1:34:11.710 PM /</div>				
<div>Batch Module POST request</div>				


#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch Name	PASSED	0.001 s
2	When Admin sends Get batch Request with endpoint for batch module	PASSED	0.157 s
3	Then Admin receives 200 Status code with response body	PASSED	0.001 s

Check if admin able to retrieve a batch with valid Program ID





#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Program Id	PASSED	0.001 s
2	When Admin sends HTTPS Request to get batch by program Id with endpoint	PASSED	0.152 s
3	Then Admin receives status code 200 OK Status with response body	PASSED	0.001 s

Check if admin able to update a Batch with valid batchID and mandatory fields in request body





#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid BatchId and Data	PASSED	0.001 s
2	When Admin sends HTTPS Request to update with endpoint	PASSED	0.295 s
3	Then Admin receives 200 OK Status with updated value in response body for update request.	PASSED	0.001 s

User Module



PASSED	DURATION - 4.033 s	Scenarios Total - 13 Pass - 13 Fail - 0 Skip - 0		Steps Total - 39 Pass - 39 Fail - 0 Skip - 0	
/ 1:34:12.220 PM // 1:34:16.253 PM /					

Check if admin is able to create a new Admin with valid endpoint and request body with mandatory fields

PASSED	DURATION - 0.773 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:12.220 PM // 1:34:12.993 PM /				
<i>User Module</i>				
@PostRequest				

#	Step / Hook Details	Status	Duration
1	Given Admin creates POST request with all mandatory fields for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 201 Created Status with response body for User Module	PASSED	0.767 s



Check if admin is able to retrieve all the available roles

PASSED	DURATION - 0.806 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:13.005 PM // 1:34:13.811 PM /				
<i>User Module</i>				
@GetRequest(allroles)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.000 s
2	When Admin sends HTTPS Request with GET All Roles endpoint for User Module	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
3	Then Admin receives 200 OK for User Module	PASSED	0.803 s

Check if admin able to retrieve all Admin with valid endpoint

PASSED	DURATION - 0.225 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:13.827 PM // 1:34:14.052 PM /				
User Module				
@GetRequest(All_Admins)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with valid endpoint for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK Status with response body for User Module	PASSED	0.221 s

Check if admin able to retrieve a Admin with valid Admin ID

PASSED	DURATION - 0.247 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:14.079 PM // 1:34:14.326 PM /				
User Module				
@GetRequest(by_AdminID)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid AdminId	PASSED	0.000 s
2	When Admin sends HTTPS Request with valid endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK Status with response body for User Module	PASSED	0.244 s

Check if admin able to retrieve all active Admins

<div>PASSED</div>	<div>DURATION - 0.256 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:34:14.339 PM // 1:34:14.595 PM /</div>				
<div>User Module</div>				
<div>@GetRequest(All_active_admins)</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for active admins	PASSED	0.001 s
2	When Admin sends HTTPS Request with Get ALL Active Users endpoint for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK with all Active Admins response body for User Module	PASSED	0.252 s

Check if admin is able to get count of active and inactive Admins

<div>PASSED</div>	<div>DURATION - 0.206 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:34:14.623 PM // 1:34:14.829 PM /				
User Module				
@GetRequest(Count_of_active_inactive_Admins)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK With count of all active and inactive admins for User Module	PASSED	0.203 s

Check if admin is able to retrieve Admins by valid role ID

<div>PASSED</div>	<div>DURATION - 0.226 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:34:14.846 PM // 1:34:15.072 PM /				
User Module				
@GetRequest(get_Admin_by_RoleID)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid role ID to retrieve Admins by valid role ID	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to retrieve Admins by valid role ID	PASSED	0.000 s
3	Then Admin receives 200 OK when retrieved Admins by valid role ID for User Module	PASSED	0.224 s

Check if admin able to retrieve all Admins with roles

PASSED	DURATION - 0.178 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:15.088 PM // 1:34:15.266 PM /				
User Module				
@GetRequest(Admin_With_Roles)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins with roles	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to retrieve all Admins with roles	PASSED	0.000 s
3	Then Admin receives 200 OK Status with response body after retrieved all Admins with roles for User Module	PASSED	0.174 s

Check if admin is able to update role status of a Admin with valid Admin id

PASSED	DURATION - 0.200 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:15.290 PM // 1:34:15.490 PM /				
<i>User Module</i>				
@PutRequest(Update_Admin_Role_Status_By_AdminID)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid data in request body to update role status	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to update role status	PASSED	0.000 s
3	Then Admin receives 200 Ok Status with response message after update of role status for User Module	PASSED	0.197 s

Check if admin is able to update role id of a Admin by valid Admin id

PASSED	DURATION - 0.209 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:15.511 PM // 1:34:15.720 PM /				
<i>User Module</i>				
@PutRequest(Update_Admin_RoleID)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid request body for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to update Admin roleid by valid AdminId	PASSED	0.001 s
3	Then Admin receives 200 OK Status with response body to update Admin roleid	PASSED	0.205 s

Check if admin is able to assign Admin to with program/batch by Admin Id

PASSED	DURATION - 0.169 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:15.732 PM // 1:34:15.901 PM /				
User Module				
@PutRequest(Update_Admin_Role_Program_Batch_Status)				



#	Step / Hook Details	Status	Duration
1	Given Admin creates PUT Request with valid data in request body to assign Admin with program/batch by Admin Id	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to assign Admin with program/batch by Admin Id	PASSED	0.000 s
3	Then Admin receives 200 Ok Status with response message to assign Admin to with program/batch by Admin Id	PASSED	0.164 s

Check if admin is able to get the Admins for valid program Id

PASSED	DURATION - 0.148 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:15.914 PM // 1:34:16.062 PM /				
User Module				
@GetRequest(get_Admin_for_program)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to get admins with valid program Id for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to get the Admins for valid program Id for User Module	PASSED	0.001 s
3	Then Admin receives 200 OK to get the Admins for valid program Id for User Module	PASSED	0.145 s

Check if admin is able to get the Admins by program batches for valid batch ID



<div>PASSED</div>	<div>DURATION - 0.158 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:34:16.095 PM // 1:34:16.253 PM /</div>				
<div>User Module</div>				
<div>@GetRequest(Admins_by_program_batches)</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid batch Id for User Module	PASSED	0.001 s
2	When Admin sends HTTPS Request with endpoint to get Admins by program batch for valid batchId for User Module	PASSED	0.000 s
3	Then Admin receives 200 OK for admins by program batches for valid adminId for User Module	PASSED	0.152 s

User Role Program Batch Map

<div>PASSED</div>	<div>DURATION - 1.342 s</div>	<div>Scenarios</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>7</div></div>	<div>Steps</div> <div>Total - 21</div> <div>Pass - 21</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>21</div></div>
<div>/ 1:34:16.268 PM // 1:34:17.610 PM /</div>					



Admin retrieves all Admins with assigned program batches

<div>PASSED</div>	<div>DURATION - 0.222 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:34:16.268 PM // 1:34:16.490 PM /</div>				
<div>User Role Program Batch Map</div>				

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins assigned to programs/batches with Authorization to bearer token	PASSED	0.002 s
2	When Admin sends HTTPS GET Request to retrieve all Admins assigned to programs/batches with Authorization to bearer token	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
3	Then Admin receives statuscode 200 OK for Role Program Batch Map	PASSED	0.217 s

Check if admin is able to retrieve all Admins with assigned program batches with No Authorization

PASSED	DURATION - 0.193 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:16.511 PM // 1:34:16.704 PM /				
User Role Program Batch Map				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve all Admins assigned to programs/batches with authorization to No Auth	PASSED	0.001 s
2	When Admin sends HTTPS Request without authorization	PASSED	0.000 s
3	Then Admin receives status 401 with Unauthorized message for Role Program Batch Map	PASSED	0.176 s

Admin retrieves assigned program batches for valid AdminId

PASSED	DURATION - 0.162 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:16.719 PM // 1:34:16.881 PM /				
User Role Program Batch Map				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by AdminId with Authorization to bearer token	PASSED	0.001 s
2	When Admin sends HTTPS Request to get program batches for valid AdminId	PASSED	0.000 s
3	Then Admin will receive 200 OK for Role Program Batch Map	PASSED	0.159 s

Check if admin is able to retrieve assigned program batches for invalid AdminId

<div>PASSED</div>	<div>DURATION - 0.168 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:34:16.890 PM // 1:34:17.058 PM /</div>				
<div>User Role Program Batch Map</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by invalid AdminID with Authorization to bearer token	PASSED	0.000 s
2	When Admin sends HTTPS Request to get program batches for invalid AdminId	PASSED	0.000 s
3	Then Admin receives 404 with message for Role Program Batch Map	PASSED	0.163 s

Check if admin is able to retrieve assigned program batches for valid AdminId with No authorization

<div>PASSED</div>	<div>DURATION - 0.154 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:34:17.072 PM // 1:34:17.226 PM /</div>				
<div>User Role Program Batch Map</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request to retrieve Admin assigned to Program/Batch by valid AdminID with authorization to No Auth	PASSED	0.000 s
2	When Admin sends HTTPS Request to get Program/Batch by valid Admin Id without authorization	PASSED	0.000 s
3	Then Admin will receive status 401 with Unauthorized message for Role Program Batch Map	PASSED	0.151 s

Check if admin is able to delete the program batch for invalid Admin

<div>PASSED</div>	<div>DURATION - 0.166 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:34:17.249 PM // 1:34:17.415 PM /</div>				
<div>User Role Program Batch Map</div>				



#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by invalid AdminId with Authorization to bearer token	PASSED	0.002 s
2	When Admin sends HTTPS Request to delete program/batch by invalid Admin Id	PASSED	0.000 s
3	Then Admin will receive 404 with message for Role Program Batch Map	PASSED	0.160 s

Check if admin is able to delete the program batch for valid Admin and No Authorization



<div>PASSED</div>	<div>DURATION - 0.179 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:34:17.431 PM // 1:34:17.610 PM /				
User Role Program Batch Map				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by valid AdminId with authorization to No Auth	PASSED	0.000 s
2	When Admin sends HTTPS Request to delete program/batch by Admin id without Authorization	PASSED	0.001 s
3	Then Admin will receive status code 401 with Unauthorized message for Role Program Batch Map	PASSED	0.175 s

Delete All modules



PASSED	DURATION - 0.967 s	Scenarios		Steps	
/ 1:34:17.637 PM // 1:34:18.604 PM /		Total - 5		Total - 15	
		Pass - 5		Pass - 15	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if admin is able to delete the program batch for a Admin

PASSED	DURATION - 0.148 s		Steps	
/ 1:34:17.637 PM // 1:34:17.785 PM /			Total - 3	
Delete All modules			Pass - 3	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request to delete Admin assigned to program/batch by AdminId with Authorization to bearer token	PASSED	0.002 s
2	When Admin sends HTTPS Request to Delete program/batch by Admin Id	PASSED	0.000 s
3	Then Admin receives Status Code 200 OK after delete operation for Role Program Batch Map	PASSED	0.143 s



Check if admin able to delete a Batch with valid Batch ID

PASSED	DURATION - 0.145 s		Steps	
/ 1:34:17.809 PM // 1:34:17.954 PM /			Total - 3	
Delete All modules			Pass - 3	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request with valid BatchId	PASSED	0.001 s



#	Step / Hook Details	Status	Duration
2	When Admin sends HTTPS Request to delete with endpoint	PASSED	0.140 s
3	Then Admin receives 200 Ok status with message to delete batch module	PASSED	0.001 s

Check if admin able to retrieve a batch after deleting the batch

PASSED		DURATION - 0.288 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:34:17.964 PM // 1:34:18.252 PM /						
Delete All modules						

#	Step / Hook Details	Status	Duration
1	Given Admin creates GET Request with valid Batch ID	PASSED	0.001 s
2	When Admin sends HTTPS GET Request with valid id	PASSED	0.143 s
3	Then Admin receives 200 OK Status with batchStatus field "Inactive" in the response body.	PASSED	0.141 s

Check if Admin able to delete a program with valid programName

PASSED	DURATION - 0.146 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:18.272 PM // 1:34:18.418 PM /				
Delete All modules				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid programName	PASSED	0.001 s
2	When Admin sends Delete by ProgramName Request with endpoint	PASSED	0.142 s
3	Then Admin receives 200 Ok status with message	PASSED	0.001 s

Check if Admin able to delete a program with valid program ID

PASSED	DURATION - 0.177 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:18.427 PM // 1:34:18.604 PM /				
Delete All modules				

#	Step / Hook Details	Status	Duration
1	Given Admin creates DELETE Request for the LMS API endpoint and valid program ID	PASSED	0.001 s
2	When Admin sends Delete Request By Program Name with endpoint	PASSED	0.174 s
3	Then Admin receives 200 Ok status with message for delete by program name	PASSED	0.000 s

Get (Logout)

PASSED	DURATION - 0.981 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 1:34:18.614 PM // 1:34:19.595 PM /					



Check if Admin able to logout

PASSED	DURATION - 0.150 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:18.614 PM // 1:34:18.764 PM /				
Get (Logout)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request	PASSED	0.001 s
2	When Admin calls Get Https method with valid endpoint	PASSED	0.144 s



#	Step / Hook Details	Status	Duration
3	Then Admin receives 200 ok and response with "Logout successful"	PASSED	0.000 s

Check if Admin able to logout with invalid endpoint

PASSED	DURATION - 0.421 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:18.784 PM // 1:34:19.205 PM /				
Get (Logout)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request	PASSED	0.000 s
2	When Admin calls Get Https method with invalid endpoint	PASSED	0.249 s
3	Then Admin receives 404 Not found	PASSED	0.169 s

Check if Admin able to logout

PASSED	DURATION - 0.369 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:34:19.226 PM // 1:34:19.595 PM /				
Get (Logout)				

#	Step / Hook Details	Status	Duration
1	Given Admin creates request	PASSED	0.001 s
2	When Admin calls Get Https method with valid endpoint	PASSED	0.207 s
3	Then Admin receives 401 unauthorized	PASSED	0.160 s