

### **Experiment 2**

Student Name: Rajat Katiyar UID: 22BCS15928

**Branch:** BE-CSE **Section/Group:** 22BCS\_KRG\_IOT-2-B **Semester:**6<sup>th</sup> **Date of Performance:** 13/01/2025

Subject Names Draiget Daged Learning Subject Codes 22CSH 250

Subject Name: Project Based Learning Subject Code: 22CSH-359

in Java with Lab

**1. Aim:** Design and implement a simple inventory control system for a small video rental store.

### 2. Objective:

The goal of this project is to design and implement a simple inventory control system for a small video rental store. Define least two classes: a **class Video** to model a video and a **class VideoStore** to model the actual store.

Assume that an object of class Video has the following attributes: a title, a flag to say whether it is checked out or not and an average user rating. Add instance variables for each of these attributes to the Video class.

In addition, you will need to add methods corresponding to the following: being checked out, being returned and receiving a rating.

The VideoStore class will contain at least an instance variable that references an array of videos (say of length 10). The VideoStore will contain the following methods:

- addVideo(String): add a new video (by title) to the inventory
- checkOut(String): check out a video (by title)
- returnVideo(String): return a video to the store
- receiveRating(String, int): take a user's rating for a video
- listInventory(): list the whole inventory of videos in the store.

Finally, create a VideoStoreLauncher class with a main() method which will test the functionality of your other two classes. It should allow the following.

- Add 3 videos: "The Matrix", "Godfather II", "Star Wars Episode IV: A New Hope".
- Give several ratings to each video.
- Rent each video out once and return it. List the inventory after "Godfather II" has been rented out.

### 3. Implementation/Code:

import java.util.\*;
class video{

```
public String title;
public boolean checkedOut;
public double userRating;
public int rateCount;
public video(String title){
```



# **DEPARTMENTOF**

### COMPUTERSCIENCE & ENGINEERING

Discover. Learn. Empower.

```
this.title = title;
  this.checkedOut = false:
  this.userRating = 0;
  this.rateCount = 0;
public String getTitle(){
  return title;
public double getUserRating(){
  if(rateCount == 0){
    return 0;
  }else{
    return userRating/rateCount;
public void checkOut(){
  if(!checkedOut){
    checkedOut = true;
    System.out.println(title + " is already checked out");
}
public void returnVideo(){
  if(checkedOut){
    checkedOut = false;
  }else{
    System.out.println(title + " is not checked out");
  }
public void receiveRating(double rating)
  if(rating >= 1 \&\& rating <= 5){
    userRating += rating;
    rateCount++;
    System.out.println("Invalid rating! Please enter rating between 1 and 5");
}
```

```
public String toString(){
    return \nIntle: + citle+"\nCheckedOut: "+ checkedOut+"\nAverage user rating:
    "+getUserRating();
    }
}
class videoStore{
    private ArrayList<video>Videos;
    public videoStore(){
        this.Videos = new ArrayList<>();
    }
}
```



### DEPARTMENTOF

## COMPUTERSCIENCE & ENGINEERING

Discover. Learn. Empower.

```
public void addVideo(String title){
  Videos.add(new video (title));
  System.out.println(title + " added to the list");
public void checkOut(String title){
  video video = findVideo(title);
  if(video != null){
    video.checkOut();
    System.out.println("Checked Out: " + title);
  }else
    System.out.println(title + " Video not found.");
  }
public void returnVideo(String title){
  video video = findVideo(title);
  if(video != null){
    video.returnVideo();
    System.out.println(title + " is returned");
  }else{
    System.out.println(title + " Video not found.");
public void receiveRating(String title, int rating){
  video video = findVideo(title);
  if(video != null){
    video.receiveRating(rating);
    System.out.println(title + " recieved rating of "+rating);
    System.out.println(title + " Video not found.");
}
```

```
publiceroid Wiperoitist(()\{nVideo Inventory: ");
    for(video video : Videos){
        System.out.println(video);
    }
}
private video findVideo(String title){
    for(video video : Videos){
        if(video.getTitle().equalsIgnoreCase(title)){
            return video;
        }
    }
    return null;
}
```

# CHANDIGARH

# DEPARTMENTOF

# COMPUTERSCIENCE & ENGINEERING

Discover. Learn. Empower.

```
public class exp2 {
  public static void main(String[] args) {
    videoStore store = new videoStore();
    store.addVideo("The Matrix");
    store.addVideo("Godfather II");
    store.addVideo("Star Wars Episode IV : A New Hope");
    store.receiveRating("The Matrix", 3);
    store.receiveRating("The Matrix", 2);
    store.receiveRating("Godfather II", 5);
    store.receiveRating("Godfather II", 4);
    store.receiveRating("Star Wars Episode IV: A New Hope", 4);
    store.receiveRating("Star Wars Episode IV: A New Hope", 3);
    store.checkOut("The Matrix");
    store.checkOut("Godfather II");
    store.returnVideo("The Matrix");
    store.VideoList();
}
```

### 4. Output:

```
The Matrix added to the list
Godfather II added to the list
Star Wars Episode IV: A New Hope added to the list
The Matrix recieved rating of 3
The Matrix recieved rating of 2
Godfather II recieved rating of 5
Godfather II recieved rating of 4
Star Wars Episode IV: A New Hope recieved rating of 4
Star Wars Episode IV: A New Hope recieved rating of 3
```

Checked Out: The Matrix
Checked Out: Godfather II
The Matrix is returned

Video Inventory:

Title: The Matrix
CheckedOut: false
Average user rating: 2.5

Title: Godfather II
CheckedOut: true
Average user rating: 4.5

Title: Star Wars Episode IV: A New Hope
CheckedOut: false
Average user rating: 3.5



# DEPARTMENTOF COMPUTERSCIENCE & ENGINEERING

Discover. Learn. Empower.

### 5. Learning Outcomes:

- i. Understanding of Class and Object Concepts in Java
- ii. Implementation of Arrays and Iteration
- iii. Implementation of Scanner Class in Java