

```
In [1]: import numpy as np
import pandas as pd
import seaborn as sns
```

```
In [2]:
```

```
In [3]: df_train=pd.read_csv("C2_train.gender_submission (1).csv")
df_test=pd.read_csv("C2_test.gender_submission (1).csv")
```

Out[3]:

|     | PassengerId | Survived | Pclass | Name  | Sex    | Age  | SibSp | Parch | Ticket           | Fare    |
|-----|-------------|----------|--------|---|--------|------|-------|-------|------------------|---------|
| 0   | 1           | 0        | 3      | Braund, Mr. Owen Harris                           | male   | 22.0 | 1     | 0     | A/5 21171        | 7.2500  |
| 1   | 2           | 1        | 1      | Cumings, Mrs. John Bradley (Florence Briggs Th... | female | 38.0 | 1     | 0     | PC 17599         | 71.2833 |
| 2   | 3           | 1        | 3      | Heikkinen, Miss. Laina                            | female | 26.0 | 0     | 0     | STON/O2. 3101282 | 7.9250  |
| 3   | 4           | 1        | 1      | Futrelle, Mrs. Jacques Heath (Lily May Peel)      | female | 35.0 | 1     | 0     | 113803           | 53.1000 |
| 4   | 5           | 0        | 3      | Allen, Mr. William Henry                          | male   | 35.0 | 0     | 0     | 373450           | 8.0500  |
| ... | ...         | ...      | ...    | ...   | ...    | ...  | ...   | ...   | ...              | ...     |
| 886 | 887         | 0        | 2      | Montvila, Rev. Juozas                             | male   | 27.0 | 0     | 0     | 211536           | 13.0000 |
| 887 | 888         | 1        | 1      | Graham, Miss. Margaret Edith                      | female | 19.0 | 0     | 0     | 112053           | 30.0000 |
| 888 | 889         | 0        | 3      | Johnston, Miss. Catherine Helen "Carrie"          | female | NaN  | 1     | 2     | W./C. 6607       | 23.4500 |
| 889 | 890         | 1        | 1      | Behr, Mr. Karl Howell                             | male   | 26.0 | 0     | 0     | 111369           | 30.0000 |
| 890 | 891         | 0        | 3      | Dooley, Mr. Patrick                               | male   | 32.0 | 0     | 0     | 370376           | 7.7500  |

891 rows × 12 columns

In [4]:

Out[4]:

|   | PassengerId | Pclass | Name                              | Sex    | Age  | SibSp | Parch | Ticket  | Fare    | Cabin |
|---|-------------|--------|-----------------------------------|--------|------|-------|-------|---------|---------|-------|
| 0 | 892         | 3      | Kelly, Mr. James                  | male   | 34.5 | 0     | 0     | 330911  | 7.8292  | NaN   |
| 1 | 893         | 3      | Wilkes, Mrs. James (Ellen Needs)  | female | 47.0 | 1     | 0     | 363272  | 7.0000  | NaN   |
| 2 | 894         | 2      | Myles, Mr. Thomas Francis         | male   | 62.0 | 0     | 0     | 240276  | 9.6875  | NaN   |
| 3 | 895         | 3      | Wirz, Mr. Albert                  | male   | 27.0 | 0     | 0     | 315154  | 8.6625  | NaN   |
| 4 | 896         | 3      | Hirvonen, Mrs. Alexander (Helga E | female | 22.0 | 1     | 1     | 3101298 | 12.2875 | NaN   |

In [5]:

In [6]:

In [7]: `feature_matrix=df1[['PassengerId', 'Pclass', 'Age', 'SibSp', 'Parch', 'Fare']]`

In [8]:

Out[8]: (183, 6)

In [9]:

Out[9]: (183, 1)

In [10]:

In [11]:

In [12]: `logr=LogisticRegression()`

C:\ProgramData\Anaconda3\lib\site-packages\sklearn\utils\validation.py:63: DataConversionWarning: A column-vector y was passed when a 1d array was expected. Please change the shape of y to (n\_samples, ), for example using ravel().

return f(\*args, \*\*kwargs)

Out[12]: LogisticRegression()

```
In [13]:
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 87 entries, 12 to 414
Data columns (total 11 columns):
#   Column          Non-Null Count  Dtype
---  ---
0   PassengerId      87 non-null    int64
1   Pclass           87 non-null    int64
2   Name             87 non-null    object
3   Sex              87 non-null    object
4   Age              87 non-null    float64
5   SibSp            87 non-null    int64
6   Parch            87 non-null    int64
7   Ticket           87 non-null    object
8   Fare             87 non-null    float64
9   Cabin            87 non-null    object
10  Embarked         87 non-null    object
dtypes: float64(2), int64(4), object(5)
memory usage: 8.2+ KB
```

```
In [14]:
```

```
Out[14]: Index(['PassengerId', 'Pclass', 'Name', 'Sex', 'Age', 'SibSp', 'Parch',
               'Ticket', 'Fare', 'Cabin', 'Embarked'],
              dtype='object')
```

```
In [15]: observation=df2[['PassengerId', 'Pclass', 'Age', 'SibSp', 'Parch',
```

```
In [16]: prediction=logr.predict(observation)

['S' 'S' 'C' 'S' 'S' 'S' 'S' 'S' 'S' 'S' 'C' 'S' 'C' 'C' 'S' 'C' 'S' 'S'
 'S' 'S' 'C' 'S' 'S' 'S' 'S' 'S' 'C' 'S' 'S' 'S' 'S' 'C' 'S' 'S' 'S' 'S'
 'S' 'S' 'S' 'S' 'S' 'C' 'S' 'S' 'S' 'S' 'S' 'S' 'S' 'S' 'S' 'S' 'S' 'S'
 'S' 'S' 'S' 'S' 'S' 'S' 'S' 'S' 'S' 'S' 'S' 'S' 'S' 'S' 'C' 'S' 'S' 'S'
 'S' 'S' 'S' 'S' 'S' 'S' 'S' 'S' 'S' 'S' 'S' 'S' 'S' 'S' 'S']
```

```
In [17]:
```

```
Out[17]: array(['C', 'Q', 'S'], dtype=object)
```

In [18]:

```
Out[18]: array([[6.08971905e-040, 1.00337329e-144, 1.00000000e+000],
 [1.23227402e-046, 1.21293028e-146, 1.00000000e+000],
 [1.00000000e+000, 2.64311964e-144, 2.62330648e-020],
 [8.74684689e-048, 9.59255505e-151, 1.00000000e+000],
 [7.79904257e-058, 1.27363136e-153, 1.00000000e+000],
 [1.47737287e-049, 3.16517530e-151, 1.00000000e+000],
 [9.87655203e-052, 6.61406838e-153, 1.00000000e+000],
 [2.41467012e-059, 1.34463863e-156, 1.00000000e+000],
 [9.48918099e-044, 2.05555026e-150, 1.00000000e+000],
 [4.27537892e-050, 6.30946278e-154, 1.00000000e+000],
 [1.00000000e+000, 3.64533680e-146, 5.79600005e-018],
 [2.12722398e-068, 1.45384757e-162, 1.00000000e+000],
 [1.00000000e+000, 1.95684213e-147, 3.44533462e-018],
 [1.00000000e+000, 4.39546971e-148, 8.71913651e-017],
 [1.32481073e-061, 4.20734452e-161, 1.00000000e+000],
 [1.00000000e+000, 7.58602331e-149, 2.93658715e-017],
 [2.74061829e-062, 3.64139105e-162, 1.00000000e+000],
 [2.25687919e-001, 4.58245775e-139, 7.74312081e-001],
 [1.80986273e-001, 2.53591052e-139, 8.19013727e-001],
 [5.45095546e-063, 5.94350402e-161, 1.00000000e+000],
 [9.98575373e-001, 8.70056035e-140, 1.42462732e-003],
 [3.85799338e-056, 4.60564832e-163, 1.00000000e+000],
 [3.10314517e-046, 4.83527839e-157, 1.00000000e+000],
 [6.48473904e-055, 3.89846152e-162, 1.00000000e+000],
 [2.81368515e-070, 8.67176835e-171, 1.00000000e+000],
 [1.08280308e-063, 5.96125394e-168, 1.00000000e+000],
 [6.92497504e-001, 3.12646809e-143, 3.07502496e-001],
 [1.51715598e-070, 9.07550280e-173, 1.00000000e+000],
 [1.11930587e-049, 1.69989736e-163, 1.00000000e+000],
 [6.53910240e-056, 6.17042047e-166, 1.00000000e+000],
 [8.07049911e-066, 8.14357943e-171, 1.00000000e+000],
 [1.00000000e+000, 2.39992618e-155, 6.61726374e-012],
 [7.98318000e-050, 4.41670143e-169, 1.00000000e+000],
 [5.67530213e-004, 7.59115023e-152, 9.99432470e-001],
 [1.18824306e-068, 3.91524494e-176, 1.00000000e+000],
 [3.52097421e-061, 3.24873391e-174, 1.00000000e+000],
 [2.38027644e-060, 1.03615038e-174, 1.00000000e+000],
 [6.24227366e-067, 3.71362583e-180, 1.00000000e+000],
 [2.30654066e-051, 9.67574039e-173, 1.00000000e+000],
 [5.96967620e-052, 3.09530437e-173, 1.00000000e+000],
 [3.60562527e-062, 1.84107354e-177, 1.00000000e+000],
 [9.98753360e-001, 1.91239301e-156, 1.24664028e-003],
 [1.15583025e-036, 9.14931704e-172, 1.00000000e+000],
 [3.23983533e-005, 1.20566080e-157, 9.99967602e-001],
 [4.27283617e-072, 7.12984244e-185, 1.00000000e+000],
 [1.55106048e-067, 8.39451329e-184, 1.00000000e+000],
 [7.81404051e-012, 8.27024590e-163, 1.00000000e+000],
 [2.54585276e-079, 4.02254454e-190, 1.00000000e+000],
 [1.49481230e-059, 4.60453558e-183, 1.00000000e+000],
 [6.51411592e-058, 8.68155622e-182, 1.00000000e+000],
 [4.33826449e-048, 4.28426682e-179, 1.00000000e+000],
 [3.10340679e-039, 8.85281708e-177, 1.00000000e+000],
 [9.16967301e-067, 2.79103457e-187, 1.00000000e+000],
 [2.30031083e-039, 2.00341270e-178, 1.00000000e+000],
```

```
[1.25754688e-060, 7.63824033e-189, 1.00000000e+000],
[7.54340191e-041, 7.29736878e-182, 1.00000000e+000],
[4.50487411e-060, 2.39522055e-191, 1.00000000e+000],
[2.74644477e-060, 1.08586460e-191, 1.00000000e+000],
[2.59943554e-079, 3.48017728e-200, 1.00000000e+000],
[9.84602149e-039, 9.76481273e-187, 1.00000000e+000],
[1.73773295e-057, 1.10233307e-192, 1.00000000e+000],
[1.20940443e-043, 2.54641319e-188, 1.00000000e+000],
[2.93938669e-040, 1.01111168e-186, 1.00000000e+000],
[6.99002669e-088, 2.03960384e-207, 1.00000000e+000],
[9.62309262e-086, 1.34121069e-206, 1.00000000e+000],
[4.30328484e-078, 3.04175748e-204, 1.00000000e+000],
[2.44186417e-080, 3.13990447e-205, 1.00000000e+000],
[4.98766646e-082, 8.94005298e-207, 1.00000000e+000],
[1.00000000e+000, 3.64074212e-226, 1.52370836e-080],
[1.23456527e-070, 1.58625020e-204, 1.00000000e+000],
[4.05689755e-083, 2.82183444e-209, 1.00000000e+000],
[8.36304637e-075, 7.01537655e-205, 1.00000000e+000],
[1.34903426e-074, 9.70432827e-208, 1.00000000e+000],
[1.20000763e-048, 3.30387186e-199, 1.00000000e+000],
[5.21188318e-093, 1.79611310e-215, 1.00000000e+000],
[3.33084545e-066, 2.16245191e-205, 1.00000000e+000],
[9.55155476e-077, 6.11194150e-210, 1.00000000e+000],
[8.56917344e-064, 6.11231434e-208, 1.00000000e+000],
[1.78129683e-081, 3.16634703e-214, 1.00000000e+000],
[1.73596071e-075, 9.69307656e-213, 1.00000000e+000],
[6.95928293e-069, 6.76039538e-210, 1.00000000e+000],
[1.02608940e-040, 2.33597670e-200, 1.00000000e+000],
[2.18536793e-086, 3.31125898e-217, 1.00000000e+000],
[1.18912368e-091, 7.63907138e-221, 1.00000000e+000],
[1.10798951e-025, 6.99386766e-195, 1.00000000e+000],
[2.38853088e-066, 7.74530338e-211, 1.00000000e+000],
[3.84344053e-060, 2.30602005e-209, 1.00000000e+000]]])
```

In [19]:

Out[19]: 6.0897190477931514e-40

## RANDOM FOREST

In [20]:

Out[20]: C 47  
S 39  
Q 1  
Name: Embarked, dtype: int64

In [21]: x=df2[['PassengerId', 'Pclass', 'Age', 'SibSp', 'Parch',  
'Fare']]

```
In [22]: g1={"Embarked":{"C":1, "S":2, "Q":3}}
df2=df2.replace(g1)
```

```
Out[22]:
```

|     | PassengerId | Pclass | Name  | Sex    | Age  | SibSp | Parch | Ticket           | Fare     | Cabin                    |
|-----|-------------|--------|---|--------|------|-------|-------|------------------|----------|--------------------------|
| 12  | 904         | 1      | Snyder, Mrs.<br>John<br>Pillsbury<br>(Nelle<br>Stevenson)   | female | 23.0 | 1     | 0     | 21228            | 82.2667  | B45                      |
| 14  | 906         | 1      | Chaffee,<br>Mrs. Herbert<br>Fuller (Carrie<br>Constance...  | female | 47.0 | 1     | 0     | W.E.P.<br>5734   | 61.1750  | E31                      |
| 24  | 916         | 1      | Ryerson,<br>Mrs. Arthur<br>Larned<br>(Emily Maria<br>Borie) | female | 48.0 | 1     | 3     | PC 17608         | 262.3750 | B57<br>B59<br>B63<br>B66 |
| 26  | 918         | 1      | Ostby, Miss.<br>Helene<br>Ragnhild                          | female | 22.0 | 0     | 1     | 113509           | 61.9792  | B36                      |
| 28  | 920         | 1      | Brady, Mr.<br>John<br>Bertram                               | male   | 41.0 | 0     | 0     | 113054           | 30.5000  | A21                      |
| ... | ...         | ...    | ...   | ...    | ...  | ...   | ...   | ...              | ...      | ...                      |
| 404 | 1296        | 1      | Frauenthal,<br>Mr. Isaac<br>Gerald                          | male   | 43.0 | 1     | 0     | 17765            | 27.7208  | D40                      |
| 405 | 1297        | 2      | Nourney, Mr.<br>Alfred<br>(Baron von<br>Drachstedt)"        | male   | 20.0 | 0     | 0     | SC/PARIS<br>2166 | 13.8625  | D38                      |
| 407 | 1299        | 1      | Widener, Mr.<br>George<br>Dunton                            | male   | 50.0 | 1     | 1     | 113503           | 211.5000 | C80                      |
| 411 | 1303        | 1      | Minahan,<br>Mrs. William<br>Edward<br>(Lillian E<br>Thorpe) | female | 37.0 | 1     | 0     | 19928            | 90.0000  | C78                      |
| 414 | 1306        | 1      | Oliva y<br>Ocana,<br>Dona.<br>Fermina                       | female | 39.0 | 0     | 0     | PC 17758         | 108.9000 | C105                     |

87 rows × 11 columns

```
In [23]:
```

```
In [24]:
```

```
In [25]: from sklearn.ensemble import RandomForestClassifier
```

In [26]: `rfc=RandomForestClassifier()`

Out[26]: `RandomForestClassifier()`

In [27]: `parameters={'max_depth':[1,2,3,4,5],  
'min_samples_leaf':[5,10,15,20,25],  
'n_estimators':[10,20,30,40,50]}`

In [33]: `from sklearn.model_selection import GridSearchCV  
grid_search =GridSearchCV(estimator=rfc,param_grid=parameters,cv=2,scoring="ac`

C:\ProgramData\Anaconda3\lib\site-packages\sklearn\model\_selection\\_split.py:  
666: UserWarning: The least populated class in y has only 1 members, which is  
less than n\_splits=2.

warnings.warn("The least populated class in y has only %d"

Out[33]: `GridSearchCV(cv=2, estimator=RandomForestClassifier(),  
param_grid={'max_depth': [1, 2, 3, 4, 5],  
'min_samples_leaf': [5, 10, 15, 20, 25],  
'n_estimators': [10, 20, 30, 40, 50]},  
scoring='accuracy')`

In [29]:

Out[29]: `0.6333333333333333`

In [30]:

In [36]: `from sklearn.tree import plot_tree  
plt.figure(figsize=(80,40))`

Out[36]: `[Text(2678.3999999999996, 1812.0, 'Parch <= 0.5\ngini = 0.486\nsamples = 36\nvalue = [35, 0, 25]\nclass = 1'),  
Text(1785.6, 1087.2, 'Fare <= 30.1\ngini = 0.497\nsamples = 23\nvalue = [21,  
0, 18]\nclass = 1'),  
Text(892.8, 362.39999999999986, 'gini = 0.475\nsamples = 10\nvalue = [11, 0,  
7]\nclass = 1'),  
Text(2678.3999999999996, 362.39999999999986, 'gini = 0.499\nsamples = 13\nvalue = [10, 0, 11]\nclass = 3'),  
Text(3571.2, 1087.2, 'gini = 0.444\nsamples = 13\nvalue = [14, 0, 7]\nclass = 1')]`





