OREGON STATE UNIVERSITY

Project Group 21

CS 325: Project 3

Colin Bradford Charles Jenkins Albert Le

May 24, 2015

1 Problem 1

Part A:

i. Linear Problem Formulation

Let each route be represented as variables of the form "SourceDestination." For example a route from Plant 1 to Warehouse 1 would be "p1w1."

Objective function:

Minimize:

 $10\ p1w1+15\ p1w2+11\ p2w1+8\ p2w2+13\ p3w1+8\ p3w2+9\ p3w3+14\ p4w2+8\ p4w3+5\ w1r1+6\ w1r2+7\ w1r3+10\ w1r4+12\ w2r3+8\ w2r4+10\ w2r5+14\ w2r6+14\ w3r4+12\ w3r5+12\ w3r6+6\ w3r7$

Subject To:

Supply Constraints:

p1w1 + p1w2 = 150 p2w1 + p2w2 = 450 p3w1 + p3w2 + p3w3 = 250p4w2 + p4w3 = 150

```
Demand Constraints:
```

```
w1r1 = 100

w1r2 = 150

w1r3 + w2r3 = 100

w1r4 + w2r4 + w3r4 = 200

w2r5 + w3r5 = 200

w2r6 + w3r6 = 150

w3r7 = 100
```

Balancing Constraints:

```
\begin{array}{l} p1w1+p2w1+p3w1-w1r1-w1r2-w1r3-w1r4<=0\\ p1w2+p2w2+p3w2+p4w2-w2r3-w2r4-w2r5-w2r6<=0\\ p3w3+p4w3-w3r4-w3r5-w3r6-w3r7<=0 \end{array}
```

Non-negativity Constraints:

p1w1, p1w2, p2w1, p2w2, p3w1, p3w2, p3w3, p4w2, p4w3, w1r1, w1r2, w1r3, w1r4, w2r3, w2r4, w2r5, w2r6, w3r4, w3r5, w3r6, w3r7 >= 0

ii. LINDO Code and Output

```
MIN 10 p1w1 + 15 p1w2 + 11 p2w1 + 8 p2w2 + 13 p3w1 + 8 p3w2 + 9 p3w3
 + 14 p4w2 + 8 p4w3 + 5 w1r1 + 6 w1r2 + 7 w1r3 + 10 w1r4 + 12 w2r3
  + 8  w2r4 + 10 w2r5 + 14 w2r6 + 14 w3r4 + 12 w3r5 + 12 w3r6 + 6 w3r7
   p1w1 + p1w2 = 150
   p2w1 + p2w2 = 450
   p3w1 + p3w2 + p3w3 = 250
   p4w2 + p4w3 = 150
   w1r1 = 100
   w1r2 = 150
   w1r3 + w2r3 = 100
   w1r4 + w2r4 + w3r4 = 200
   w2r5 + w3r5 = 200
   w2r6 + w3r6 = 150
   w3r7 = 100
   p1w1 + p2w1 + p3w1 - w1r1 - w1r2 - w1r3 - w1r4 <= 0
   p1w2 + p2w2 + p3w2 + p4w2 - w2r3 - w2r4 - w2r5 - w2r6 \le 0
   p3w3 + p4w3 - w3r4 - w3r5 - w3r6 - w3r7 <= 0
   p1w1 > 0
   p1w2 > 0
   p2w1 > 0
   p2w2 > 0
   p3w1 > 0
   p3w2 > 0
```

p3w3 > 0p4w2 > 0p4w3 > 0w1r1 > 0w1r2 > 0w1r3 > 0w1r4 > 0w2r3 > 0w2r4 > 0w2r5 > 0w2r6 > 0w3r4 > 0 w3r5 > 0w3r6 > 0w3r7 > 0END

LP OPTIMUM FOUND AT STEP 13

OBJECTIVE FUNCTION VALUE

1) 17100.00

VARIABLE	VALUE	REDUCED COST
P1W1	150.000000	0.000000
P1W2	0.000000	8.000000
P2W1	200.000000	0.000000
P2W2	250.000000	0.000000
P3W1	0.000000	2.000000
P3W2	150.000000	0.000000
P3W3	100.000000	0.000000
P4W2	0.000000	7.000000
P4W3	150.000000	0.000000
W1R1	100.000000	0.000000
W1R2	150.000000	0.000000
W1R3	100.000000	0.000000
W1R4	0.000000	5.000000
W2R3	0.000000	2.000000
W2R4	200.000000	0.000000
W2R5	200.000000	0.000000
W2R6	0.000000	1.000000
W3R4	0.000000	7.000000
W3R5	0.000000	3.000000

W3R6	150.000000	0.00000
W3R7	100.000000	0.000000
ROW	SLACK OR SURPLUS	DUAL PRICES
2)	0.00000	-10.000000
3)	0.00000	-11.000000
4)	0.00000	-11.000000
5)	0.00000	-10.000000
6)	0.00000	-5.000000
7)	0.00000	-6.000000
8)	0.00000	-7.000000
9)	0.00000	-5.000000
10)	0.00000	-7.000000
11)	0.00000	-10.000000
12)	0.00000	-4.000000
13)	0.00000	0.000000
14)	0.00000	3.000000
15)	0.00000	2.000000
16)	150.000000	0.000000
17)	0.00000	0.000000
18)	200.000000	0.000000
19)	250.000000	0.000000
20)	0.00000	0.000000
21)	150.000000	0.000000
22)	100.00000	0.000000
23)	0.00000	0.000000
24)	150.000000	0.000000
25)	100.00000	0.000000
26)	150.000000	0.000000
27)	100.00000	0.000000
28)	0.00000	0.000000
29)	0.00000	0.000000
30)	200.000000	0.000000
31)	200.000000	0.000000
32)	0.00000	0.000000
33)	0.000000	0.000000
34)	0.00000	0.000000
35)	150.000000	0.000000
36)	100.000000	0.00000
•		

NO. ITERATIONS= 13

iii. Optimal Shipping Routes and Minimum Cost

The optimal shipping routes and quantity of refrigerators per route are:

Route	Refrigerators
P1W1	150
P2W1	200
P2W2	250
P3W2	150
P3W3	100
P4W3	150
W1R1	100
W1R2	150
W1R3	100
W2R4	200
W2R5	200
W3R6	150
W3R7	100

The optimal minimum cost is \$17,100


Part B:


To remove Warehouse 2 and all its associated routes, we remove all variables in our equation that contain "w2" in it. The resulting LINDO code is as follows:

```
MIN 10 plw1 + 11 p2w1 + 13 p3w1 + 9 p3w3 + 8 p4w3 + 5 w1r1 + 6 w1r2
   + 7 w1r3 + 10 w1r4 + 14 w3r4 + 12 w3r5 + 12 w3r6 + 6 w3r7
ST
   p1w1 = 150
   p2w1 = 450
   p3w1 + p3w3 = 250
   p4w3 = 150
   w1r1 = 100
   w1r2 = 150
   w1r3 = 100
   w1r4 + w3r4 = 200
   w3r5 = 200
   w3r6 = 150
   w3r7 = 100
   p1w1 + p2w1 + p3w1 - w1r1 - w1r2 - w1r3 - w1r4 <= 0
   p3w3 + p4w3 - w3r4 - w3r5 - w3r6 - w3r7 <= 0
   p1w1 > 0
   p2w1 > 0
   p3w1 > 0
```

```
p3w3 > 0
p4w3 > 0
w1r1 > 0
w1r2 > 0
w1r3 > 0
w1r4 > 0
w3r4 > 0
w3r5 > 0
w3r6 > 0
w3r7 > 0
```

Upon execution of the code, we are met with these solution infeasibility notices:





There is no feasible solution here because Warehouse 3's total possible supply (400) is not capable of supporting the combined demand of R4, R5, R6, and R7 (650). On the other hand, Warehouse 1 is in fact capable of supporting R1, R2, R3, and R4 with its 850 supply to 550 demand ratio, but that still does not solve the larger supply chain deficit and feasibility issue. Overall, we need Warehouse 2 to supplement the supply to

R3, R4, R5, and R6 and sufficiently "spread the load" on the warehouses.

Part C:

To simulate the limitation of 100 shipments (inbound and outbound) on Warehouse 2, we add two new constraints to our code for Part A. The constraints limit the inbound and outbound shipments to being less than or equal to 100.

LINDO Code and Output:

```
MIN 10 plw1 + 15 plw2 + 11 p2w1 + 8 p2w2 + 13 p3w1 + 8 p3w2 + 9 p3w3
  + 14 p4w2 + 8 p4w3 + 5 w1r1 + 6 w1r2 + 7 w1r3 + 10 w1r4 + 12 w2r3
  + 8  w2r4 + 10  w2r5 + 14  w2r6 + 14  w3r4 + 12  w3r5 + 12  w3r6 + 6  w3r7
ST
   p1w1 + p1w2 = 150
   p2w1 + p2w2 = 450
   p3w1 + p3w2 + p3w3 = 250
   p4w2 + p4w3 = 150
   w1r1 = 100
   w1r2 = 150
   w1r3 + w2r3 = 100
   w1r4 + w2r4 + w3r4 = 200
   w2r5 + w3r5 = 200
   w2r6 + w3r6 = 150
   w3r7 = 100
   p1w1 + p2w1 + p3w1 - w1r1 - w1r2 - w1r3 - w1r4 <= 0
   p1w2 + p2w2 + p3w2 + p4w2 - w2r3 - w2r4 - w2r5 - w2r6 <= 0
   p3w3 + p4w3 - w3r4 - w3r5 - w3r6 - w3r7 <= 0
   p1w1 > 0
   p1w2 > 0
   p2w1 > 0
   p2w2 > 0
   p3w1 > 0
   p3w2 > 0
   p3w3 > 0
   p4w2 > 0
   p4w3 > 0
   w1r1 > 0
   w1r2 > 0
   w1r3 > 0
   w1r4 > 0
   w2r3 > 0
   w2r4 > 0
   w2r5 > 0
```

```
w2r6 > 0
w3r4 > 0
w3r5 > 0
w3r6 > 0
w3r7 > 0
p1w2 + p2w2 + p3w2 + p4w2 <= 100
w2r3 + w2r4 + w2r5 + w2r6 <= 100
END</pre>
```

LP OPTIMUM FOUND AT STEP 7

OBJECTIVE FUNCTION VALUE

1) 18300.00

4)

VARIABLE	VALUE	REDUCED COST
P1W1	150.00000	0.000000
P1W2	0.00000	8.000000
P2W1	350.00000	0.000000
P2W2	100.00000	0.000000
P3W1	0.00000	4.000000
P3W2	0.00000	2.000000
P3W3	250.000000	0.000000
P4W2	0.00000	9.000000
P4W3	150.000000	0.000000
W1R1	100.00000	0.000000
W1R2	150.00000	0.000000
W1R3	100.00000	0.000000
W1R4	150.000000	0.000000
W2R3	0.00000	7.000000
W2R4	50.00000	0.000000
W2R5	50.00000	0.000000
W2R6	0.00000	4.000000
W3R4	0.00000	4.000000
W3R5	150.00000	0.000000
W3R6	150.000000	0.000000
W3R7	100.00000	0.000000
ROW	SLACK OR SURPLUS	DUAL PRICES
2)	0.00000	-20.000000
3)	0.00000	-21.000000

0.000000 -19.000000

5)	0.000000	-18.000000
6)	0.000000	5.000000
7)	0.000000	4.000000
8)	0.000000	3.000000
9)	0.000000	0.000000
10)	0.000000	-2.000000
11)	0.000000	-2.000000
12)	0.000000	4.000000
13)	0.000000	10.000000
14)	0.000000	13.000000
15)	0.000000	10.000000
16)	150.000000	0.000000
17)	0.000000	0.000000
18)	350.000000	0.000000
19)	100.000000	0.000000
20)	0.000000	0.000000
21)	0.000000	0.000000
22)	250.000000	0.000000
23)	0.000000	0.000000
24)	150.000000	0.000000
25)	100.000000	0.000000
26)	150.000000	0.000000
27)	100.000000	0.000000
28)	150.000000	0.000000
29)	0.000000	0.000000
30)	50.000000	0.00000
31)	50.000000	0.000000
32)	0.000000	0.000000
33)	0.000000	0.000000
34)	150.000000	0.000000
35)	150.000000	0.000000
36)	100.000000	0.00000
37)	0.000000	0.000000
38)	0.000000	5.000000

NO. ITERATIONS=

We see that this is a feasible solution, though it raises our optimal cost from \$17,100 to \$18,300.

The optimal shipping routes and quantity of refrigerators per route are:

7

Route	Refrigerators
P1W1	150
P2W1	350
P2W2	100

P3W3	250
P4W3	150
W1R1	100
W1R2	150
W1R3	100
W1R4	150
W2R4	50
W2R5	50
W3R5	150
W3R6	150
W3R7	100

Part D:

2 Problem 2

Part A:
 i.
 ii.
 Part B:
 i.
 ii.
 iii.
 Part C:
 i.
 ii.
 iii.

3 Problem 3

Part A:
i.
ii.
iii.
Part B:
i.
ii.
iii.
iv.
Part C: