Positions

1. Introduction

The **Positions API** provides a consolidated view of your open and closed positions for the current trading day across all supported segments. This allows you to track real-time exposures, quantities bought/sold, and settlement data.

2. API Endpoint

`GET <Base URL>/quick/user/positions`

> *Replace `<Base URL>` with the relevant Kotak environment base URL provided in response from /tradeApiValidate api.*

3. Headers

Name	Type	Description
accept	string	Should always be `application/json`
Sid	string	session sid generated on login
Auth	string	session token generated on login
neo-fin-key	string	static value: neotradeapi
Content-Type	string	Always `application/x-www-form-urlencoded`

4. Request

Example Request:

```
# Position Book curl -X GET "<baseUrl>/quick/user/positions" \ -H "Auth: <session_token>" \ -H "Sid: <session_sid>" \ -H "neo-fin-key: neotradeapi"
```

No request body or query params required.

5. Response

Example Success Response (truncated, user-friendly)


```
{ "stat": "Ok", "stCode": 200, "data": [ { "actId": "******", "prod":
"CNC", "exSeg": "nse_cm", "trdSym": "AXISBANK-EQ", "sym": "AXISBANK",
"qty": "9", "buyAmt": "5862.90", "sellAmt": "0.00", "flBuyQty": "9",
"flSellQty": "0", "brdLtQty": 1, "posFlg": "true", "sqrFlg": "Y", "lotSz":
"1", "stkPrc": "0.00", "hsUpTm": "2022/06/21 15:11:02" }, { "actId":
"******", "prod": "CNC", "exSeg": "nse_cm", "trdSym": "ITC-EQ", "sym":
"ITC", "qty": "15", "buyAmt": "4021.50", "sellAmt": "0.00", "flBuyQty":
"15", "flSellQty": "0", "brdLtQty": 1, "posFlg": "true", "sqrFlg": "Y",
"lotSz": "1", "stkPrc": "0.00", "hsUpTm": "2022/06/21 15:11:02" } ] }
```


200 Response Fields

Field	Type	Description
stat	string	Overall status ("Ok" for success)
stCode	int	Status code (200 = success)
data	array	Array of position objects (see below)

Position Object (Key Fields):

Field	Type	Description
actId	string	Account ID
prod	string	Product code (e.g., CNC, MIS, NRML)
exSeg	string	Exchange segment (e.g., nse_cm, bse_cm)
trdSym	string	Trading symbol (e.g., AXISBANK-EQ)
sym	string	Symbol name (e.g., AXISBANK)
qty	string	Net position quantity
buyAmt	string	Total buy amount
sellAmt	string	Total sell amount
flBuyQty	string	Filled buy quantity
flSellQty	string	Filled sell quantity
brdLtQty	int	Board lot quantity
posFlg	string	Position flag ("true" if open position)
sqrFlg	string	Square-off flag ("Y" = allowed)
lotSz	string	Lot size
stkPrc	string	Strike price (for derivatives)
hsUpTm	string	Last updated time

Other available fields:

cfBuyAmt, cfSellAmt, cfBuyQty, cfSellQty, multiplier, precision, expDt, genNum, genDen, prcNum, prcDen, optTp, type

Note: cf as a prefix refers for carry forward

Example Error Response

```
{ "stat": "Not_Ok", "emsg": "Invalid session", "stCode": 1003 }
```

Field	Type	Description
stat	string	"Not_Ok" for errors
emsg	string	Error message in English
stCode	int	Error code (see below)

6. Notes

- Only positions with actual trades for the day will be listed.