"Bhausaheb Bandodkar Technical Education Complex"

Experiment No: 1 Date: 21.09.2021

Aim: Write a Java program to read an image from a file system and write the image back with a different name.

Theory:

1. Java.io.File class

The File class is an abstract representation of file and directory pathnames.

1. File(String pathname)

This method creates a new File instance by converting the given pathname string into an abstract pathname.

2. Java.awt.image.BufferedImage class

Java BufferedImage class is a subclass of Image class. It is used to handle and manipulate the image data. A BufferedImage is made of ColorModel of image data. All BufferedImage objects have an upper left corner coordinate of (0, 0).

BufferedImage(int width, int height, int ImageType)
 The constructor constructs a BufferedImage of one of the predefined image types.

3. Java.imageio.lmagelO class

A class containing static convenience methods for locating ImageReaders and ImageWriters, and performing simple encoding and decoding.

1. ImagelO.read(File input)

Returns a BufferedImage as the result of decoding a supplied File with an ImageReader chosen automatically from among those currently registered. The File is wrapped in an ImageInputStream. If no registered ImageReader claims to be able to read the resulting stream, null is returned.

ImageIO.write(RenderedImage im, String FormatName, File output)
 Writes an image using an arbitrary ImageWriter that supports the given format to a File. If there is already a File present, its contents are discarded.

Algorithm:

- 1. Choose an image you want to read.
- 2. Read/Store the image into a container
- 3. Choose a directory to save the image
- 4. Write the image into the directory chosen by changing its name.

Deepraj Bhosale Roll Number: 181105016 Batch-A Sem VII

"Bhausaheb Bandodkar Technical Education Complex"

```
Program:
Java Code:
```

```
package Exp1;
import java.awt.image.BufferedImage;
import java.io.*;
import javax.imageio.lmagel0;
public class Read_Write_File {
public static void main(String[] args) {
int width = 963;
int height = 640;
BufferedImage image = null;
File f = null;
try {
//Read Image
f = new File("./Exp1/wallpaper.jpg");
image = new BufferedImage(width,height,BufferedImage.TYPE_INT_ARGB);
image = ImageIO.read(f);
System.out.println("Reading Complete");
}
catch(IOException e){
System.out.println("Error: "+e);
}
try {
//Write Image
f = new File("./Exp1/wallpaper_output.jpg");
ImageIO.write(image,"jpg",f);
System.out.println("Writing Complete");
}
catch(IOException e){
System.out.println("Error: "+e);
}
}
}
Python Code:
def show_image(self):
self.img = cv2.imread('killer.jpg')
self.img1 = QtGui.Qlmage(self.img.data, self.img.shape[1], self.img.shape[0],
QtGui.Qlmage.Format_RGB888).rgbSwapped()
self.image.setPixmap(QtGui.QPixmap.fromImage(self.img1))
def show_output(self):
```

"Bhausaheb Bandodkar Technical Education Complex"

cv2.imwrite('output.jpg',self.img)

self.image.setPixmap(QtGui.QPixmap("output.jpg"))


Output:

Java Output:


Reading complete.

Writing complete.

Python GUI Output:



"Bhausaheb Bandodkar Technical Education Complex"



Conclusion: Program to read and write an image was written and executed.