


DeepskyLog 5.0

What to expect

New Layout

- Bootstrap
 - Responsive
 - Easy to use framework
- TableSorter
 - Sorting
 - Movable columns



DeepskyLog

View

Search

Change

Downloads

Help

Wim

2

Deepsky

Hünstetten-Limbach, nördlich auf der Anhöhe

Obsession 18"

List - Manage

Date

1/4/2015

Search

M 45

Search Object

Search Observations

New Observation

Moon / Sun

on 01><02/04/2015

Night

from

to

Moon

15:10

3:49

Sun

17:59

05:02

Naut.

19:11


03:50

Astro.

19:53

03:07

Actual moon:



New moon: 18 Apr

Overview of last year's observations

Show all languages

ListCompact

!	Object name	Constellation	Observer	Instrument	Date	My LO instrument	My LO date	(*)
+ !	NGC 436	Cassiopeia	Wim De Meester	80mm refractor (80 mm)	04/09/2015			D AO
	H400 15	Translate				Translate		
	OCL 320	Dit is een soort Hyaden-achtig hoopje met op de plek van Aldebaran een dubbelster. Er staan meer						
	Mel 6	losse sterren in de achtergrond dan in de echte Hyaden. Aan de punt staan twee tamelijk heldere						
	Cr 11	sterren.						
+ !	NGC 908	Cetus	Wim De Meester	80mm refractor (80 mm)	24/12/2014			D AO
	H400 37	Translate				Translate		
	ESO 545-11	NGC 908 is een langwerpige vlek ten zuiden van 4 zwakke sterren. Aan de zuid-oost kant staat een						
		zwakke ster. Het is een langwerpige vlek met een vage kern en verder geen details. Ten noorden						
		ervan zie ik ook NGC 907, NGC 899 en IC 223. NGC 899 is het makkelijkst te zien. Het is een vage						
		vlek. NGC 907 is wat moeilijker en IC 223 ziet eruit als een even grote vlek als NGC 899 maar heel						
		zwak en rond.						
+ !	NGC 6818	Sagittarius	Wim De Meester	Dobson Lightbridge (304 mm)	21/08/2014	Dobson Lightbridge (304 mm)	21/08/2014	D AO MO LO
	H400 360	Translate				Translate		
	PK 025-17.01	2 breite helle Streifen, oberer Streifen größer, zwischen den Streifen quer dazu kleiner dunkler					2 breite helle Streifen, oberer Streifen größer, zwischen den Streifen quer dazu	
	Little Gem	Streifen oder Kreis, Randbereich des Nebels schwächer					kleiner dunkler Streifen oder Kreis, Randbereich des Nebels schwächer	
+ !	Pal 11	Aquila	Wim De Meester	Dobson Lightbridge (304 mm)	21/08/2014	Dobson Lightbridge (304 mm)	21/08/2014	D AO MO LO
		Translate				Translate		
		Mitbeobachter Andreas ebenfalls unsicher, ob das Objekt zu erkennen war Zirren in der					Mitbeobachter Andreas ebenfalls unsicher, ob das Objekt zu erkennen war Zirren	
		Himmelsregion					in der Himmelsregion	
+ !	QSO HS	Pegasus	Wim De Meester	Dobson Lightbridge (304 mm)	22/08/2014	Dobson Lightbridge (304 mm)	22/08/2014	D AO MO LO
	J	Translate				Translate		
	215647.3+224250	220x => blitzt gelegentlich auf, dann aber eindeutig 400x => besser, aber auch kaum dauerhaft zu					220x => blitzt gelegentlich auf, dann aber eindeutig 400x => besser, aber auch	
	QSOHS	halten 3 Mitbeobachter konnten die Sichtung mit identischer Wahrnehmung bestätigen Entfernung:					kaum dauerhaft zu halten 3 Mitbeobachter konnten die Sichtung mit identischer	
	2154+2228	Mit z=1,29 resultiert eine comoval distance von 13,1 Gigalightyears !!					Wahrnehmung bestätigen Entfernung: Mit z=1,29 resultiert eine comoval distance	
							von 13,1 Gigalightyears !!	
+ !	3C 454.3	Pegasus	Wim De Meester	Dobson Lightbridge (304 mm)	22/08/2014	Dobson Lightbridge (304 mm)	22/08/2014	D AO MO LO
		Translate				Translate		

- Search

M 45


Search Object

Search Observations

New Observation

- Moon / Sun
on 01><02/04/2015

Night	from	to
Moon	15:10	3:49
Sun	17:59	05:02
Naut.	19:11	03:50
Astro.	19:53	03:07

Actual moon:

New moon: 18 Apr

Most active observers

Rank	Observer	Number of observations	Number of drawings	Observations last year	Drawings last year	M	Different objects
1	Bob Hogeveen	6207 (8.87%)	215 (2.37%)	0 (0.00%)	0 (0.00%)	110 (7.28%)	3802 (48.85%)
2	Tom Polakis	3881 (5.54%)	0 (0.00%)	0 (0.00%)	0 (0.00%)	109 (7.21%)	2317 (29.77%)
3	Arie Otte	3232 (4.62%)	0 (0.00%)	0 (0.00%)	0 (0.00%)	110 (7.28%)	2757 (35.42%)
4	Nico de Jongh	3007 (4.30%)	22 (0.24%)	0 (0.00%)	0 (0.00%)	110 (7.28%)	838 (10.77%)
5	Jan Vanautgaerden	2751 (3.93%)	99 (1.09%)	0 (0.00%)	0 (0.00%)	110 (7.28%)	1592 (20.45%)
6	Wim De Meester	2302 (3.29%)	40 (0.44%)	44 (100.00%)	1 (100.00%)	110 (7.28%)	1524 (19.58%)
7	David Erzeel	2184 (3.12%)	1138 (12.54%)	0 (0.00%)	0 (0.00%)	110 (7.28%)	1781 (22.88%)
8	Olivier Van Aelst	2107 (3.01%)	11 (0.12%)	0 (0.00%)	0 (0.00%)	110 (7.28%)	1522 (19.56%)
9	Constantin Lazzari	2043 (2.92%)	19 (0.21%)	0 (0.00%)	0 (0.00%)	105 (6.94%)	1084 (13.93%)
10	Eric Van der Jeught	1791 (2.56%)	1044 (11.51%)	0 (0.00%)	0 (0.00%)	110 (7.28%)	1130 (14.52%)
11	Thomas Pfleger	1511 (2.16%)	0 (0.00%)	0 (0.00%)	0 (0.00%)	110 (7.28%)	1005 (12.91%)
12	Jef De Wit	1442 (2.06%)	239 (2.63%)	0 (0.00%)	0 (0.00%)	110 (7.28%)	918 (11.79%)
13	Luc Waignein	1404 (2.01%)	452 (4.98%)	0 (0.00%)	0 (0.00%)	102 (6.75%)	1204 (15.47%)
14	Kurt Christiaens	1393 (1.99%)	589 (6.49%)	0 (0.00%)	0 (0.00%)	110 (7.28%)	886 (11.38%)
15	Jan van Gastel	1312 (1.87%)	6 (0.07%)	0 (0.00%)	0 (0.00%)	110 (7.28%)	1241 (15.95%)
16	Patrick Duis	1279 (1.83%)	0 (0.00%)	0 (0.00%)	0 (0.00%)	110 (7.28%)	346 (4.45%)
17	Frank Hol	1267 (1.81%)	1 (0.01%)	0 (0.00%)	0 (0.00%)	110 (7.28%)	663 (8.52%)
18	Jan Willem van der Kouwe	1234 (1.76%)	1 (0.01%)	0 (0.00%)	0 (0.00%)	110 (7.28%)	866 (11.13%)
19	Michiel Boltjes	1126 (1.62%)	602 (7.62%)	0 (0.00%)	0 (0.00%)	65 (4.20%)	742 (9.55%)

- Search

M 45

Search Object

Search Observations

New Observation

- Moon / Sun
on 01><02/04/2015

Night	from	to
Moon	15:10	3:49
Sun	17:59	05:02
Naut.	19:11	03:50
Astro.	19:53	03:07



Query observations

SeenAll objects, seen or not

Object name

Constellation

Type

Magnitude brighter than

Magnitude fainter than

Surface brightness lower than

Surface brightness higher than

Atlas Page

Minimum declination

Maximum declination

Minimum RA

Maximum RA

Minimum size

Maximum size

Submit Query

Clear Fields

Observer

From

Till

Instrument

Minimum instrument diameter

Maximum instrument diameter

Location

Minimum Latitude

Maximum Latitude

Minimum seeing

Minimum limiting magnitude

Maximum limiting magnitude

Maximum seeing

- Search

M 45

Search Object

Search Observations

New Observation

- Moon / Sun

on 01><02/04/2015

Night	from	to
Moon	15:10	3:49
Sun	17:59	05:02
Naut.	19:11	03:50
Astro.	19:53	03:07

Actual moon:



New moon: 18 Apr

Instruments of Wim De Meester

Select columns

Actif	Name	Diameter (mm)	F/D	Fixed magnification	Type	Default instrument	Number of observations
<input type="checkbox"/>							
<input checked="" type="checkbox"/>	Naked Eye	7	-	1	Naked Eye	<input type="radio"/>	8 observations
<input type="checkbox"/>	7x50 zoeker	50	-	7	Finderscope	<input type="radio"/>	9 observations
<input checked="" type="checkbox"/>	8x50 Tal zoeker	50	-	8	Finderscope	<input type="radio"/>	2 observations
<input checked="" type="checkbox"/>	Vixen 20x80	80	-	20	Binoculars	<input type="radio"/>	121 observations
<input checked="" type="checkbox"/>	Obsession 18"	457	4.5	-	Reflector	<input checked="" type="radio"/>	1702 observations
<input type="checkbox"/>	22cm zelfbouw	222	5.8	-	Reflector	<input type="radio"/>	408 observations
<input checked="" type="checkbox"/>	Zenith 10x50	50	-	10	Binoculars	<input type="radio"/>	12 observations
<input type="checkbox"/>	Obsession 15"	381	4.5	-	Reflector	<input type="radio"/>	1 observation
<input checked="" type="checkbox"/>	20 cm reisdobson	203	4	-	Reflector	<input type="radio"/>	17 observations
<input checked="" type="checkbox"/>	80mm refractor	80	5	-	Refractor	<input type="radio"/>	3 observations

Add new instrument

Hünstetten-Limbach, nördlich auf der Anhöhe

Obsession 18"

List - Manage

Date

1/4/2015

- Search

M 45

Search Object

Search Observations


New Observation

- Moon / Sun

on 01><02/04/2015


Night	from	to
Moon	15:10	3:49
Sun	17:59	05:02
Naut.	19:11	03:50
Astro.	19:53	03:07

Actual moon:



New moon: 18 Apr

DeepskyLog atlases



General Atlases / Personalised Atlases

You can either go for general atlases, or (if you are a registered user) personalised atlases.

- General atlases are precompiled and are ready to download as one big pdf file.
- Personalised atlases are generated, page per page, for you in pdf format.

Personalised atlases take some time (one page) or much more time (complete atlas) to generate and you will have to use some software to put the pages together yourself for the complete atlas.

First choose your page layout

Hünstetten-Limbach, nördlich auf der Anhöhe

Obsession 18"

List - Manage

Date

1/4/2015

- Search

M 45

Search Object

Search Observations

New Observation

- Moon / Sun

on 01><02/04/2015

Night	from	to
Moon	15:10	3:49
Sun	17:59	05:02
Naut.	19:11	03:50
Astro.	19:53	03:07



New moon: 18 Apr

Settings

Username

wim

This is the name you will use to log in

Change

Email address

wim.demeester@ster.kuleuven.be

Your email address will remain confidential

First name

Wim

Name

De Meester

Password

This is not your email account's password

Confirm password

Send emails



Send messages as email.

Use local time



Use local time to enter and query observations

ICQ observercode

WDM

ICQ code for comet observations

Default observing site

Hünstetten-Limbach, nördlich auf der Anhöhe

[Add new observing site](#)

Default instrument

Obsession 18"

[Add instrument](#)

Default atlas

Interstellarum Deep Sky Atlas

fstOffset

0

Offset between measured SQM value and the faintest visible star.

Picture

Choose File No file chosen

Hünstetten-Limbach, nördlich auf der Anhöhe

Obsession 18"

List - Manage

Date

1/4/2015

- Search

M 45


Search Object

Search Observations

New Observation

- Moon / Sun
on 01><02/04/2015

Night	from	to
Moon	15:10	3:49
Sun	17:59	05:02
Naut.	19:11	03:50
Astro.	19:53	03:07



New moon: 18 Apr

Wim De Meester

Info


Observations per year

Object types observed

DeepskyLog stars

Object types seen : Wim De Meester

Source: <http://localhost/deepskylog/>



Highcharts.com

DeepskyLog Stars

- Gamification



Use real emailaddress

Send message to real emailaddress

Picture of observers

in detail of observation and in messages.

New Logo





New entry page



Add locations