Our Solution(s)

Solution 1 Solution 2

Run Code

```
Your Solutions Run Code
```

```
1 // Copyright © 2020 AlgoExpert, LLC. All rights reserved.
   #include <vector>
   #include <climits>
 5 using namespace std;
   bool isPalindrome(string s);
   // O(n^3) time | O(n^2) space
9
10 int palindromePartitioningMinCuts(string s) {
11
      vector<vector<bool>> palindromes(s.length(), vector<bool>(s.length())
12
      for (int i = 0; i < s.length(); i++) {</pre>
13
        for (int j = i; j < s.length(); j++) {</pre>
14
         palindromes[i][j] = isPalindrome(s.substr(i, j + 1 - i));
15
16
17
      vector<int> cuts(s.length(), INT_MAX);
     for (int i = 0; i < s.length(); i++) {</pre>
18
19
       if (palindromes[0][i]) {
20
         cuts[i] = 0;
21
       } else {
          cuts[i] = cuts[i - 1] + 1;
22
23
          for (int j = 1; j < i; j++) {
           if (palindromes[j][i] && cuts[j - 1] + 1 < cuts[i]) {</pre>
25
              cuts[i] = cuts[j - 1] + 1;
26
27
28
29
30
      return cuts[s.length() - 1];
31 }
32
33 bool isPalindrome(string s) {
```

```
#include <vector>
using namespace std;

int palindromePartitioningMinCuts(string string) {
    // Write your code here.
    return -1;
}
```

Run or submit code when you're ready.

The second secon

The state of the s