Experiment - 3B Toxic Comment Classification using Logistic Regression

Code

```
import numpy as np
import pandas as pd
from sklearn.model_selection import train_test_split
from sklearn.feature_extraction.text import TfidfVectorizer
from sklearn.linear_model import LogisticRegression
from sklearn.metrics import accuracy_score, precision_score, recall_score,
f1 score, confusion matrix, classification report
# Load dataset
data = pd.read_csv('Toxic_Comments.csv')
X = data['Comment'].values # Text comments
y = data['Label'].values  # Target variable (0: Non-toxic, 1: Toxic)
# Split dataset into training (80%) and testing (20%)
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2,
random_state=42)
# Convert text data into numerical format using TF-IDF vectorization
vectorizer = TfidfVectorizer()
X train = vectorizer.fit transform(X train)
X_test = vectorizer.transform(X_test)
# Train logistic regression model
model = LogisticRegression()
model.fit(X_train, y_train)
# Make predictions
y_pred = model.predict(X_test)
# Calculate evaluation metrics
accuracy = accuracy_score(y_test, y_pred)
precision = precision_score(y_test, y_pred)
recall = recall_score(y_test, y_pred)
f1 = f1_score(y_test, y_pred)
conf_matrix = confusion_matrix(y_test, y_pred)
class_report = classification_report(y_test, y_pred)
# Print evaluation metrics
print(f'Accuracy: {accuracy * 100:.2f}%')
print(f'Precision: {precision:.2f}')
print(f'Recall: {recall:.2f}')
print(f'F1 Score: {f1:.2f}')
print('\nConfusion Matrix:\n', conf_matrix)
print('\nClassification Report:\n', class_report)
```

Output

PS V:\Deeptanshu Lal\PROJECTS\ML\exp-4> python .\exp-4.py

Accuracy: 100.00% Precision: 1.00 Recall: 1.00 F1 Score: 1.00

Confusion Matrix:

[[47 0] [0 53]]

Classification Report:

	precision	recall	f1-score	support
0	1.00	1.00	1.00	47
1	1.00	1.00	1.00	53
accuracy			1.00	100
macro avg	1.00	1.00	1.00	100
weighted avg	1.00	1.00	1.00	100