

1 Supplementary Material - Species differences in cue responses in  
2 woody plants of North America

3 Deirdre Loughnan<sup>1</sup> and E M Wolkovich<sup>1</sup>

4 January 3, 2023




Figure 1: Estimated mean responses in budburst date of first bud to varying forcing, chilling, and photoperiod cues for 47 deciduous woody species across North America. Points represent mean budburst dates, while bars depict the 50% uncertainty interval. Negative responses represent advances budburst, while positive values represent delaying effects.




Figure 2: Interaction plots of day of budburst of first bud in response a) chill portions and forcing, b) forcing cues, c) chilling cues, and d) photoperiod cues and species sampled from St. Hippolyte, Harvard Forest, and Manning park.

Table 1: Mean budburst dates across all treatments from raw data for 47 species at our two western sites, E.C. Manning Park and Smithers B.C., and our two eastern sites, Harvard Forest (HF) USA and St. Hippolyte (SH) Canada.

Species	Harvard Forest	St. Hippolyte	Manning Park	Smithers
<i>Acer glabrum</i>			36.00	39.00
<i>Acer pensylvanicum</i>	16.00	18.00		
<i>Acer rubrum</i>	22.00	25.00		
<i>Acer saccharum</i>	45.00	36.00		
<i>Alnus incana</i>			28.00	30.00
<i>Alnus incana</i>	33.00	25.00		
<i>Alnus viridis</i>			44.00	43.00
<i>Amelanchier alnifolia</i>			18.00	17.00
<i>Aronia melanocarpa</i>	14.00			
<i>Betula alleghaniensis</i>	20.00	21.00		
<i>Betula lenta</i>	30.00			
<i>Betula papyrifera</i>				30.00
<i>Betula papyrifera</i>	17.00	18.00		
<i>Corylus cornuta</i>	25.00	19.00		
<i>Cornus stolonifera</i>			14.00	16.00
<i>Fagus grandifolia</i>	42.00	43.00		
<i>Fraxinus nigra</i>	38.00	38.00		
<i>Hamamelis virginiana</i>	44.00			
<i>Ilex mucronatus</i>	16.00	15.00		
<i>Kalmia angustifolia</i>	30.00	32.00		
<i>Lonicera canadensis</i>	17.00	16.00		
<i>Lonicera involucrata</i>			22.00	19.00
<i>Lyonia ligustrina</i>	31.00			
<i>Menziesia ferruginea</i>			43.00	46.00
<i>Nyssa sylvatica</i>	32.00			
<i>Populus balsamifera</i>			30.00	31.00
<i>Populus grandidentata</i>	33.00	31.00		
<i>Populus tremuloides</i>			46.00	35.00
<i>Prunus pensylvanica</i>	18.00	16.00		
<i>Quercus alba</i>	45.00			
<i>Quercus rubra</i>	36.00	34.00		
<i>Quercus velutina</i>	52.00			
<i>Rhamnus frangula</i>	32.00			
<i>Rhododendron albiflorum</i>			19.00	
<i>Rhododendron prinophyllum</i>	29.00			
<i>Ribes lacustre</i>			29.00	23.00
<i>Rubus parviflorus</i>			28.00	29.00
<i>Sambucus racemosa</i>			33.00	
<i>Shepherdia canadensis</i>			25.00	23.00
<i>Sorbus scopulina</i>			21.00	18.00
<i>Spiraea alba</i>	18.00	20.00		
<i>Spiraea betulifolia</i>			24.00	18.00
<i>Spiraea pyramidata</i>			26.00	22.00
<i>Symphoricarpos albus</i>			26.00	31.00
<i>Vaccinium membranaceum</i>			22.00	23.00
<i>Vaccinium myrtilloides</i>	13.00	17.00		
<i>Viburnum cassinoides</i>	15.00	18.00		
<i>Viburnum edule</i>			19.00	8.00
<i>Viburnum lantanoides</i>	31.00	28.00		

Table 2: Chill units from our two western sites, E.C. Manning Park and Smithers B.C., and our two eastern sites, Harvard Forest (HF) USA and St. Hippolyte(SH) Canada.

Population	Chilling.treatment	Chilling.Hours	Utah.Model	Chill.Portions
Harvard forest	Field chilling	892	814.50	56.62
Harvard forest	Field chilling + 30 d at 4 degree C	2140	2062.50	94.06
Harvard forest	Field chilling + 30 d at 1.5 degree C	2140	1702.50	91.17
St. Hippolyte	Field chilling	682	599.50	44.63
St. Hippolyte	Field chilling + 30 d at 4 degree C	1930	1847.50	82.06
St. Hippolyte	Field chilling + 30 d at 1.5 degree C	1930	1487.50	79.18
Smithers	Field chilling + 30 d at 4 degree C	1965	2016.00	74.67
Smithers	Field chilling + 70 d at 4 degree C	1317	1368.00	54.95
Manning Park	Field chilling + 30 d at 4 degree C	1861	2025.00	75.33
Manning Park	Field chilling + 70 d at 4 degree C	1213	1377.00	55.09

Table 3: Proportion of samples with budburst per species

Species name	Proportion budburst	Plant type
Acer glabrum	0.83	tree
Alnus incana	1.00	shrub
Alnus viridis	0.92	shrub
Amelanchier alnifolia	0.99	shrub
Betula papyrifera	1.00	tree
Cornus stolonifera	0.99	shrub
Lonicera involucrata	0.87	shrub
Menziesia ferruginea	0.80	shrub
Populus balsamifera	0.98	tree
Populus tremuloides	0.90	tree
Rhododendron albiflorum	1.00	shrub
Ribes lacustre	0.82	shrub
Rubus parviflorus	0.94	shrub
Sambucus racemosa	0.95	shrub
Shepherdia canadensis	1.00	shrub
Sorbus scopulina	0.99	shrub
Spiraea betulifolia	0.94	shrub
Spiraea pyramidata	0.92	shrub
Symphoricarpos albus	0.84	shrub
Vaccinium membranaceum	0.90	shrub
Viburnum edule	1.00	shrub