## 1

## Solution to 10.15.2.1

## Devansh Jain - EE22BTECH11018

Question: Two customers Shyam and Ekta are visiting a particular shop in the same week(Tuesday to Saturday). Each is equally likely to visit the shop on any day as on another day. What is the probability that both will visit the shop on (i) the same day? (ii) consecutive days? (iii) different days?

**Solution:** Let *X* and *Y* be the random variables that denote the day on which Shyam and Ekta visit the shop respectively.

$$X, Y = \begin{cases} 0, & \text{Tuesday} \\ 1, & \text{Wednesday} \end{cases}$$

$$2, & \text{Thursday} \\ 3, & \text{Friday} \\ 4, & \text{Saturday} \end{cases}$$

$$(1)$$

The pmf of X is:

$$p_X(k) = \begin{cases} 0, & k < 0 \\ \frac{1}{5}, & 0 \le k \le 4 \\ 0, & k > 4 \end{cases}$$
 (2)

Let Z be a random variable such that,

$$Z = X - Y \tag{3}$$

$$p_Z(k) = P(k = Z) \tag{4}$$

$$=P(X-Y=k) \tag{5}$$

$$= P(X = k + Y) \tag{6}$$

$$=E\left[p_X(k+Y)\right] \tag{7}$$

$$= \sum_{m=0}^{4} p_X(k+m) p_Y(m)$$
 (8)

$$\frac{m=0}{15} = \begin{pmatrix}
\frac{1}{5} & 0 & 0 & 0 & 0 \\
\frac{1}{5} & \frac{1}{5} & 0 & 0 & 0 \\
\frac{1}{5} & \frac{1}{5} & \frac{1}{5} & \frac{1}{5} & 0 & 0 \\
\frac{1}{5} & \frac{1}{5} & \frac{1}{5} & \frac{1}{5} & \frac{1}{5} & 0 \\
\frac{1}{5} & \frac{1}{5} & \frac{1}{5} & \frac{1}{5} & \frac{1}{5} & \frac{1}{5} \\
\frac{1}{5} & \frac{1}{5} & \frac{1}{5} & \frac{1}{5} & \frac{1}{5} & \frac{1}{5} \\
0 & \frac{1}{5} & \frac{1}{5} & \frac{1}{5} & \frac{1}{5} & \frac{1}{5} \\
0 & 0 & 0 & \frac{1}{5} & \frac{1}{5} & \frac{1}{5} \\
0 & 0 & 0 & 0 & \frac{1}{5} & \frac{1}{5} \\
0 & 0 & 0 & 0 & \frac{1}{5} & \frac{1}{5}
\end{pmatrix} \tag{9}$$

$$=\begin{pmatrix} \frac{1}{25} \\ \frac{2}{25} \\ \frac{3}{25} \\ \frac{4}{25} \\ \frac{1}{5} \\ \frac{4}{25} \\ \frac{3}{25} \\ \frac{2}{25} \\ \frac{1}{25} \end{pmatrix}$$
(10)

The pmf of Z is:

$$p_{Z}(k) = \begin{cases} \frac{1}{25}, & k \in \{-4, 4\} \\ \frac{2}{25}, & k \in \{-3, 3\} \\ \frac{3}{25}, & k \in \{-2, 2\} \\ \frac{4}{25}, & k \in \{-1, 1\} \\ \frac{1}{5}, & k = 0 \end{cases}$$

$$(11)$$




Fig. 0. PMF of Z

The cumulative distributive function for |Z| is:

$$F_{|Z|}(k) = \Pr\left(|Z| \le k\right) \tag{12}$$

$$=\sum_{i=-k}^{k}p_{Z}(i) \tag{13}$$

$$= \begin{cases} 0, & k < 0 \\ \frac{1}{5}, & k = 0 \\ \frac{13}{25}, & k = 1 \\ \frac{19}{25}, & k = 2 \\ \frac{23}{25}, & k = 3 \\ 1, & k = 4 \end{cases}$$
 (14)




Fig. 0. CDF of |Z|

The pmf of |Z| is:

$$p_{|Z|}(k) = F_{|Z|}(k) - F_{|Z|}(k-1)$$

$$= \begin{cases} \frac{1}{5}, & k = 0\\ \frac{8}{25}, & k = 1\\ \frac{6}{25}, & k = 2\\ \frac{4}{25}, & k = 3\\ \frac{2}{25}, & k = 4 \end{cases}$$

$$(15)$$




Fig. 0. PMF of |Z|

(i) the same day

$$\implies X = Y \tag{17}$$

$$|Z| = 0 ag{18}$$

$$p_{|Z|}(0) = \frac{1}{5} \tag{19}$$

(ii) consecutive days

$$\implies |X - Y| = 1 \tag{20}$$

$$|Z| = 1 \tag{21}$$

$$p_{|Z|}(1) = \frac{8}{25} \tag{22}$$

(iii) different days

$$\implies X \neq Y$$
 (23)

$$|X - Y| \neq 0 \tag{24}$$

$$|Z| \neq 0 \tag{25}$$

$$p_{|Z|}(k \neq 0) = 1 - p_{|Z|}(0) \tag{26}$$

$$=1-\frac{1}{5} \tag{27}$$

$$p_{|Z|}(k \neq 0) = 1 - p_{|Z|}(0)$$

$$= 1 - \frac{1}{5}$$

$$= \frac{4}{5}$$
(26)
(27)

parameter	value	description
X	{0, 1, 2, 3, 4}	Denotes the day on which Shyam visits the shop
Y	{0, 1, 2, 3, 4}	Denotes the day on which Ekta visits the shop
Z	$\{-4, -3, -2, -1, 0, 1, 2, 3, 4\}$	X - Y

TABLE 3 RANDOM VARIABLES