Top 70 advanced SQL questions and answers for query writing!

1. How to retrieve the second-highest salary of an employee?
SELECT MAX(salary)
FROM employees
WHERE salary < (SELECT MAX(salary) FROM employees);
2. How to get the nth highest salary in ?
SELECT salary
FROM (SELECT salary, DENSE_RANK() OVER (ORDER BY salary DESC) AS rank
FROM employees) AS ranked_salaries
WHERE rank = N;
3. How do you fetch all employees whose salary is greater than the average salary?
SELECT *
FROM employees
WHERE salary > (SELECT AVG(salary) FROM employees);
4. Write a query to display the current date and time in .
SELECT CURRENT TIMESTAMP;

5. How to find duplicate records in a table?

```
SELECT column_name, COUNT(*)
FROM table_name
GROUP BY column_name
HAVING COUNT(*) > 1;
6. How can you delete duplicate rows in ?
WITH CTE AS (
 SELECT column_name,
    ROW_NUMBER() OVER (PARTITION BY column_name ORDER BY
column_name) AS row_num
 FROM table_name
DELETE FROM CTE WHERE row_num > 1;
7. How to get the common records from two tables?
SELECT*
FROM table1
INTERSECT
SELECT *
FROM table2;
8. How to retrieve the last 10 records from a table?
```

```
SELECT *
FROM employees
ORDER BY employee_id DESC
LIMIT 10;
9. How do you fetch the top 5 employees with the highest salaries?
SELECT*
FROM employees
ORDER BY salary DESC
LIMIT 5;
10. How to calculate the total salary of all employees?
SELECT SUM(salary)
FROM employees;
11. How to write a query to find all employees who joined in the year 2020?
SELECT*
FROM employees
WHERE YEAR(join_date) = 2020;
12. Write a query to find employees whose name starts with 'A'.
SELECT*
```

```
FROM employees
WHERE name LIKE 'A%';
13. How can you find the employees who do not have a manager?
SELECT*
FROM employees
WHERE manager_id IS NULL;
14. How to find the department with the highest number of employees?
SELECT department_id, COUNT(*)
FROM employees
GROUP BY department_id
ORDER BY COUNT(*) DESC
LIMIT 1;
15. How to get the count of employees in each department?
SELECT department_id, COUNT(*)
FROM employees
GROUP BY department_id;
16. Write a query to fetch employees having the highest salary in each
department.
```

SELECT department id, employee id, salary

```
FROM employees AS e
WHERE salary = (SELECT MAX(salary)
        FROM employees
        WHERE department id = e.department id);
17. How to write a query to update the salary of all employees by 10%?
UPDATE employees
SET salary = salary * 1.1;
18. How can you find employees whose salary is between 50,000 and
1,00,000?
SELECT *
FROM employees
WHERE salary BETWEEN 50000 AND 100000;
19. How to find the youngest employee in the organization?
SELECT*
FROM employees
ORDER BY birth date DESC
LIMIT 1;
20. How to fetch the first and last record from a table?
```

(SELECT * FROM employees ORDER BY employee id ASC LIMIT 1)

```
UNION ALL
```

```
(SELECT * FROM employees ORDER BY employee_id DESC LIMIT 1);
```

21. Write a query to find all employees who report to a specific manager.

SELECT*

FROM employees

WHERE manager_id = ?;

22. How can you find the total number of departments in the company?

SELECT COUNT(DISTINCT department_id)

FROM employees;

23. How to find the department with the lowest average salary?

SELECT department id, AVG(salary)

FROM employees

GROUP BY department id

ORDER BY AVG(salary) ASC

LIMIT 1;

24. How to delete all employees from a department in one query?

DELETE FROM employees

WHERE department_id = ?;

25. How to display all employees who have been in the company for mo	ore
than 5 years?	

SELECT*

FROM employees

WHERE DATEDIFF(CURDATE(), join_date) > 1825;

26. How to find the second-largest value from a table?

SELECT MAX(column_name)

FROM table_name

WHERE column_name < (SELECT MAX(column_name) FROM table_name);

27. How to write a query to remove all records from a table but keep the table structure?

TRUNCATE TABLE table_name;

28. Write a query to get all employee records in XML format.

SELECT employee_id, name, department_id

FROM employees

FOR XML AUTO;

29. How to get the current month's name from ?

```
SELECT MONTHNAME(CURDATE());
30. How to convert a string to lowercase in ?
SELECT LOWER('STRING_VALUE');
31. How to find all employees who do not have any subordinates?
SELECT*
FROM employees
WHERE employee_id NOT IN (SELECT manager_id FROM employees WHERE
manager_id IS NOT NULL);
32. Write a query to calculate the total sales per customer in a sales table.
SELECT customer id, SUM(sales amount)
FROM sales
GROUP BY customer id;
33. How to write a query to check if a table is empty?
SELECT CASE
 WHEN EXISTS (SELECT 1 FROM table_name)
 THEN 'Not Empty'
 ELSE 'Empty'
END;
34. How to find the second highest salary for each department?
```

```
SELECT department_id, salary
FROM (SELECT department_id, salary,
      DENSE_RANK() OVER (PARTITION BY department_id ORDER BY salary
DESC) AS rank
   FROM employees) AS ranked_salaries
WHERE rank = 2;
35. Write a query to fetch employees whose salary is a multiple of 10,000.
SELECT *
FROM employees
WHERE salary \% 10000 = 0;
36. How to fetch records where a column has null values?
SELECT*
FROM employees
WHERE column name IS NULL;
37. How to write a query to find the total number of employees in each job
title?
SELECT job_title, COUNT(*)
FROM employees
```

GROUP BY job_title;

38. Write a query to fetch all employees whose names end with 'n'.

```
SELECT*
FROM employees
WHERE name LIKE '%n';
39. How to find all employees who work in both departments 101 and 102?
SELECT employee_id
FROM employees
WHERE department_id IN (101, 102)
GROUP BY employee_id
HAVING COUNT(DISTINCT department_id) = 2;
40. Write a query to fetch the details of employees with the same salary.
SELECT *
FROM employees
WHERE salary IN (SELECT salary
        FROM employees
        GROUP BY salary
        HAVING COUNT(*) > 1);
```

41. How to update salaries of employees based on their department?

```
UPDATE employees
SET salary = CASE
 WHEN department_id = 101 THEN salary * 1.10
 WHEN department id = 102 THEN salary * 1.05
  ELSE salary
END;
42. How to write a query to list all employees without a department?
SELECT*
FROM employees
WHERE department id IS NULL;
43. Write a query to find the maximum salary and minimum salary in each
department.
SELECT department_id, MAX(salary), MIN(salary)
FROM employees
GROUP BY department_id;
44. How to list all employees hired in the last 6 months?
SELECT *
FROM employees
WHERE hire_date > ADDDATE(CURDATE(), INTERVAL -6 MONTH);
45. Write a query to display department-wise total and average salary.
```

SELECT department_id, SUM(salary) AS total_salary, AVG(salary) AS avg_salary FROM employees

GROUP BY department_id;

46. How to find employees who joined the company in the same month and year as their manager?

SELECT e.employee_id, e.name

FROM employees e

JOIN employees m ON e.manager_id = m.employee_id

WHERE MONTH(e.join_date) = MONTH(m.join_date)

AND YEAR(e.join_date) = YEAR(m.join_date);

47. Write a query to count the number of employees whose names start and end with the same letter.

SELECT COUNT(*)

FROM employees

WHERE LEFT(name, 1) = RIGHT(name, 1);

48. How to retrieve employee names and salaries in a single string?

SELECT CONCAT(name, 'earns', salary) AS employee_info

FROM employees;

49. How to find employees whose salary is higher than their manager's salary?

```
SELECT e.employee_id, e.name
FROM employees e
JOIN employees m ON e.manager_id = m.employee_id
WHERE e.salary > m.salary;
50. Write a query to get employees who belong to departments with less
than 3 employees.
SELECT*
FROM employees
WHERE department_id IN (SELECT department_id
            FROM employees
            GROUP BY department_id
            HAVING COUNT(*) < 3);
51. How to write a query to find employees with the same first name?
SELECT*
FROM employees
WHERE first name IN (SELECT first name
          FROM employees
          GROUP BY first_name
```

52. How to write a query to delete employees who have been in the company for more than 15 years?

HAVING COUNT(*) > 1);

```
DELETE FROM employees
WHERE DATEDIFF(CURDATE(), join date) > 5475;
53. Write a query to list all employees working under the same manager.
SELECT *
FROM employees
WHERE manager_id = ?;
54. How to find the top 3 highest-paid employees in each department?
SELECT*
FROM (SELECT *,
      DENSE_RANK() OVER (PARTITION BY department_id ORDER BY salary
DESC) AS rank
  FROM employees) AS ranked_employees
WHERE rank <= 3;
55. Write a query to list all employees with more than 5 years of experience
in each department.
SELECT *
FROM employees
WHERE DATEDIFF(CURDATE(), join_date) > 1825;
```

56. How to list all employees in departments that have not hired anyone in the past 2 years?

```
SELECT*
FROM employees
WHERE department_id IN (SELECT department_id
            FROM employees
            GROUP BY department_id
            HAVING MAX(hire date) < ADDDATE(CURDATE(), INTERVAL -2
YEAR));
57. Write a query to find all employees who earn more than the average
salary of their department.
SELECT*
FROM employees e
WHERE salary > (SELECT AVG(salary)
        FROM employees
        WHERE department_id = e.department_id);
58. How to list all managers who have more than 5 subordinates?
SELECT*
FROM employees
WHERE employee_id IN (SELECT manager_id
           FROM employees
```

```
GROUP BY manager_id HAVING COUNT(*) > 5);
```

59. Write a query to display employee names and hire dates in the format "Name - MM/DD/YYYY".

```
SELECT CONCAT(name, ' - ', DATE_FORMAT(hire_date, '%m/%d/%Y')) AS employee_info
```

FROM employees;

60. How to find employees whose salary is in the top 10%?

```
SELECT*
```

FROM employees

WHERE salary >= (SELECT PERCENTILE_CONT(0.9)

WITHIN GROUP (ORDER BY salary ASC)

FROM employees);

61. Write a query to display employees grouped by their age brackets (e.g., 20-30, 31-40, etc.).

SELECT CASE

COUNT(*)

```
WHEN age BETWEEN 20 AND 30 THEN '20-30'
WHEN age BETWEEN 31 AND 40 THEN '31-40'
ELSE '41+'
END AS age_bracket,
```

```
FROM employees
GROUP BY age_bracket;
62. How to find the average salary of the top 5 highest-paid employees in
each department?
SELECT department_id, AVG(salary)
FROM (SELECT department id, salary,
      DENSE_RANK() OVER (PARTITION BY department_id ORDER BY salary
DESC) AS rank
  FROM employees) AS ranked employees
WHERE rank <= 5
GROUP BY department id;
63. How to calculate the percentage of employees in each department?
SELECT department id,
   (COUNT(*) * 100.0 / (SELECT COUNT(*) FROM employees)) AS percentage
FROM employees
GROUP BY department_id;
64. Write a query to find all employees whose email contains the domain
'@example.com'.
SELECT*
FROM employees
```

WHERE email LIKE '%@example.com';

65. How to retrieve the year-to-date sales for each customer?

SELECT customer id, SUM(sales amount)

FROM sales

WHERE sale_date BETWEEN '2024-01-01' AND CURDATE()

GROUP BY customer_id;

66. Write a query to display the hire date and day of the week for each employee.

SELECT name, hire_date, DAYNAME(hire_date) AS day_of_week FROM employees;

67. How to find all employees who are older than 30 years?

SELECT *

FROM employees

WHERE DATEDIFF(CURDATE(), birth_date) / 365 > 30;

68. Write a query to display employees grouped by their salary range (e.g., 0-20K, 20K-50K).

SELECT CASE

WHEN salary BETWEEN 0 AND 20000 THEN '0-20K'

WHEN salary BETWEEN 20001 AND 50000 THEN '20K-50K'

ELSE '50K+'

```
END AS salary_range,
   COUNT(*)
FROM employees
GROUP BY salary_range;
69. How to list all employees who do not have a bonus?
SELECT *
FROM employees
WHERE bonus IS NULL;
70. Write a query to display the highest, lowest, and average salary for each
job role.
SELECT job_role, MAX(salary) AS highest_salary, MIN(salary) AS lowest_salary,
AVG(salary) AS avg_salary
FROM employees
```

GROUP BY job_role;