Rajalakshmi Engineering College

Name: Devadharshini K

Email: 240701626@rajalakshmi.edu.in

Roll no: 2116240701626 Phone: 8248408481

Branch: REC

Department: I CSE FF

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 6_MCQ

Attempt: 1 Total Mark: 20 Marks Obtained: 19

Section 1: MCQ

1. How do you create a user-defined exception in Python?

Answer

By creating a new class that inherits from the Exception class

Status: Correct Marks: 1/1

2. Fill in the code in order to get the following output:

Output:

Name of the file: ex.txt

fo = open(_____(1), "wb")
print("Name of the file: ",_____)(2)

Answer

1) "ex.txt"2) fo.name

Status: Correct Marks: 1/1

3. What is the difference between r+ and w+ modes?

Answer

in r+ the pointer is initially placed at the beginning of the file and the pointer is at the end for w+

Status Correct Marks: 1/1

4. What is the output of the following code?

```
class MyError(Exception):
   pass
```

try:

raise MyError("Something went wrong") except MyError as e: print(e)

Answer

Something went wrong

Status: Correct Marks: 1/2

5. What happens if no arguments are passed to the seek function?

Answer

file position is set to the start of file

Status: Wrong Marks: 0/1

6. Which clause is used to clean up resources, such as closing files in Python?

finally

Marks: 1/1 Status: Correct

7. What is the purpose of the except clause in Python?

Answer

To handle exceptions during code execution

Status: Correct Marks : 1/1

What is the output of the following code?

```
try:
  x = "hello" + 5
except TypeError:
  print("Type Error occurred")
finally:
  print("This will always execute")
```

Answer

Type Error occurredThis will always execute

Marks: 1/1 Status: Correct

9. What is the output of the following code?

```
try:
         x = 1 / 0
      except ZeroDivisionError:
         print("Caught division by zero error")
      finally:
         print("Executed")
Answer
```

Status: Correct Marks: 1/1

10. What is the correct way to raise an exception in Python?

Answer

raise Exception()

Status: Correct Marks: 1/1

11. Fill the code to in order to read file from the current position.

Assuming exp.txt file has following 3 lines, consider current file position is beginning of 2nd line

Meri,25

John,21

Raj,20

Ouptput:

 $['John,21\n',Raj,20\n']$

f = open("exp.txt", "w+") _____(1) print _____(2)

Answer

1) f.seek(0, 1)2) f.readlines()

Status: Correct Marks: 1/1

12. What will be the output of the following Python code?

Predefined lines to simulate the file content lines = [
"This is 1st line",

```
"This is 2nd line"
  "This is 3rd line",
  "This is 4th line",
  "This is 5th line"
print("Name of the file: foo.txt")
# Print the first 5 lines from the predefined list
for index in range(5):
  line = lines[index]
  print("Line No %d - %s" % (index + 1, line.strip()))
Answer
Displays Output
Status: Correct
13. Which of the following is true about
fp.seek(10,1)
Answer
Move file pointer ten characters ahead from the current position
                                                                     Marks: 1/1,01626
Status: Correct
14. What is the default value of reference_point in the following code?
file_object.seek(offset [,reference_point])
Answer
                                                                     Marks: 1/1
Status: Correct
15. Fill in the blanks in the following code of writing data in binary files.
import
```

```
while True:
  rn=int(input("Enter"))
  nm=input("Enter")
  temp=[rn, nm]
  rec.append(temp)
  ch=input("Enter choice (y/N)")
  if ch.upper=="N":
     break
f.open("stud.dat",".
         _{\rm max}.dump(rec,f)(3)
           .close()(4)
Answer
(pickle,wb,pickle,f)
Status: Correct
```

16. What happens if an exception is not caught in the except clause?

Answer

The program will display a traceback error and stop execution

Status: Correct Marks: 1/1

- Match the following:
- a) f.seek(5,1) i) Move file pointer five characters behind from the current position
- b) f.seek(-5,1) ii) Move file pointer to the end of a file
- c) f.seek(0,2) iii) Move file pointer five characters ahead from the current position
- d) f.seek(0) iv) Move file pointer to the beginning of a file

a-lii, b-i, c-ii, d-iv

Marks: 1/1 Status: Correct

18. What will be the output of the following Python code?

```
f = None
for i in range (5):
  with open("data.txt", "w") as f:
     if i > 2:
       break
print(f.closed)
Answer
True
```

19. Which of the following is true about the finally block in Python?

Answer

Status: Correct

The finally block is always executed, regardless of whether an exception occurs or not

Marks:1/1

Status: Correct Marks: 1/1

20. How do you rename a file?

Answer

os.rename(existing_name, new_name)

Status: Correct Marks: 1/1