<u>Dashboard</u> / <u>My courses</u> / <u>CS23331-DAA-2023-CSE</u> / <u>Dynamic Programming</u> / <u>3-DP-Longest Common Subsequence</u>

Started on	Tuesday, 5 November 2024, 2:27 PM
State	Finished
Completed on	Wednesday, 20 November 2024, 6:32 PM
Time taken	15 days 4 hours
Marks	1.00/1.00
Grade	10.00 out of 10.00 (100 %)

```
Question 1
Correct
Mark 1.00 out of 1.00
```

Given two strings find the length of the common longest subsequence(need not be contiguous) between the two.

Example:

s1: ggtabe

s2: tgatasb

s1	a	g	g	t	a	b	
s2	g	x	t	X	а	У	b

The length is 4

Solveing it using Dynamic Programming

For example:

Input	Result
aab	2
azb	

Answer: (penalty regime: 0 %)

```
#include <stdio.h>
 2
    #include <string.h>
 3
 4 ·
    int max(int a, int b) {
 5
        return (a > b) ? a : b;
 6
 7
 8 ▼ int longestCommonSubsequence(char *s1, char *s2) {
 9
        int m = strlen(s1);
10
        int n = strlen(s2);
        int dp[m + 1][n + 1];
11
12
13 🔻
        for (int i = 0; i \leftarrow m; i++) {
14
             for (int j = 0; j <= n; j++) {
                 if (i == 0 || j == 0) {
15
16
                     dp[i][j] = 0;
                 } else if (s1[i - 1] == s2[j - 1]) {
17
                     dp[i][j] = dp[i - 1][j - 1] + 1;
18
19
                 } else {
20
                     dp[i][j] = max(dp[i - 1][j], dp[i][j - 1]);
21
22
            }
23
24
25
        return dp[m][n];
26
27
28
    int main() {
29
        char s1[100], s2[100];
        scanf("%s", s1);
30
31
        scanf("%s", s2);
32
        printf("%d\n", longestCommonSubsequence(s1, s2));
33
        return 0;
34
```

35 } 36

	Input	Expected	Got	
~	aab azb	2	2	~
~	ABCD ABCD	4	4	~

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

■ 2-DP-Playing with chessboard

Jump to...

4-DP-Longest non-decreasing Subsequence ►