

Assignment-10

AI24BTECH11036- Shreedhanvi Yadlapally

I. QUESTIONS WITH ONE MARK EACH

- 1) Suppose that the characteristic equation of $M \in \mathbb{C}^{3 \times 3}$ is

$$\lambda^3 + \alpha\lambda^2 + \beta\lambda - 1 = 0$$

where $\alpha, \beta \in \mathbb{C}$ with $\alpha + \beta \neq 0$. Which of the following statements is TRUE?

2022-MA

- a) $M(I - \beta M) = M^{-1}(M + \alpha I)$
- b) $M(I + \beta M) = M^{-1}(M - \alpha I)$
- c) $M^{-1}(M^{-1} + \beta M) = M - \alpha I$
- d) $M^{-1}(M^{-1} - \beta M) = M + \alpha I$

- 2) Consider

P: Let $M \in \mathbb{R}^{m \times n}$ with $m > n \geq 2$. If $\text{rank}(M) = n$, then the system of linear equations $Mx = 0$ has $x = 0$ as the only solution.

Q: Let $E \in \mathbb{R}^{m \times n}$, $n \geq 2$ be a non-zero matrix such that $E^3 = 0$. Then $I + E^2$ is a singular matrix.

Which of the following statements is TRUE?

2022-MA

- a) Both **P** and **Q** are TRUE
- b) Both **P** and **Q** are FALSE
- c) **P** is TRUE and **Q** is FALSE
- d) **P** is FALSE and **Q** is TRUE

- 3) Consider the real function of two real variables given by

$$u(x, y) = e^{2x} \{\sin 3x \cos 2y \cosh 3y - \cos 3x \sin 2y \sinh 3y\}$$

Let $v(x, y)$ be the harmonic conjugate of $u(x, y)$ such that $v(0, 0) = 2$. Let $z = x + iy$ and $f(z) = u(x, y) + iv(x, y)$, then the value of $4 + 2if(i\pi)$ is

2022-MA

- a) $e^{3\pi} + e^{-3\pi}$
- b) $e^{3\pi} - e^{-3\pi}$
- c) $-e^{3\pi} + e^{-3\pi}$
- d) $-e^{3\pi} - e^{-3\pi}$

- 4) The value of the integral

$$\int_C \frac{z^{100}}{z^{101} + 1} dz$$

where C is the circle of radius 2 centred at the origin taken in the anti-clockwise direction is

2022-MA

- a) $-2\pi i$
- b) 2π
- c) 0
- d) $2\pi i$

- 5) Let X be a real normed linear space. Let $X_0 = \{x \in X : \|x\| = 1\}$. If X_0 contains two distinct points x and y and the line segment joining them, then, which of the following statements is TRUE?

2022-MA

- a) $\|x + y\| = \|x\| + \|y\|$ and x, y are linearly independent
- b) $\|x + y\| = \|x\| + \|y\|$ and x, y are linearly dependent
- c) $\|x + y\|^2 = \|x\|^2 + \|y\|^2$ and x, y are linearly independent
- d) $\|x + y\| = 2\|x\|\|y\|$ and x, y are linearly dependent

- 6) Let $\{e_k : k \in \mathbb{N}\}$ be an orthonormal basis for a Hilbert space H . Define $f_k = e_k + e_{k+1}, k \in \mathbb{N}$ and $g_j = \sum_{n=1}^j (-1)^{n+1} e_n, j \in \mathbb{N}$. Then $\sum_{k=1}^{\infty} |\langle g_j, f_k \rangle|^2 =$

2022-MA

- a) 0
- b) j^2
- c) $4j^2$
- d) 1

- 7) Consider \mathbb{R}^2 with the usual metric. Let $A = \{(x, y) \in \mathbb{R}^2 : x^2 + y^2 \leq 1\}$ and $B = \{(x, y) \in \mathbb{R}^2 : (x - 2)^2 + y^2 \leq 1\}$. Let $M = A \cup B$ and $N = \text{interior}(A) \cup \text{interior}(B)$. Then, which of the following statements is TRUE?

2022-MA

- a) M and N are connected
- b) Neither M nor N is connected
- c) M is connected and N is not connected
- d) M is not connected and N is connected

- 8) The real sequence generated by the iterative scheme

$$x_n = \frac{x_{n-1}}{2} + \frac{1}{x_{n-1}}, n \geq 1$$

2022-MA

- a) converges to $\sqrt{2}$, for all $x_0 \in \mathbb{R} \setminus \{0\}$
- b) converges to $\sqrt{2}$, whenever $x_0 > \sqrt{\frac{2}{3}}$
- c) converges to $\sqrt{2}$, whenever $x_0 \in (-1, 1) \setminus \{0\}$
- d) diverges for any $x_0 \neq 0$

- 9) The initial value problem

$$\frac{dy}{dx} = \cos(xy), x \in \mathbb{R}, y(0) = y_0,$$

where y_0 is a real constant, has

2022-MA

- a) a unique solution
- b) exactly two solutions
- c) infinitely many solutions
- d) no solution

- 10) If eigenfunctions corresponding to distinct eigenvalues λ of the Sturm-Liouville problem

$$\frac{d^2y}{dx^2} - 3\frac{dy}{dx} = \lambda y, 0 < x < \pi,$$

$$y(0) = y(\pi) = 0$$

are orthogonal with respect to the weight function $w(x)$, then $w(x)$ is

2022-MA

- a) e^{-3x}

- b) e^{-2x}
- c) e^{2x}
- d) e^{3x}

11) The steady state solution for the heat equation

$$\frac{\partial u}{\partial t} - \frac{\partial^2 u}{\partial x^2} = 0, 0 < x < 2, t > 0,$$

with the initial condition $u(x, 0) = 0, 0 < x < 2$ and the boundary conditions $u(0, t) = 1$ and $u(2, t) = 3, t > 0$, at $x = 1$ is

2022-MA

- a) 1
- b) 2
- c) 3
- d) 4

12) Consider $(\{0, 1\}, T_1)$, where T_1 is the subspace topology induced by the Euclidean topology on \mathbb{R} , and let T_2 be any topology on $\{0, 1\}$. Consider the following statements:

P: If T_1 is a proper subset of T_2 , then $(\{0, 1\}, T_2)$ is not compact.

Q: If T_2 is a proper subset of T_1 , then $(\{0, 1\}, T_2)$ is not Hausdorff.

Then

2022-MA

- a) Both **P** and **Q** are TRUE
- b) Both **P** and **Q** are FALSE
- c) **P** is TRUE and **Q** is FALSE
- d) **P** is FALSE and **Q** is TRUE

13) Let $p : (\{0, 1\}, T_1) \rightarrow (\{0, 1\}, T_2)$ be the quotient map, arising from the characteristic function on $\left\{\frac{1}{2}, 1\right\}$, where T_1 is the subspace topology induced by the Euclidean topology on \mathbb{R} . Which of the following statements is TRUE?

2022-MA

- a) p is an open map but not a closed map
- b) p is a closed map but not an open map
- c) p is a closed map as well as an open map
- d) p is neither an open map nor a closed map