

Rajalakshmi Engineering College

Name: DHARINI BALA MURUGAN .
Email: 241501044@rajalakshmi.edu.in
Roll no: 241501044
Phone: 8754111345
Branch: REC
Department: AI & ML - Section 4
Batch: 2028
Degree: B.E - AI & ML

Scan to verify results



2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 8_Q1

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Write a program to validate the email address and display suitable exceptions if there is any mistake.

Create 3 custom exception classes as below

DotExceptionAtTheRateExceptionDomainException

A typical email address should have a ". " character, and a "@" character, and also the domain name should be valid. Valid domain names for practice be 'in', 'com', 'net', or 'biz'.

Display Invalid Dot usage, Invalid @ usage, or Invalid Domain message based on email id.

Get the email address from the user, validate the email by checking the

above-mentioned criteria, and print the validity status of the input email address.

Input Format

The first line of input contains the email to be validated.

Output Format

The output prints a Valid email address or an Invalid email address along with the suitable exception

If email ends with . or contains not exactly one . after @, it throws:

DotException: Invalid Dot usage

Invalid email address

If @ appears not exactly once, it throws:

AtTheRateException: Invalid @ usage

Invalid email address

If the part after the last dot is not among accepted domains:

DomainException: Invalid Domain

Invalid email address

If all conditions satisfied then print:

Valid email address

Refer to the sample input and output for format specifications.

Sample Test Case

Input: sample@gmail.com

Output: Valid email address

Answer

```
// You are using Java
import java.util.*;

class DotException extends Exception {
    public DotException(String message) {
        super(message);
    }
}

class AtTheRateException extends Exception {
    public AtTheRateException(String message) {
        super(message);
    }
}

class DomainException extends Exception {
    public DomainException(String message) {
        super(message);
    }
}

public class Main {
    public static void validateEmail(String email) throws DotException,
AtTheRateException, DomainException {
        // Check for exactly one '@'
        int atCount = 0;
        for (char c : email.toCharArray()) {
            if (c == '@') {
                atCount++;
            }
        }
    }
}
```

```
if (atCount != 1) {
    throw new AtTheRateException("Invalid @ usage");
}

// Split by '@'
String[] parts = email.split("@");
String domainPart = parts[1];

// Check if email ends with :
if (email.endsWith(".")) {
    throw new DotException("Invalid Dot usage");
}

// Check for exactly one '.' in domain part
int dotCount = 0;
for (char c : domainPart.toCharArray()) {
    if (c == '.') {
        dotCount++;
    }
}

if (dotCount != 1) {
    throw new DotException("Invalid Dot usage");
}

// Extract domain extension
int lastDotIndex = domainPart.lastIndexOf('.');
String extension = domainPart.substring(lastDotIndex + 1);

// Validate domain extension
if (!extension.equals("in") && !extension.equals("com") && !
extension.equals("net") && !extension.equals("biz")) {
    throw new DomainException("Invalid Domain");
}

public static void main(String[] args) {
    Scanner sc = new Scanner(System.in);
    String email = sc.nextLine();

    try {
        validateEmail(email);
    }
```

```
        System.out.println("Valid email address");
    } catch (DotException e) {
        System.out.println("DotException: " + e.getMessage());
        System.out.println("Invalid email address");
    } catch (AtTheRateException e) {
        System.out.println("AtTheRateException: " + e.getMessage());
        System.out.println("Invalid email address");
    } catch (DomainException e) {
        System.out.println("DomainException: " + e.getMessage());
        System.out.println("Invalid email address");
    }
}
```

Status : Correct

Marks : 10/10