

---

# Question 4

## Table of Contents

Initial setup .....	1
Testing on last 50 images .....	1
Testing on all 35 Users .....	2

Testing on images of people which were not part of training set Training on first 35 persons and testing on last 5 persons

**Mechanism:** By taking the difference of rmsd of closest matched projected Dataset. If the difference is greater then a threshold then image matching will be rejected

Threshold of rmsd difference = 15

## Initial setup

```
addpath(' ../../common/ ');

image_dir = uigetdir();

threshold = 18;

training_count = 35;
training_image_per_user = 5;
testing_start = 36;
testing_end = 40;
testing_image_per_user_start = 1;
testing_image_per_user_end = 10;

% Reading first 35 images for training
X = getSet1Images(image_dir, 1, training_count, 1,...
    training_image_per_user);

% Reading last 5 images for testing
Y = getSet1Images(image_dir, testing_start, testing_end,...
    testing_image_per_user_start, testing_image_per_user_end);
```

## Testing on last 50 images

Images for training = 35 \* 5

Images for testing = 5 \* 10

```
[rejected, correct_count, false_positives, false_negatives] =...
    myForceFaceRecognition(X, Y, testing_start, 1, 25,...
    training_image_per_user,...
    testing_image_per_user_end - testing_image_per_user_start + 1,...
    threshold);
```

```
display(sprintf('False Positives: %d\nFalse Negatives: %d',...
    false_positives, false_negatives));
display(sprintf('Rejected Images: %d\nCorrect Identification Count: %d',...
    rejected, correct_count));
```

```
False Positives: 8
False Negatives: 0
Rejected Images: 42
Correct Identification Count: 0
```

## Testing on all 35 Users

Images for training = 35 \* 5

Images for testing = 35 \* 5 (bottom 5)

```
testing_start = 1;
testing_end = 35;
testing_image_per_user_start = 6;
testing_image_per_user_end = 10;

X = getSet1Images(image_dir, 1, training_count, 1,...
    training_image_per_user);

Y = getSet1Images(image_dir, testing_start, testing_end,...
    testing_image_per_user_start, testing_image_per_user_end);

[rejected, correct_count, false_positives, false_negatives] =...
    myForceFaceRecognition(X, Y, testing_start, 1, 25,...
        training_image_per_user,...
        testing_image_per_user_end - testing_image_per_user_start + 1,...
        threshold);

display(sprintf('False Positives: %d\nFalse Negatives: %d',...
    false_positives, false_negatives));
display(sprintf('Rejected Images: %d\nCorrect Identification Count: %d',...
    rejected, correct_count));

False Positives: 2
False Negatives: 36
Rejected Images: 52
Correct Identification Count: 121
```

*Published with MATLAB® R2014b*