

Name: Dhruv Rupareliya (DSY)

Roll No: 71

Experiment no: 2

Code:

```
#include <stdio.h>

int Q[100], FRONT = -1, REAR = -1, i, n, x, choice;

void insert();

void delete ();

void display();

void main()
{
    printf("\t WELCOME to implementation of QUEUE using array !! \n");
    printf("Enter the size of Queue (Maximum size = 100): ");
    scanf("%d", &n);
    do
    {
        printf("\n Queue Operation available: \n");
        printf("\t1.Insert \t2.Delete \t3.Display \t4.Exit \n");
        printf("\n Enter your choice: ");
        scanf("%d", &choice);
        switch (choice)
        {
            case 1:
                insert();
                break;
            case 2:
                delete ();
                break;
            case 3:
```

```
        display();
        break;
case 4:
    printf("Exit: Program Finished !! ");
    break;
default:
    printf("Please enter a valid choice 1, 2, 3, 4 \n");
    break;
    }
} while (choice != 4);
}
```

// Function to INSERT element

```
void insert()
{
    if (REAR >= n - 1)
    {
        printf(" Queue Overflow ! \n");
    }
    else
    {
        printf(" Enter the element to insert: ");
        scanf("%d", &x);
        REAR++;
        Q[REAR] = x;
        if (FRONT == -1)
        {
            FRONT = 0;
        }
    }
}
```

```
// Function to DELETE element
```

```
void delete ()
```

```
{  
    if (FRONT == -1)  
    {  
        printf(" Queue Underflow ! \n");  
    }  
    else  
    {  
        printf(" The deleted element is: %d \n", Q[FRONT]);  
        if (FRONT == REAR)  
            FRONT = REAR = -1;  
        else  
            FRONT++;  
    }  
}
```

```
// Function to DISPLAY Queue
```

```
void display()
```

```
{  
    if (REAR < 0)  
    {  
        printf(" Queue is empty ! \n");  
    }  
    else  
    {  
        printf(" The elements in the Queue are: \n");  
        for (i = FRONT; i < n; i++)  
        {  
            printf(" %d ", Q[i]);  
        }  
    }  
}
```

```
    }  
    printf("\n");  
}  
}
```

Output

```
WELCOME to implementation of QUEUE using array !!  
Enter the size of Queue (Maximum size = 100): 6  
  
Queue Operation available:  
    1.Insert        2.Delete        3.Display        4.Exit  
  
Enter your choice: 1  
Enter the element to insert: 2  
  
Queue Operation available:  
    1.Insert        2.Delete        3.Display        4.Exit  
  
Enter your choice: 2  
The deleted element is: 2  
  
Queue Operation available:  
    1.Insert        2.Delete        3.Display        4.Exit  
  
Enter your choice: 3  
Queue is empty !  
  
Queue Operation available:  
    1.Insert        2.Delete        3.Display        4.Exit  
  
Enter your choice: 4  
Exit: Program Finished !!
```