

Sedimentary Rocks



Deposition of sediments followed by subsequent lithification

Siliciclastic

Volcaniclastic

Chemical/Biochemical

Carbonaceous

Importance- Economic products

coal



crude oil



natural gas



Insights into past biota and environment on Earth



The Prologue

Weathering



Mechanical (particularly important in very cold or dry climate)



Chemical

Weathering process	Type of weathering product	Example	Ultimate depositional product
Physical weathering	Particulate residues	Silicate minerals such as quartz and feldspar; all types of rock fragments	Sandstones, conglomerates, mudrocks
Chemical weathering			
Hydrolysis	Soluble constituents	Silicic acid (H_4SiO_4); K^+ , Na^+ , Mg^{2+} , Ca^{2+} , etc.	Cherts, limestones, etc.
	Secondary minerals	Clay minerals	Mudrocks (shales)
Simple solution	Soluble constituents	Silicic acid; K^+ , Na^+ , Mg^{2+} , Ca^{2+} , HCO_3^- , SO_4^{2-} , etc.	Limestones, evaporites, chert, etc.
Oxidation	Secondary minerals	Ferric oxides (Fe_2OOH); manganese oxides (MnO_2)	Minor constituent in siliciclastic rocks
	Soluble constituents	Silicic acid; SO_4^{2-}	Chert, evaporites, etc.


Submarine Weathering Processes and Products

Alteration of ocean rocks occurs both at low temperature ($<20^{\circ}\text{C}$) as well as at high temperature ($\sim 350^{\circ}\text{C}$)


As a result of submarine weathering, chemical elements are exchanged between rock and seawater and large mass of seawater becomes fixed in the oceanic crust in the form of altered hydrous minerals



Sediment Load and Transport Path



Sediments are eroded from highlands and transported to depositional basin at lower elevations



Textures- Sorting

Size Range (millimeters)	Particle Name	Common Sediment Name	Detrital Rock
>256 64–256 4–64 2–4	Boulder Cobble Pebble Granule	Gravel	Conglomerate or breccia
1/16-2	Sand	Sand	Sandstone
1/256–1/16 <1/256	Silt Clay	Mud	Shale or mudstone

very well sorted



well sorted



moderately sorted



poorly sorted



very poorly sorted








Well sorted grains



Poorly sorted grains

Textures- Roundness and Sphericity




Types of Sedimentary Rocks

Weathering process	Type of weathering product	Example	Ultimate depositional product
Physical weathering	Particulate residues	Silicate minerals such as quartz and feldspar; all types of rock fragments	Sandstones, conglomerates, mudrocks
Chemical weathering	Soluble constituents	Silicic acid (H_4SiO_4); K^+ , Na^+ , Mg^{2+} , Ca^{2+} , etc.	Cherts, limestones, etc.
		Clay minerals	Mudrocks (shales)
	Simple solution	Soluble constituents	Limestones, evaporites, chert, etc.
	Secondary minerals	Silicic acid; K^+ , Na^+ , Mg^{2+} , Ca^{2+} , HCO_3^- , SO_4^{2-} , etc.	Limestones, evaporites, chert, etc.
		Ferric oxides (Fe_2O_3); manganese oxides (MnO_2)	Minor constituent in siliciclastic rocks
Oxidation	Soluble constituents	Silicic acid; SO_4^{2-}	Chert, evaporites, etc.



Formation of Fossil Fuel



Marine Environment

Sedimentary Basins of India



Category I	Category II
1. Cambay Basin	8. Kutch Basin
2. Assam Shelf Basin	9. Mahanadi Basin
3. Mumbai Offshore Basin	10. Andaman-Nicobar Basin
4. Krishna -Godavari Basin	
5. Cauvery Basin	
6. Assam-Arakan Fold Belt	
7. Rajasthan Basin	

Category III	Category IV
11. Himalayan Foreland	17. Karewa Basin
12. Ganga Basin	18. Spiti -Zaskar Basin
13. Vindhyan Basin	19. Satpura-South Rewa-Damodar Basin
14. Saurashtra Basin	20. Narmada Basin
15. Kerala -Konkan -Lakshadweep Basin	21. Deccan Syncline Basin
16. Bengal Basin	22. Bhima -Kaladgi Basin
	23. Cuddapah Basin
	24. Pranhita- Godavari Basin
	25. Bastar Basin
	26. Chhattisgarh Basin

