## 1

## **AE 42**

## EE23BTECH11048-Ponugumati Venkata Chanakya\*

**QUESTION:** Consider the equation  $\frac{dy}{dx} + ay = \sin \omega x$ , where a and  $\omega$  are constants. Given y = 1 at x = 0, correct all the correct statement(s) from the following as  $x \to \infty$ .

- (A)  $y \rightarrow 0$  if  $a \neq 0$
- (B)  $y \rightarrow 1$  if a = 0
- (C)  $y \rightarrow Aexp(|a|x)$  if a < 0; A is constant
- (D)  $y \rightarrow B\sin(\omega x + C)$  if a > 0; B and C are constants

(GATE AE 2023) Solution: :

y(0) = 1

$$\frac{dy}{dx} + ay = \sin \omega x \tag{1}$$

Taking laplace transform on both sides

Function	Laplace transform
$\frac{dy}{dx}$	xY - y(0)
у	Y
$\sin \omega x$	$\frac{\omega}{\omega^2 + x^2}$
TARLEÖ	

LAPLACE TRANSFORM

$$sY - y(0) + aY = \frac{\omega}{\omega^2 + s^2}$$
 (2)

$$sY - 1 + aY = \frac{\omega}{\omega^2 + s^2} \tag{3}$$

$$\implies Y(s) = \frac{1}{s+a} \left( \frac{\omega}{\omega^2 + s^2} + \frac{1}{s+a} \right)$$
 (4)

$$Y(s) = \frac{A}{s+a} + \frac{Bs+C}{\omega^2 + s^2} \tag{5}$$

Taking inverse laplace transform on both sides

$$y(x) = \mathcal{L}^{-1}{Y(s)} = Ae^{-ax} + (B\cos(\omega x) + C\sin(\omega x))$$
(6)

$$y(x) = \mathcal{L}^{-1}{Y(s)} = Ae^{-ax} + B\sin(\omega x + C)$$
 (7)

now as  $x \to \infty$ 

- 1)  $y \to 0$  if  $a \ne 0$  is not true as y depend on  $a, \omega$
- 2)  $y \rightarrow 1$  if a = 0 is not true as y depend on  $\omega$

3)  $y \to Aexp(|a|x)$  if a < 0 is true as  $B\sin(\omega x + C)$  is neglected compared to  $Ae^{-ax}$ 

4)  $y \to B \sin(\omega x + C)$  if a > 0; is true as  $Ae^{-ax} \to 0$ 

:. C,D are correct options