

Low Level Design (LLD)

News Summarization

Written By	Diana Laveena DSouza
Document Version	0.1
Last Revised Date	05/12/-2022



Document Version Control

Change Record:

Version	Date	Author	Author
0.1	05/12/2022	Diana Laveena DSouza	Introduction & Architecture Defined

Reviews:

Version	Date	Reviewer	Comments
0.1	05/12/2022		Document Content, Version Control and
			Unit Test Cases to be added

Approval Status:

Version	Review Date	Reviewed By	Approved By	Comments

Architecture



Contents

Do	cument Version Control
Ab	stract4
1	Introduction5
	1.1 What is Low-Level design document?5
	1.2 Scope5
2	Technical Specifications5
	2.1 DataSet5
	2.1.1 Dataset Overview6
	2.1.2 Input Schema
	2.2 Predicting Summary
	2.3 Database
	2.4 Deployment
3	Technology Stack
4	Proposed Solution8
5	Model Training/Validation Workflow9
6	User I/O Workflow10
7	Test Cases



Abstract

Making news is hard enough, even if you don't think about tight deadlines and thorough fact-checking. A news piece must meet specific editorial criteria, such as accuracy, timeliness, and availability of sources. On its own - writing a news piece is not a big deal. But there is much stuff going on in the world. And the reality is that a news media platform must deliver news in time to remain competitive and engage with the target audience. Thus, Text Summarization is a cost-effective and time-saving option for the media and journalists. Think about it as a helping hand for the journalist.



1 Introduction

1.1 Why is Low-Level Design Document?

The goal of LLD or a low-level design document (LLDD) is to give the internal logical design of the actual program code for News Summarization. LLD describes the class diagrams with the methods and relations between classes and program specs. It describes the modules so the programmer can directly code the program from the document.

1.2 Scope

Low-level design (LLD) is a component-level design process that follows a step-by-step refinement process. This process can be used for designing data structures, required software architecture, source code and ultimately, performance algorithms. Overall, the data organization may be defined during requirement analysis and then refined during data design work.

2 Technical specifications

2.1 Dataset

DataSet	Finalized	Source
Cornell Dataset	yes	https://lil.nlp.cornell.edu/newsroom/



2.1.1 Dataset Overview

The Dataset consists of news articles and their summary.

There are 76,000 records in the training set and 70 in the validation set for both Extraction and Abstraction Summarization.

News articles and their summary

	text	summary
0	By MATT SCHWARTZ in Houston and WENDELL JAMIES	Bleeding from a massive chest wound, Tejano st
1	By HOLLY RAMER, Associated Press CONCORD, N.H	By HOLLY RAMER, Associated Press CONCORD, N.H
2	Men in battle-fatigues have raided the Moscow \dots	Men in battle-fatigues have raided the Mo
3	Like all gadgets, cellphones can break. In fac	Simple home remedies for repairing your mobile
4	I visited Saudi Arabia in September 2008, arri	Hurricane Ike, Ramadan and the billionaire pri



2.1.2 Input schema

Feature Name	Datatype	Size	Null/Required
text	text	1000	Not Required
summary	text	200	Not Required

2.2 Predicting Summary

- The system presents the set of inputs required from the user.
- The user gives the required information.
- The System should be able to do extractive and abstractive summarization.

2.3 Database

The database used in this project to store the data is the Cassandra database.

2.5 Deployment

We will be deploying the model to Local System.



3 Technology Stack

Front End	HTML/CSS
Backend	Python Flask
Deployment	GCP

4 Proposed Solution


Refer: https://huggingface.co/course/chapter7/5?fw=pt

The research paper proposed various methods like GPT-2, PEGASUS, T5, mT5, BART, mBART-50 for text summarization. Finally, we selected the T5-base method.

Baseline Model: T5-Base Model




5 Model Training/Validation Workflow





6 User I/O workflow





7 Test Cases

Test Case Description	Pre-Requisite	Expected Result
Verify whether the Application	1. Application URL should be	The application URL should be
URL is accessible to the user	defined	accessible to the user.
Verify whether the Application	1. Application URL is	The Application should load
loads entirely for the user when	accessible	entirely for the user when the
the URL is accessed	2. Application is deployed	URL is accessed.
Verify whether the user can input the text in all input fields	1. Application is accessible	The user should be able to input the text in all input fields.
		•
Verify whether the user gets		The user should get Submit
Submit button to submit the		button to submit the inputs.
inputs.		
Verify whether the user is		The user should be presented
presented with results on		with results on clicking submit
clicking submit.		