# "Projet Long" Report - Version 1

Zohour Abouakil Sofia Boutahar David Courtinot Xiaowen Ji Fabien Sauce

**Reference :** model-checking.final-report February,  $24^{th}$  2015

Signatures

Project manager - Zohour Abouakil: Quality responsible - David Courtinot: Customers - David Doose - Julien Brunel:

# Contents

Ι	$\mathbf{Pro}$	Project presentation							
	I.1	Overview							
	I.2	Subject							
		I.2.1 Main idea							
		I.2.2 Project description							
	I.3	Objectives							
	I.4	Constraints							
II	Pro	ject management							
	II.1	Team organization							
	II.2	Project objectives in terms of management and organization							
	II.3								
		II.3.1 Delivrable documents expected by ENSEEIHT and the industrial supervisor							
		II.3.2 Delivrable documents expected by the client							
	II.4	Development plan							
		II.4.1 Development organization							
		II.4.2 Team organization approach							
		II.4.3 Tasks organization							
	II.5	Risk management							
		II.5.1 Risk management strategy							
	11.6								
	II.7								
		II.5.2 Risk analysis							



# Acknowledgments

Apart from our personal efforts, the success of any project depends largely on the encouragement and guidelines of many other persons either from the clients or our school professors. We would like to express the deepest appreciation to all our professors at ENSEEIHT who introduced us to Computer Science Engineering and helped us to acquire solid technical skills and widen our knowledge by attending very interesting courses and working on many exciting projects during this three years.

We take this opportunity to express our gratitude to the people who have been instrumental in the successful completion of this project. I would like to gratefully acknowledge the enthusiastic supervision of Mr. David Doose and Mr. Julien Brunel, both engineering researchers at ONERA, who had been a source of inspiration and were always guiding us and giving us useful suggestions which helped us in completing the project work. They always did there best to respond promptly and enthusiastically to all our requests, despite their congested daily schedule. I would also like to thank Mr. Jean francois Coiffin, our industrial partner, who helped us to manage the project, raise awareness with problems and methods for this activity and also ensure quality control.

Finally, the reception of ENSEEIHT, which provided us every day with a room to work in all day long.



### Introduction

This report deals with the work we did from the end of January, in the context of the "projet long". It is proposed by Mr. David Doose and Mr. Julien Brunel from ONERA, the French Aerospace Lab, and deals with pattern recognition in C++ code. We will describe the project management methods that we used and then we will present the technical aspects of our project.

Our team consists of five ENSEEIHT students (Zohour Abouakil, Fabien Sauce) from the computer science course and (Sofia Boutahar, David Courtinot, Xiaowen Ji) from the imagery and multimedia course, two clients (Mr. David Doose and Mr. Julien Brunel) and an industrial partner from Astrium (Mr. Jean Francois Coiffin)

As third year engineering students in Computer science and applied mathematics, we are interested in groundbreaking technologies. Part of our degree, our final year project has been the right place to get in touch with a lot of new technologies and get in touch with very skilled and professional persons by working on an innovant and ambitious project.

It was the opportunity to discover and set up project management systems that are necessary to respect all the deadlines.



# Part I

# Project presentation

#### I.1 Overview

To get our ENSEEIHT engineering diploma, we are required to take part in a project called "Projet long" in teams of five students to work on a common project. The project started on January 19, and will last eight weeks. It ends up with a defense in which we promote our work in front of a jury which evaluates us against different aspects:

- Project management and organization
- Technical accomplishment
- Report and defense presentation
- English evaluation

All over the project, we have to work side by side with the client for whom we have to deliver, at the end of the project, a product that suits their expectations. Furthermore, we are also supervised by Mr. Jean-Francois COIFFIN. He is in charge of helping us through his experience in the project management and organization.

We chose to work on that project because of the originality of the subject, since it is mixing theoretic computer science and technical advanced principles. Moreover, studying model checking and temporal logic to assert properties on a source code was a topic that we studied in ENSEEIHT courses. This project is an opportunity to apply this theory and dive deeper into it.


# I.2 Subject

#### I.2.1 Main idea

The client is waiting for a prototype that allows a search of patterns on a C++ code. The patterns will be expressed in terms of temporal logic properties.

#### I.2.2 Project description

Embedded systems and robotics are designed to interact with humans. Therefore, a single failure or a malfunction can really be catastrophic. This is why various analyses are undertaken to limit and prevent such problems. Theses analysis aim to study the embedded code and prove that it does what it is supposed to do. The goal of our project is to find out whether the embedded code meets a number of programming rules by



defining authorized and prohibited patterns. Our clients have an existing tool named Coccinelle that is developed at INRIA. This tool detects patterns and also offers the possibility to modify the code. However, this tool only works on C code. The objective of the project is to design a prototype for pattern matching in a C++ code.

## I.3 Objectives

From a pedagogical point of view, this project was the opportunity to apply a lot of techniques that we saw in our three years of courses in ENSEEIHT and new techniques that we learned while working on it. We took our project management courses as a reference to organize our time and to catch up with the deadlines.

To deliver a good product at the end, we realized that the good coordination in the team, the regular exchange of ideas during meetings and code/design reviews and production of relevant documents are main keys of success.

From the technical view, the clients expect us to design and create a tool written in Scala that would detect patterns in a C++ code using temporal logic expressions. They specified that our project would be a combination of two main parts:

#### • C++ parsing and transformation:

In this part:

- We take a C++ source code file as an input
- We parse the file generated by the clang compiler to get its AST representation
- The result of the AST parsing is a raw data that has to be structured and used for checking some code properties.
- Finally, we transform the AST into a graph structure CFG that is traversable by a model checking algorithm
- Model checking: The model checker takes a temporal logic expression from the user input that respects the CTL syntax and then it marks all the nodes in the graph that verify this logical expression. We will have to implement an extension of CTL, CTL-V, which allows us to quantify the meta-variables as well.

#### I.4 Constraints



# Part II

# Project management

### II.1 Team organization

The way a project team is structured can play a major role in how it functions. Team structure will probably be adjusted at each stage to meet the evolving nature of the project. Building a good, effective team is vital. Team structure will influence the way the team behaves. It aims to create a collaborative team, where individuals share knowledge, co-operate, support each other and are motivated to achieve the team's goals.

- Project manager: The project manager is primarily concerned about communications with the industrial and the customers. He has a leading role in the organization and planning of the tasks. A project manager is the person responsible for accomplishing the stated project objectives including creating clear and attainable project objectives, building the project requirements, and managing cost, time, scope, and quality. He is often a client representative and has to determine and implement the exact needs of the client, based on knowledge of the firm they are representing.
- Supervisor: The supervisor has a global technical view of the project. He supervises the advancement of simultaneous tasks. Otherwise, he can rearrange groups and objectives if an unforeseen occurs. The supervisor has also to participate in coding or documenting an assigned task. Nevertheless, it is not his primary function. The team supervisor can change from one week to another.
- Quality manager: The quality manager is in charge of checking that every deliverable documents meets the quality standards. In other words, any produced code will pass under the watchful eye of the quality manager before being validated. He also ensures the quality and consistency of all documents produced by the team.
- **Test manager:** The test manager is responsible of the validation and testing in global environment written by the developers (each developer has its own set of unit tests). He does not only run tests, he also determines whether the tests are complete or not (code coverage).
- Configuration manager: The configuration manager should take care of every tool we are going to use, make some choice about which tools are better than other (example: Scalastyle, an Eclipse plugin that we use for automated quality checs). In particular he will handle the installation and the follow up of a version tool as Github for example.

The figure shows the team organization as we decided to do it in our team.






Figure II.1 - The team organization of our project

Although everybody was involved in the same manner in searching, coding and testing stages, we gave everyone a role in order to improve team organization. The project manager (Zohour Abouakil) has several responsabilities related to the project management. She is in charge of the communication with the industrial coordinator, Mr. Jean Francois Coiffin and the scheduling of the different appointments. Fabien Sauce is in charge of the specifications and the documentation. Xiaowen is in charge of the version tool Git and takes care of all the software we use in the Project. Sofia Boutahar is responsible for the unitary tests and the regressions tests when there is a new version of the code or a part that is fully developed.

In addition to being the project manager, Zohour establishes a contact with the client to see if the team is going in the right direction or needs additional information.

# II.2 Project objectives in terms of management and organization

- Managing coordination of the partners and working groups engaged in project work.
- Writing a detailed project planning including:
  - Developing and maintaining a detailed project plan.
  - Managing project deliverables in line with the project plan.
  - Recording and managing project issues and escalating where necessary.
  - Resolving issues and try to prevent them.
- Managing project scope and change control and escalating issues where necessary.
- Monitoring project progress and performance.
- Managing project evaluation and dissemination activities.



- Final approval of the design specification.
- Working closely with clients to ensure the project meets business needs.
- Definition and management of the testing program.

#### II.3 Deliverable documents

#### II.3.1 Delivrable documents expected by ENSEEIHT and the industrial supervisor

- Report in PDF format
- Development plan in PDF format
- Presentation supports

#### II.3.2 Delivrable documents expected by the client

- Documented source code in Scala language
- Test strategy
- Architecture design document

## II.4 Development plan

#### II.4.1 Development organization

We used the Scrum method, which is widely used, and recognized for its effectiveness. At first, we defined a product backlog containing all desired functionalities in the final product. In fact, this report is also a part of the product backlog. Next, we divided the project into three sprints (which means iterations). A sprint backlog is defined for each sprint, including all we need to realize at the end of an iteration. Each sprint lasts two weeks and lies in improve the software incrementally, so that it is close to product backlog. At the end of each sprint, we organised a meeting, in order to review the progress and propose improvements or modifications of planning, but in the process of a sprint, we cannot modify the sprint backlog. To finish, each day starts with a scrum meeting, on the meeting, each team member present his objective of the day and his actual difficulties.

#### II.4.2 Team organization approach

We will use an approach inspired by the XP (EXTREME PROGRAMMING) method which is a practice of pair programming. Considering the amount of code that we will have to write, we find it unnecessary that the five team members work separately, and we consider as excellent to work in pairs, in order to prevent errors and bias of the program structure, so that we can save times in testing and debugging. As a consequence, four of us will work in pairs and the last one works individually or supervises us. The groups repartition may change as the tasks are completed.

#### II.4.3 Tasks organization

#### Task definition

The sprint backlog is a list of tasks that are identified by the members of the project and that has to be completed during the Scrum sprint. During our meetings, we try to estimate how many hours and development



efforts needed to complete a task.

#### Sprint 1 backlog:

- AST parsing of procedure C++ code
- CFG conversion from parsed AST
- Model checking with simple properties

#### Sprint 2 backlog:

- AST parsing of object oriented C++ code
- CFG conversion from parsed AST
- Model checking with simple criteria

#### Sprint 3 backlog:

- Improved CFG conversion from parsed AST
- Model checking with complex criteria

#### Task planning

Our sprint backlog was maintained as a spreadsheet. During the Scrum sprint, each team member is requested to keep the sprint backlog updated.

# II.5 Risk management

#### II.5.1 Risk management strategy

The first step in project risk management is to identify the risks that are present in the project. Also, some risks have a higher impact than others. Therefore, we spend our time on the risks that can cause the biggest losses and gains.

#### II.5.2 Risk analysis

Below a table that summarizes the major risks that we could face in our project and how we planned to prevent them.



Date	Risk description	Consequences	Type of risk	Probability (1 to 5)	Impact level (1-5)	Weight	Preventive measure
January 27 <sup>th</sup>	Communication problems: lack of communication, misunderstandings, etc.	Unproductive group, non-respect of the interfaces necessary to compatibility	Human resource s	5	5	25	Be sure we agreed with our colleagues before starting a part
January 27 <sup>th</sup>	Underestimation of the development time	Deadline exceeded / late delivery	Schedule	4	5	20	Supervisor able to switch from one task to another and have a global vision
January 27 <sup>th</sup>	Customer's requirements not respected	Product not accepted by the client	Clients requirem ents	4	4	16	Validate the conception by the client
January 27 <sup>th</sup>	Bad design choices at the beginning, issues to make the model evolve, corner cases.	Problem to make the project evolve, waste of time to readapt the conception to the new requirements	Quality	3	5	15	Allocate several days to conception and ensure everyone is convinced by the design
January 27 <sup>th</sup>	Health problems: a member of the team getting sick	In the best case, redefine the other team member role. Otherwise, the product will be late	Schedule	2	5	10	Flexible schedule
January 27 <sup>th</sup>	Underestimation of the learning curve, different time learning among the team	Delay, different rhythms for the various parts of the project	Schedule	3	3	9	Create balanced teams (people more experienced with less experienced)
January 27 <sup>th</sup>	Appearance of recalcitrant bugs	Unable to meet certain requirements	Quality	2	4	8	Use of the scrum method, incremental test
January 27 <sup>th</sup>	Wrong or inappropriate assumptions during the analysis	Unexpected edge cases difficult to handle with our model	Develop ment method	5	4	20	Validate the conception by the client

Figure II.2 - The risk analysis for our project

# II.6 Resource management system

#### II.6.1 Versioning tool

We use Git to manage our project especially the versioning of the code and the documents that we develop. Our choice was made because Git is a free and open source distributed version control system that handles any software project in a very efficient way. It also supports rapid branching and merging, and includes specific tools for visualizing and navigating through the development history.

#### II.6.2

# II.7 Quality checking and validation



10