Development plan - Version 2

Zohour ABOUAKIL Sofia BOUTAHAR David COURTINOT Xiaowen JI Fabien SAUCE

 $\begin{array}{l} \textbf{Reference:} \ \text{model-checking.dev-plan} \\ \text{January} \ 29^{th} \ 2015 \end{array}$

Signatures

Quality responsible : Clients :

Sommaire

Ι	Pro	m ject~de	escription and objectives	2
	I.1	Surrou	indings of the project	2
	I.2	Projec	et description	2
		I.2.1	Main idea	
		I.2.2	Related technologies	
		I.2.3	Project parts	2
		I.2.4	To conclude	
	I.3	Final 1	project	
		I.3.1	Deliverable documents and define priorities	
II	Pro	ject or	eganization	4
	II.1	Role d	lefinition	4
	II.2	Develo	opment organisation	Ę
		II.2.1	Usage of Scrum method	٤
		II.2.2	Team repartition approach	٤
	II.3	Tasks	organisation	(
			Tasks definition	
		II.3.2	Planning	(
III	\mathbf{Risk}	c mana	agement	8
IV	Cod	le and	documentation management	ę
			y management	Ć
			Automated coding style checks	
			Verification by pair	
	IV.2		trategy	
			guration management	
\mathbf{v}	Apr	endice		1 1

Part I

Project description and objectives

I.1 Surroundings of the project

Le projet long à l'ENSEEIHT Organisation du projet

Le client c est qui?? Les noms, leurs fonctions, les motivations du projet

Nos motivations — pas sur

I.2 Project description

I.2.1 Main idea

I.2.2 Related technologies

- Coccinelle
- Clang

I.2.3 Project parts

- Parser
- CTL
- Model checking

I.2.4 To conclude

I.3 Final project

I.3.1 Deliverable documents and define priorities

Deliverables expected (and priority) are:

- implementation of a parser for the AST generated by Clang
- a conversion from AST to a Scala model representation of the code in terms of graph control flux
- independently of the two preceding items , algorithms for the analysis of temporal logic properties on some control flow graphs
- adding to the previous item some quantifier such as " exists"

The following extensions can be added afterwards :

- unfolding function calls on a given depth
- creating a user language to interface with the system

Part II

Project organization

II.1 Role definition

Project manager

The project manager is primarily concerned about trade and communications with the industrial and customers . It has a leading role in the organization of static tasks.

Supervisor

The supervisor has a global view of the project technically . It ensures the advancement simultaneous tasks and can rearrange groups and objectives in case of unforeseen. The supervisor can participate in writing the code or documentation but it is not its primary function . He can change from one week to anther.

Quality manager

The quality manager handles good programming rules and ensure that they are followed by developers. Any product code will pass under the watchful eye of the Quality before being validated. It also ensures the quality and consistency of all documents produced by the team. He is the only one able to push content on the repository (Github), or authorize a member to push.

Test manager

The test manager is responsible for validation testing in global environment written by programmers (each programmer has its own set of unit tests). He doesn't only run tests, he also determines whether the tests are complete or not.

Configuration manager

Configuration Manager should take care of every tools we are going to use. Make some choice about which tools are better than other. In particular he will handle the installation and the follow up of a version tool as Github for example.

Chain development




Figure II.1 - Schéma descriptif de la chaîne de développement

II.2 Development organisation

To secure our evolution we can use:

II.2.1 Usage of Scrum method

We will try to use Scrum method, which is actually widely used, and recognised for its effectiveness. At first, we will define a product backlog containing all desired functionalities in the final product. In fact, this report is also a part of product backlog. Next, we will divide the project into three sprints (which means iterations). A sprint backlog is defined for each sprint, including all we need to realise at the end of an iteration. Each sprint lasts two weeks and lies in improve the software incrementally, so that it is close to product backlog.

At the end of each *sprint*, we will organise a meeting, in order to review the progress and propose improvements or modifications of planning, but in the process of a *sprint*, we cannot modify the *sprint backlog*. At last, each day starts with a *scrum meeting*, on the meeting, each team member present his objective of the day and his actual difficulties.

II.2.2 Team repartition approach

We will use an approach inspired by the XP (extreme programming) method. In fact, we found it unnecessary that the team members work separately, and we found it excellent to work in pairs, in order to prevent errors and bias of the program structure, so that we can save times of testing and debugging. So four of us work in pairs and the last one works individually. The group will changes as the tasks are completed.

II.3 Tasks organisation

II.3.1 Tasks definition

Item	Description	Ву
	High	
1	Parsing of generated AST	DX
2	Generation of CFG from parsed AST	D S
3	Parsing of CTL expression	Z F
4	Implementation of model checking algorithms	Z F
	Medium	
5	Generation of AST using clang	X
6	Automatization the entire procedure	S
	Low	
7	Definition of a user language in order to specify model checking criteria	-

Figure II.2 - Product backlog

Sprint 1 backlog:

- AST parsing of procedure C++ code
- CFG conversion from parsed AST
- Model checking with simple properties

Sprint 2 backlog :

- AST parsing of object oriented C++ code
- CFG conversion from parsed AST
- Model checking with simple criteria

Sprint 3 backlog:

- Improved CFG conversion from parsed AST
- Model checking with complex criteria

II.3.2 Planning

Redaction of specificaitons Training: - Scala - CTL and model checking Recurring tasks: - Design review - Code review	ZXFS	ZXFS	ZXFS	Z D X Z X F S Z D X F S	Z D X Z X F S Z D X F S	ZDX														
- Scala - CTL and model checking Recurring tasks: - Design review		_				ZXFS														
- Scala - CTL and model checking Recurring tasks: - Design review		_				ZXFS														
- CTL and model checking Recurring tasks: - Design review		_				ZXFS														
- CTL and model checking Recurring tasks: - Design review	D	D	ZDXFS	ZDXFS	ZDXFS		ZXFS	ZXFS												
- Design review																				
- Design review																				
- Design review																				
				ZDXF	ZDXF	ZDXF														
																ZDXFS				
Sprint 1:																				
- Implementation Model Checking 1						Z F	Z F	Z F	Z	F ZI	F 7	DF	Z D	Z D		Z D	Z D	Z F		
- Implementation Parsing AST 1						D X	D X	D X)		_	х	Х	Х		Х	Х	х		
- Implementation conversion AST to GFC 1									D		_	o s	DS	DS		DS	D S	DS		
- Validation:												-								
											+								Z F	Z F
- testing MC 1										_	+	-							DXS	DXS
- testing AST/GFC 1										-	-								D N 3	D N 3
	_									-	-									
				46.51		40.51	40 = 1	20 5 1					25.5.1	27.5.1						
Recurring tasks:				16-Feb	17-Feb	18-Feb	19-Feb	20-Feb	23-	eb 24-	eb 25	-Feb	26-Feb	27-Feb						
- Design review				ZDXFS	7 D X F S															
				ZDXIS	ZDXIS				ZDX	EC										
- Code review									207		_	-								
Carrier 2																				
Sprint 2:																				
- Implementation Model Checking 2										-	_	-			-					
- Implementation Parsing AST 2 (VF)				_																
- Implementation conversion AST to GFC 2				_						_		-			-					
- Validation:															-					
- testing MC 2																				
- testing AST/GFC 2				_						_					-					
- Validation of product																				
				2-Mar	3-Mar	4-Mar	5-Mar	6-Mar	9-N	ar 10-I	1ar 11	-Mar	12-Mar	13-Mar						
Recurring tasks:																				
- Design review				ZDXFS	ZDXFS															
- Code review									ZD)	FS										
Sprint 3:																				
- Implementation Model Checking 3 (VF)																				
- Implementation conversion AST to GFC 3 (VF																				
- Validation:																				
- testing MC 3																				
- testing AST/GFC 3																				
- Validation of product																				
											\dashv									
Legend:	_									<u> </u>						1				
Member			Responsibil	itv																
Zohour Abouakil	Project n	nanagemei																		

Zohour Abouakil Project management

David Courtinot Quality management

Xiaowen Ji Configuration management

Fabien Sauce Documentation

Sofia Boutahar Testing

Part III

Risk management

Date	Risk description	Consequences	Type of risk	Probability (1-5)	Impact level (1-5)	Weight	Preventive mesure
27th, January 2015	Communication problems : lack of communication, misunderstanding, etc	Unproductive group, non-respect of the interfaces necessary to compatibility	Human resources	5	5	25	Be sure we agreed with our teammates before starting a part
27th, January 2016	Underestimation of the development time	Deadline exceeded / late delivery	Schedule	4	5	20	Supervisor able to switch from one task to another and have a global vision
27th, January 2017	Wrong or unappropriate assumptions during the analysis	Unexpected edge cases difficult to handle with our model	Development method	5	4	20	Validate the conception by the client
27th, January 2018	Customer's requirements not respected	Product not accepted by the client	Client requirements	4	4	16	Having some meetings with the clients every weeks and making them validate our steps
27th, January 2019	Bad design choices at the beginning, issues to make the model evolve, corner cases	Problem to make the project evolve, waste of time to readapt the conception to the new requirements	Quality	3	5	15	Allocate several days to conception and ensure everyone is convinced by the design
27th, January 2020	Health problems : a member of the team getting sick, etc	In the best case, redefine the other team member role. Otherwise, the product will be late.	Schedule	2	5	10	Flexible schedule
27th, January 2021	Underestimation of the learning curve, different time learning among the team	Delays, different rhythms for the various parts of the project	Schedule	3	3	9	Create balanced teams (people better trained with people less trained)
27th, January 2022	Appearance of bugs that we cannot fix	Unable to meet certain requirements	Quality	2	4	8	Restart the task with another approachs and change the people affected to this task

Figure III.1 - Analyse des risques

Part IV

Code and documentation management

IV.1 Quality management

IV.1.1 Automated coding style checks

For ensuring that our coding rules are respected and evaluate the quality of our sources, we have used a tool called *Scalastyle* that enables, using an easy-to-use xml configuration file, to check some properties on a Scala code. Combined with a specific pulgin, this can be use to generate warnings or errors in the IDE the developer is using. Our settings are the following:

Rule	Description	Value		
FileLengthChecker	Check the number of lines in a file	1500		
FileLineLengthChecker	Check the number of characters in a line	140		
FileTabChecker	Check that there are no tabs in a file	enabled		
ClassNamesChecker	Check that class names match a regular	[A-Z][A-a-z]*\$		
	expression			
ClassTypeParameterChecker	Checks that type parameter to a class matches a	[A-Z_]\$		
	regular expression			
FileTabChecker	Check that there are no tabs in a file	enabled		
CyclomaticComplexityChecker	Checks that the cyclomatic complexity of a method	12		
	does exceed a value			
EmptyClassChecker	If a class/trait has no members, the braces are	enabled		
	unnecessary			
EqualsHashCodeChecker	Check that if a class implements either equals	enabled		
	or hashCode, it should implement the other			
MagicNumberChecker	Checks for use of magic numbers instead of	ignore = $-1, 0, 1$		
	constants (safer)			

MethodLengthChecker	Checks that methods do not exceed a maximum	50			
	length				
MethodNamesChecker	Check that method names match a regular	[a-z][A-Za-z0-9]*(_=) ?\$			
	expression				
${\bf Multiple String Literals Checker}$	Checks that a string literal does not appear	allowed = 2			
	multiple times				
${\bf Not Implemented Error Usage}$	Checks that the code does not have???? operators	enabled			
NullChecker	Check that null is not used	enabled			
${\bf Number Of Methods In Type Checker}$	Check that a class/trait/object does not have too	maxMethods = 30			
	many methods				
NumberOfTypesChecker	Checks that there are not too many types	maxTypes = 20			
	declared in a file				
ObjectNamesChecker	Check that object names match a regular	[A-Z][A-Za-z]*\$			
	expression				
ParameterNumberChecker	Maximum number of parameters for a method	maxParameters = 5			
RedundantIfChecker	Checks that if expressions are not redundant, ie	enabled			
	easily replaced by a variant of the condition				
ScalaDocChecker	Checks that the ScalaDoc on documentable	enabled			
	members is well-formed				

IV.1.2 Verification by pair

As we have opted for an XP model for the programming aspect of the project, we consider that a code has passed the quality test if at least the two members of a pair have checked it. This is up to the quality manager to ensure this has been done, otherwise he should do it himself.

This is specific to the code quality checks and does not apply to the rest of the delivrable documents.

IV.2 Test strategy

IV.3 Configuration management

All the delivrable documents are managed on a git repository, including documentation and reports. Anyone is allowed to commit at anytime, however any push must have been authorized by the quality responsible after the code has been thoroughly tested against a set of tests by the test responsible.

Part V

Appendices