




[Signature]





AÇIKLAMA

Hocam Do while ile gördüm
Do bloğu adı uzun tuttuğu
için yollarına not koyarak
göstördüm.



Analyz A

RandomNum
1780

$$\frac{R[1]-[2]-[3]-[4]}{1-7-8-0}$$

Counter
0

anti-elsi
0 0 0 0

T
1 1 1 1

sayi
5432

$$\frac{sayi[R[3]-[2]-[3]-[4]]}{5-4-3-2}$$

R[1]
1 1 1 1

A[5]
5 4 3 2

" " " "

1 2 3 4

" " " "

1 2 3 4

" "

1 2 3 4

" "

1 2 3 4

Counter
1

6781

6-7-8-1

0 0 0 1

1 1 1 1

1 1 1 1

6 7 8 1

0 0 0 0

1 2 3 4

7 7 7 7

6 7 8 1

0 0 0 0

1 2 3 4

0 0 0 0

6 7 8 1

0 0 0 0

1 2 3 4

0 0 0 0

6 7 8 1

55

Center
\$

Say!

1234

$$\frac{KLH}{LL}$$
$$\begin{array}{r} 5605 \\ 12 \overline{) 67260} \\ \underline{60} \\ 72 \\ \underline{60} \\ 120 \\ \underline{120} \\ 0 \end{array}$$

5678

5-6-7-8

9999
8795

$$8795 \mid 0$$

Anal 2 Dexon

Rand Num
4856

R [1]-[2]-[3]-[4]
4-8-5-6

Counter
2

offt
0000

elst
0000

P
1111

T
1235

Soyl
9056

Soyl [1]-[2]-[3]-[4]
9-0-5-6

R [2]
4555

R [3]
9055

Counter
3

+1
0000

+2
0000

1
5555

2
5555

4856

4-8-5-6

5555

5555

5555

5555

Counter
4

+1
0000

+2
0000

5
5555

5
5555

5555

5555

5555

5555

Amal 2.3

Rand Num
8723

$\frac{R[1]-[2]-[3]-[4]}{8723}$

Counter
0

off

chsl

T

J

Say!
1234

Say! $\frac{[2]-[2]-[3]-[4]}{1-2-3-4}$

REJ

ACE

Counter
1

+1

-2

1

2

8723

8-7-2-3

Counter
+4

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

0

Table 2. Denecke Buldenur

DAHA IYI ANLASILMASI ADINA ASAGIDA C DILINDE KODU MEVCUTTUR

```
#include <stdio.h>
#include <stdlib.h>
#include <time.h>

int main(){
    srand(time(NULL));
    int R[4];
    int A[4];
    int i,j,sayi, arti,eksi,counter=0;
    int randNum = rand() % 8999 + 1000;
    printf("%d",randNum);

    R[0] = randNum%10;
    R[1] =( randNum%100 - randNum%10)/10;
    R[2] =( randNum%1000 - randNum%100)/100;
    R[3] =( randNum - randNum%1000)/1000;

    printf("\nR[1]:%d, R[2]:%d R[3]:%d R[4]:%d",R[3],R[2],R[1],R[0]);

    printf("\n===== SAYI TAHMIN OYUNUNA HOS GELDINIZ ===== \n");

    do{
        arti=0;
        eksi=0;
        printf("\n 4 basamakli bir sayi giriniz\n");
        scanf("%d",&sayi);

        A[0] = sayi%10;
        A[1] =( sayi%100 - sayi%10)/10;
        A[2] =( sayi%1000 - sayi%100)/100;
        A[3] =( sayi - sayi%1000)/1000;

        for(i=0;i<4;i++){
            for(j=0;j<4;j++){
                if(R[i] == A[j]){
                    if(i==j){
                        arti+=1;
                    }else{
                        eksi-=1;
                    }
                }
            }
        }
    }
```



```
}  
printf("\nhint: arti %d ,eksi %d\n",arti,eksi);  
counter++;  
}while(arti!=4);  
printf("TEBRIKLER BULDUN \n toplam %d denemede buldun",counter);  
}
```