

Webscraping with Rvest

EOL

2022-11-07

Goal

I will use the rvest library to scrape data from wikipedia. More specifically, I will scrape a list of chief executive officers from this wikipedia page: https://en.wikipedia.org/wiki/List_of_chief_executive_officers. On the wikipedia page, the list is described as the following: The following is a list of chief executive officers of notable companies. The list also includes lead executives with a position corresponding to chief executive officer (CEO), such as managing director (MD), and any concurrent positions held.

****My goal is to look at the overall gender distribution, i.e. the counts of males and females*. I will look at the gender distribution. However, the table doesn't contain gender labels so for that I'll use the R package called Gender: <https://www.r-project.org/nosvn/pandoc/gender.html>**

Installing R packages

I'll install the following packages and load their libraries:

- rvest for scraping web data
- tidyverse, stringr, and dplyr all for data wrangling
- tidyr to create tidy data if needed
- GenderInfer to assign gender based on first name.

```
pacman::p_load(rvest, tidyverse, stringr, dplyr, tidyr, GenderInfer)
```

Scraping the data

```
url <- "https://en.wikipedia.org/wiki/List_of_chief_executive_officers"
```

```
# scraping  
parsed_html <- read_html(url)
```

```
ceo_table <- parsed_html %>%  
  html_elements("table") %>%  
  html_table()
```

```
# retrieving the data  
ceo_table <- ceo_table[[1]]  
  
head(ceo_table)
```

```
## # A tibble: 6 x 6
##   Company      Executive      Title      Since Notes Updated
##   <chr>        <chr>        <chr>        <chr> <chr> <chr>
## 1 Accenture    Julie Sweet    CEO[1]        2019 Succ~ 2019-0~
## 2 Aditya Birla Group Kumar Mangalam Birla Chairman[2]    1995~ Part~ 2018-1~
## 3 Adobe Systems Shantanu Narayen Chairman, preside~ 2007 Form~ 2018-1~
## 4 Agenus       Garo H. Armen  Founder, chairman~ 1994 Foun~ 2018-1~
## 5 Airbus       Guillaume Faury CEO[5]        2012 Succ~ 2017-1~
## 6 Alibaba      Daniel Zhang   CEO[6]        2015 Prev~ 2018-1~
```

Data cleaning

First, there are some name abbreviations that I would like to change.

```
ceo_df <- ceo_table
```

```
library(stringi)
ceo_withdots <- ceo_df[stri_detect_fixed(ceo_df$Executive, "."),]
```

```
length(ceo_withdots$Executive)
```

```
## [1] 29
```

```
ceo_df$Executive <- gsub('Garo H. Armen','Garo Armen',ceo_df$Executive)
ceo_df$Executive <- gsub('Joseph R. Swedish ','Joseph Swedish',ceo_df$Executive)
ceo_df$Executive <- gsub('Stephen A. Schwarzman ','Stephen Schwarzman',ceo_df$Executive)
ceo_df$Executive <- gsub('Evan G. Greenberg','Evan GreenBerg',ceo_df$Executive)
ceo_df$Executive <- gsub('Brian L. Roberts','Brian Roberts',ceo_df$Executive)
ceo_df$Executive <- gsub('Roland Dickey Jr.','Roland Dickey',ceo_df$Executive)
ceo_df$Executive <- gsub('Edward D. Breen ','Edward Breen',ceo_df$Executive)
ceo_df$Executive <- gsub('Lisa S. Jones','Lisa Jones',ceo_df$Executive)
ceo_df$Executive <- gsub('Frederick W. Smith','Frederick Smith',ceo_df$Executive)
ceo_df$Executive <- gsub('H. Lawrence Culp Jr.','Henry Lawrence Culp Jr',ceo_df$Executive)
ceo_df$Executive <- gsub('Mary T. Barra','Mary Barra',ceo_df$Executive)
ceo_df$Executive <- gsub('David M. Solomon ','David Solomon',ceo_df$Executive)
ceo_df$Executive <- gsub('John A. Kaneb ','John Kaneb',ceo_df$Executive)
ceo_df$Executive <- gsub('Richard B. Handler','Richard Handler',ceo_df$Executive)
ceo_df$Executive <- gsub('Andrew S. Rosen','Andrew Rosen',ceo_df$Executive)
ceo_df$Executive <- gsub('Charles G. Koch ','Charles Koch',ceo_df$Executive)
ceo_df$Executive <- gsub('Steven A. Kandarian ','Steven Kandarian',ceo_df$Executive)
ceo_df$Executive <- gsub('Michael J. Saylor','Michael Saylor',ceo_df$Executive)
ceo_df$Executive <- gsub('James P. Gorman','James Gorman',ceo_df$Executive)
ceo_df$Executive <- gsub('David S. Taylor','David Taylor',ceo_df$Executive)
ceo_df$Executive <- gsub('David I. McKay','David McKay',ceo_df$Executive)
ceo_df$Executive <- gsub('Douglas L. Peterson','Douglas Peterson',ceo_df$Executive)
ceo_df$Executive <- gsub('Gary C. Kelly ','Gary Kelly',ceo_df$Executive)
ceo_df$Executive <- gsub('J. Clifford Hudson ','Clifford Hudson',ceo_df$Executive)
ceo_df$Executive <- gsub('William H. Rogers Jr. ','William Rogers',ceo_df$Executive)
ceo_df$Executive <- gsub('Alan D. Schnitzer','Alan Schnitzer',ceo_df$Executive)
ceo_df$Executive <- gsub('Joseph C. Papa','Joseph Papa',ceo_df$Executive)
ceo_df$Executive <- gsub('Laura J. Alber ','Laura Alber',ceo_df$Executive)
```

OBS: G. V. Prasad is a male although I couldn't find what first name G. stands for

I now want to split intermixed names into first, middle, and last names. This step is necessary because I'll be using the `GenderInfer` library to infer the gender of a CEO based on her/his first name.

```
library(stringr)
ceo_df$firstname <- stringr::str_extract(ceo_df$Executive, '\\w*')
ceo_df$lastname <- str_extract(ceo_df$Executive, "\\w+$")
```

```
head(ceo_df)
```

```
## # A tibble: 6 x 8
##   Company      Executive      Title Since Notes Updated firstname lastname
##   <chr>        <chr>        <chr> <chr> <chr> <chr>   <chr>   <chr>
## 1 Accenture    Julie Sweet    CEO[~ 2019 Succ~ 2019-0~ Julie    Sweet
## 2 Aditya Birla Group Kumar Mangala~ Chai~ 1995~ Part~ 2018-1~ Kumar    Birla
## 3 Adobe Systems Shantanu Nara~ Chai~ 2007 Form~ 2018-1~ Shantanu Narayen
## 4 Agenus        Garo Armen     Foun~ 1994 Foun~ 2018-1~ Garo      Armen
## 5 Airbus        Guillaume Fau~ CEO[~ 2012 Succ~ 2017-1~ Guillaume Faury
## 6 Alibaba      Daniel Zhang    CEO[~ 2015 Prev~ 2018-1~ Daniel    Zhang
```

Using GenderInfer

About GenderInfer: *GenderInfer (Giordano et al. (2021) is a package developed to investigate gender differences within a data set. This package is based on the work of Dr. A. Day et al. Chem. Sci., 2020,11, 2277-2301. This has been developed for analysing differences in publishing authorship by gender. This package could also be useful for other analyses where there might be differences between male and female percentages from a specified baseline. The gender is assigned based on the first name, using the following data set as a corpus: <https://github.com/OpenGenderTracking/globalnamedata> (Giordano et al. (2021))*

```
# Assigning Gender
ceo_df <- assign_gender(ceo_df,"firstname")
head(ceo_df)
```

```
##           Company      Executive      Title
## 1      Accenture    Julie Sweet    CEO[1]
## 2 Aditya Birla Group Kumar Mangalam Birla Chairman[2]
## 3      Adobe Systems Shantanu Narayen Chairman, president and CEO[3]
## 4           Agenus        Garo Armen     Founder, chairman, CEO[4]
## 5           Airbus      Guillaume Faury CEO[5]
## 6           Alibaba      Daniel Zhang    CEO[6]
##   Since      Notes      Updated firstname
## 1   2019      Succeeded Pierre Nanterme, died 2019-01-31      Julie
## 2 1995[2] Part of the Birla family business house in India 2018-10-01      Kumar
## 3   2007      Formerly with Apple 2018-10-01      Shantanu
## 4   1994 Founder of the Children of Armenia Fund (COAF) 2018-10-01      Garo
## 5   2012      Succeeded Louis Gallois 2017-11-14      Guillaume
## 6   2015      Previously with Taobao 2018-10-01      Daniel
##   lastname gender
## 1    Sweet      U
## 2    Birla      U
## 3   Narayen      U
## 4    Armen      U
```

```
## 5    Faury      U
## 6    Zhang      U
```

```
ceo_df %>% count(gender)
```

```
##   gender    n
## 1      U 176
```

For some reason, the above chunk needs to be run twice to work?

```
# Assigning Gender
```

```
ceo_df <- assign_gender(ceo_df,"firstname")
head(ceo_df)
```

```
##           Company      Executive      Title Since
## 1  Fidelity Investments Abigail Johnson Chairman, president and CEO 2014
## 2           Toyota      Akio Toyoda President and director[137] 2009
## 3 The Travelers Companies  Alan Schnitzer      Chairman and CEO[136] 2015
## 4           Qantas      Alan Joyce      CEO and MD[103] 2008
## 5           Pfizer      Albert Bourla      Chairman and CEO[99] 2019
## 6           BHP Andrew Mackenzie      CEO[22] 2013
##
##                                     Notes
## 1      Granddaughter of the firm's founder, Edward C. Johnson II
## 2      Son of Shoichiro Toyoda, the former chairman
## 3 Previously over the firm's Business and International Insurance segment
## 4      Formerly with Aer Lingus and Ansett Australia
## 5      Succeeded Jeff Kindler and Henry McKinnell
## 6      Previously with BP and the Rio Tinto
##   Updated  firstname  lastname  gender
## 1 2017-11-14  Abigail    Johnson    F
## 2 2017-11-11    Akio     Toyoda     M
## 3 2017-11-11    Alan     Schnitzer  M
## 4 2017-11-12    Alan     Joyce     M
## 5              Albert    Bourla     M
## 6 2017-11-15    Andrew   Mackenzie  M
```

```
ceo_df %>% count(gender)
```

```
##   gender    n
## 1      F   20
## 2      M 140
## 3      U   16
```

```
#which(ceo_df$gender == "U")
```

```
ceo_unknowngender<- ceo_df[ceo_df$gender=="U",]
ceo_unknowngender[,c("firstname","lastname","gender")]
```

```
##   firstname  lastname  gender
## 16    Börje     Ekholm     U
## 27         C Vijayakumar     U
## 51    Dikesh     Malhotra     U
```

```
## 64      G      Prasad      U
## 69  Gunupati      Reddy      U
## 77      J      Hudson      U
## 107     Li  Dongsheng      U
## 125     Oh      Kwon      U
## 129     Pat  Gelsinger      U
## 131     Pekka  Lundmark      U
## 133     Phiwa  Nkambule      U
## 151     Safra      Catz      U
## 163     Sundar      Pichai      U
## 168  Tidjane      Thiam      U
## 172     Toxey      Haas      U
## 173     Vasant  Narasimhan      U
```

Changing gender of G. V. Prasad to male although I couldn't find what first name G. stands for

```
ceo_unknowngender$gender <- ifelse(ceo_unknowngender$firstname=="G", "M",
                                   ifelse(ceo_unknowngender$firstname == "Börje", "M",
                                           ifelse(ceo_unknowngender$firstname == "C", "M",
                                                  ifelse(ceo_unknowngender$firstname=="Dikesh", "M",
                                                         ifelse(ceo_unknowngender$firstname == "Gunupati",
                                                                ifelse(ceo_unknowngender$firstname == "J",
                                                                     ifelse(ceo_unknowngender$firstname == "K",
                                                                           ifelse(ceo_unknowngender$firstname == "L",
                                                                                 ifelse(ceo_unknowngender$firstname == "M",
                                                                                       ifelse(ceo_unknowngender$firstname == "N",
                                                                                             ifelse(ceo_unknowngender$firstname == "O",
                                                                                                   ifelse(ceo_unknowngender$firstname == "P",
                                                                                                         ifelse(ceo_unknowngender$firstname == "R",
                                                                                                               ifelse(ceo_unknowngender$firstname == "S",
                                                                                                                     ifelse(ceo_unknowngender$firstname == "T",
                                                                                                                           ifelse(ceo_unknowngender$firstname == "V",
                                                                                                             ifelse(ceo_unknowngender$firstname == "W",
                                                                                                                   ifelse(ceo_unknowngender$firstname == "X",
                                                                                                                         ifelse(ceo_unknowngender$firstname == "Y",
                                                                                                                               ifelse(ceo_unknowngender$firstname == "Z",
                                                                                                                                     "F",
                                                                                                                                           "M"))))))))))))))))))))
```

Using match in Executive column to select the elements of gender.

```
ceo_df$gender[match(ceo_unknowngender$Executive, ceo_df$Executive)] <- ceo_unknowngender$gender
```


Data visualisation

Count the variable gender

```
ggplot(ceo_df, aes(x=as.factor(gender), fill=as.factor(gender))) +
  geom_bar() +
  scale_fill_hue(c=40) +
  theme(legend.position="none") +
  ggtitle("Count of males and females") +
  labs(title = "Gender distribution of CEOs", subtitle = "Counts of males and females",
       x = "Gender",
       y = "Count")
```

Gender distribution of CEOs

Counts of males and females



```
ceo_df %>% count(gender)
```

```
##   gender    n
## 1      F    22
## 2      M   154
```

```
ceo_df %>% count(gender) %>%
  mutate(percent=n/sum(n)) %>%
  select(-n) %>%
  spread(gender,percent)
```

```
##      F      M
## 1 0.125 0.875
```

As seen in the blot above and the summary, there are 154 men on the list and 22 women on the list, corresponding to 87.5% of the CEO's on the list being males. Women are severely underrepresented by making up only 12.5% on the list, reflecting an unequal gender distribution at top positions of well known US companies.

References

Giordano et al. (2021). gender: Predict Gender from Names Using Historical Data. <https://github.com/ropensci/gender>