

# Assignment 1

Digjoy Nandi - AI20BTECH11007

Download all python codes from

<https://github.com/Digjoy12/probability/blob/main/Assignment%201/main.tex>

and latex codes from

<https://github.com/Digjoy12/probability/blob/main/Assignment%201/codes/code.py.py>

## PROBLEM(6.7)

An electronic assembly consists of two subsystems, say, A and B. From previous testing procedures, the following probabilities are assumed to be known:

$$P(A \text{ fails}) = 0.2$$

$$P(B \text{ fails alone}) = 0.15$$

$$P(A \text{ and } B \text{ fail}) = 0.15$$

Evaluate the following probabilities

(i)  $P(A \text{ fails alone})$

(ii)  $P(A \text{ fails} \mid B \text{ has failed})$

## SOLUTION(6.7)

Given,

$$\begin{aligned} Pr(A \text{ fails}) &= Pr(A) = 0.2 \\ Pr(B \text{ fails alone}) &= Pr(B - A) = 0.15 \\ Pr(A \text{ and } B \text{ fails}) &= Pr(AB) = 0.15 \end{aligned}$$

Now, we need to find  $Pr(A \text{ fails alone}) = Pr(A - B)$

1)

$$Pr(A) = Pr(A - B) + Pr(AB) \quad (6.7.1)$$

$$\Rightarrow Pr(A - B) = Pr(A) - Pr(AB) \quad (6.7.2)$$

$$\Rightarrow Pr(A - B) = 0.20 - 0.15 \quad (6.7.3)$$

$$\Rightarrow Pr(A - B) = 0.05 \quad (6.7.4)$$

Therefore,  $Pr(A \text{ fails alone}) = Pr(A - B) = 0.05$

2) Now, finding the probability of B

$$Pr(B - A) = Pr(B) - Pr(AB) \quad (6.7.5)$$

$$\Rightarrow Pr(B) = Pr(B - A) + Pr(AB) \quad (6.7.6)$$

$$\Rightarrow Pr(B) = 0.15 + 0.15 \quad (6.7.7)$$

$$\Rightarrow Pr(B) = 0.30 \quad (6.7.8)$$

Now, we need to find  $Pr(A \text{ fails} \mid B \text{ has failed}) = Pr(A|B)$

$$Pr(A|B) = \frac{Pr(AB)}{Pr(B)} \quad (6.7.9)$$

$$\Rightarrow Pr(A|B) = \frac{0.15}{0.30} \quad (6.7.10)$$

$$\Rightarrow Pr(A|B) = 0.5 \quad (6.7.11)$$

Therefore,  $Pr(A \text{ fails} \mid B \text{ has failed}) = Pr(A|B) = 0.5$