

# PL - Formal Proof

HE Mingxin, Max

CS104: program07 @ yeah.net

CS108: mxhe1 @ yeah.net

I2ML(H) Spring 2023 (CS104 | CS108)

## Exercises 05 : Reading and More

Record your time spent (in 0.1 hours) with brief tasks and durations in your learning log by hand writing!

- 1) Read [textF-ch03-PL-DeductiveSystems.pdf](#) (in 2 weeks, **may skip something**)
- 2) Work on Assignment 2...
- 3) **Optional Reading:** [ref-reading01-proposition-language-L0.pdf](#) and [ref-reading02-proof-system-of-L0.pdf](#) .

## Topic 5.1

### Formal Proofs

## Consequence to Derivation

Let us suppose for a (in)finite set of formulas  $\Sigma$  and a formula  $F$ , we have  $\Sigma \models F$ .

Can we syntactically infer  $\Sigma \models F$  without writing the truth tables, which may be impossible if the size of  $\Sigma$  is infinite?

We call the syntactic inference “derivation”. We derive the following **statements**.

$$\Sigma \vdash F$$

## Example: Derivation

### Example 5.1

*Let us consider the following simple example.*


$$\underbrace{\Sigma \cup \{F\}}_{\text{Left hand side(lhs)}} \vdash F$$

*If  $F$  occurs in lhs, then  $F$  is clearly a consequence of the lhs.*

*Therefore, we should be able to **derive the above** statement.*

## Proof Rules

A proof rule provides us a means to derive **new** statements from the **old** statements.



A derivation proceeds **by applying** the proof rules.

What **rules do we need** for the propositional logic?

## Proof Rules - Basic

$$\text{ASSUMPTION} \frac{}{\Sigma \vdash F} F \in \Sigma$$

$$\text{MONOTONIC} \frac{\Sigma \vdash F}{\Sigma' \vdash F} \Sigma \subseteq \Sigma'$$

# Derivation

## Definition 5.1

*A derivation is a list of statements that are derived from the earlier statements.*

## Example 5.2

*A derivation due to the previous rules*

1.  $\{p \vee q, \neg\neg q\} \vdash \neg\neg q$
2.  $\{p \vee q, \neg\neg q, r\} \vdash \neg\neg q$

Since assumption does not depend on any other statement, no need to refer.

Assumption

Monotonic applied to 1

We need to point at an earlier statement.



## Proof Rules for Negation

$$\text{DOUBLENEG} \frac{\Sigma \vdash F}{\Sigma \vdash \neg\neg F}$$

### Example 5.3

*The following is a derivation*

1.  $\{p \vee q, r\} \vdash r$
2.  $\{p \vee q, \neg\neg q, r\} \vdash r$
3.  $\{p \vee q, \neg\neg q, r\} \vdash \neg\neg r$

*Assumption*

*Monotonic applied to 1*

*DoubleNeg applied to 2*

## Proof Rules for $\wedge$

$$\wedge - \text{INTRO} \frac{\Sigma \vdash F \quad \Sigma \vdash G}{\Sigma \vdash F \wedge G}$$

$$\wedge - \text{ELIM} \frac{\Sigma \vdash F \wedge G}{\Sigma \vdash F}$$

$$\wedge - \text{SYMM} \frac{\Sigma \vdash F \wedge G}{\Sigma \vdash G \wedge F}$$

### Example 5.4

*The following is a derivation*

1.  $\{p \wedge q, \neg\neg q, r\} \vdash p \wedge q$
2.  $\{p \wedge q, \neg\neg q, r\} \vdash p$
3.  $\{p \wedge q, \neg\neg q, r\} \vdash q \wedge p$

*Assumption*

*$\wedge$ -Elim applied to 1*

*$\wedge$ -Symm applied to 1*

## Proof Rules for $\vee$

$$\vee - \text{INTRO} \frac{\Sigma \vdash F}{\Sigma \vdash F \vee G}$$

$$\vee - \text{SYMM} \frac{\Sigma \vdash F \vee G}{\Sigma \vdash G \vee F}$$

$$\vee - \text{DEF} \frac{\Sigma \vdash F \vee G}{\Sigma \vdash \neg(\neg F \wedge \neg G)}$$

$$\vee - \text{DEF} \frac{\Sigma \vdash \neg(\neg F \wedge \neg G)}{\Sigma \vdash F \vee G}$$

$$\vee - \text{ELIM} \frac{\Sigma \vdash F \vee G \quad \Sigma \cup \{F\} \vdash H \quad \Sigma \cup \{G\} \vdash H}{\Sigma \vdash H}$$

**Commentary:** We will use the same rule name if a rule can be applied in both the directions. For example,  $\vee - \text{DEF}$ .

## Example : Distributivity

### Example 5.5

Let us show if we have  $\Sigma \vdash (F \wedge G) \vee (F \wedge H)$ , we can derive  $\Sigma \vdash F \wedge (G \vee H)$ .

- |  |                                    |
|--|------------------------------------|
| 1. $\Sigma \vdash (F \wedge G) \vee (F \wedge H)$          | Premise                            |
| 2. $\Sigma \cup \{F \wedge G\} \vdash F \wedge G$          | Assumption                         |
| 3. $\Sigma \cup \{F \wedge G\} \vdash F$                   | $\wedge$ -Elim applied to 2        |
| 4. $\Sigma \cup \{F \wedge G\} \vdash G \wedge F$          | $\wedge$ -Symm applied to 2        |
| 5. $\Sigma \cup \{F \wedge G\} \vdash G$                   | $\wedge$ -Elim applied to 4        |
| 6. $\Sigma \cup \{F \wedge G\} \vdash G \vee H$            | $\vee$ -Intro applied to 5         |
| 7. $\Sigma \cup \{F \wedge G\} \vdash F \wedge (G \vee H)$ | $\wedge$ -Intro applied to 3 and 6 |

## Example : Distributivity (contd.)

$$8. \Sigma \cup \{F \wedge H\} \vdash F \wedge H$$

Assumption

$$9. \Sigma \cup \{F \wedge H\} \vdash F$$

$\wedge$ -Elim applied to 8

$$10. \Sigma \cup \{F \wedge H\} \vdash H \wedge F$$

$\wedge$ -Symm applied to 8

$$11. \Sigma \cup \{F \wedge H\} \vdash H$$

$\wedge$ -Elim applied to 10

$$12. \Sigma \cup \{F \wedge H\} \vdash H \vee G$$

$\vee$ -Intro applied to 11

$$13. \Sigma \cup \{F \wedge H\} \vdash G \vee H$$

$\vee$ -Symm applied to 12

$$14. \Sigma \cup \{F \wedge H\} \vdash F \wedge (G \vee H)$$

$\wedge$ -Intro applied to 9 and 13

$$15. \Sigma \vdash F \wedge (G \vee H)$$

$\vee$ -elim applied to 1, 7, and 14

## Topic 5.2

### Rules for Implication and Others

## Proof Rules for $\Rightarrow$

$$\Rightarrow -\text{INTRO} \frac{\Sigma \cup \{F\} \vdash G}{\Sigma \vdash F \Rightarrow G}$$

$$\Rightarrow -\text{ELIM} \frac{\Sigma \vdash F \Rightarrow G \quad \Sigma \vdash F}{\Sigma \vdash G}$$

$$\Rightarrow -\text{DEF} \frac{\Sigma \vdash F \Rightarrow G}{\Sigma \vdash \neg F \vee G}$$

$$\Rightarrow -\text{DEF} \frac{\Sigma \vdash \neg F \vee G}{\Sigma \vdash F \Rightarrow G}$$

## Example: Central Role of Implication

### Example 5.6

Let us prove  $\{\neg p \vee q, p\} \vdash q$ .

1.  $\{\neg p \vee q, p\} \vdash p$

*Assumption*

2.  $\{\neg p \vee q, p\} \vdash \neg p \vee q$

*Assumption*

3.  $\{\neg p \vee q, p\} \vdash p \Rightarrow q$

$\Rightarrow$ -Def applied to 2

4.  $\{\neg p \vee q, p\} \vdash q$

$\Rightarrow$ -Elim applied to 1 and 3



## All the Rules so far

$$\text{ASSUMPTION} \frac{}{\Sigma \vdash F} F \in \Sigma \quad \text{MONOTONIC} \frac{\Sigma \vdash F}{\Sigma' \vdash F} \Sigma \subseteq \Sigma' \quad \text{DOUBLENEG} \frac{\Sigma \vdash F}{\Sigma \vdash \neg \neg F}$$

$$\wedge - \text{INTRO} \frac{\Sigma \vdash F \quad \Sigma \vdash G}{\Sigma \vdash F \wedge G} \quad \wedge - \text{ELIM} \frac{\Sigma \vdash F \wedge G}{\Sigma \vdash F} \quad \wedge - \text{SYMM} \frac{\Sigma \vdash F \wedge G}{\Sigma \vdash G \wedge F}$$

$$\vee - \text{INTRO} \frac{\Sigma \vdash F}{\Sigma \vdash F \vee G} \quad \vee - \text{SYMM} \frac{\Sigma \vdash F \vee G}{\Sigma \vdash G \vee F} \quad \vee - \text{DEF} \frac{\Sigma \vdash F \vee G}{\Sigma \vdash \neg(\neg F \wedge \neg G)}^*$$

$$\vee - \text{ELIM} \frac{\Sigma \vdash F \vee G \quad \Sigma \cup \{F\} \vdash H \quad \Sigma \cup \{G\} \vdash H}{\Sigma \vdash H}$$

$$\Rightarrow - \text{INTRO} \frac{\Sigma \cup \{F\} \vdash G}{\Sigma \vdash F \Rightarrow G} \quad \Rightarrow - \text{ELIM} \frac{\Sigma \vdash F \Rightarrow G \quad \Sigma \vdash F}{\Sigma \vdash G} \quad \Rightarrow - \text{DEF} \frac{\Sigma \vdash F \Rightarrow G}{\Sigma \vdash \neg F \vee G}^*$$

\* Works in the both directions

## Example: another proof

### Example 5.7

Let us prove  $\emptyset \vdash (p \Rightarrow q) \vee p$ .

1.  $\{\neg p\} \vdash \neg p$

2.  $\{\neg p\} \vdash \neg p \vee q$

3.  $\{\neg p\} \vdash (p \Rightarrow q)$

4.  $\{\neg p\} \vdash (p \Rightarrow q) \vee p$

5.  $\{p\} \vdash p$

6.  $\{p\} \vdash p \vee (p \Rightarrow q)$

7.  $\{p\} \vdash (p \Rightarrow q) \vee p$

8.  $\{\} \vdash (p \Rightarrow p)$

9.  $\{\} \vdash (\neg p \vee p)$

10.  $\{\} \vdash (p \Rightarrow q) \vee p$

*Assumption*  
 *$\vee$ -Intro applied to 1*  
 *$\Rightarrow$ -Def applied to 2*  
 *$\vee$ -Intro applied to 3* } Case 1

*Assumption*  
 *$\vee$ -Intro applied to 5*  
 *$\vee$ -Symm applied to 6* } Case 2

*$\Rightarrow$ -Intro applied to 5*  
 *$\Rightarrow$ -Def applied to 8* } Only two cases

*$\vee$ -Elim applied to 4, 7, and 9*

## Proof Rules for Punctuation

$$() - \text{INTRO} \frac{\Sigma \vdash F}{\Sigma \vdash (F)} \quad () - \text{ELIM} \frac{\Sigma \vdash (F)}{\Sigma \vdash F}$$

$$\wedge - \text{PAREN} \frac{\Sigma \vdash (F \wedge G) \wedge H}{\Sigma \vdash F \wedge G \wedge H} \quad \vee - \text{PAREN} \frac{\Sigma \vdash (F \vee G) \vee H}{\Sigma \vdash F \vee G \vee H}$$

## Proof Rules for $\Leftrightarrow$

$$\Leftrightarrow -\text{DEF} \frac{\Sigma \vdash F \Leftrightarrow G}{\Sigma \vdash G \Rightarrow F}$$

$$\Leftrightarrow -\text{DEF} \frac{\Sigma \vdash F \Leftrightarrow G}{\Sigma \vdash F \Rightarrow G}$$

$$\Leftrightarrow -\text{DEF} \frac{\Sigma \vdash G \Rightarrow F \quad \Sigma \vdash F \Rightarrow G}{\Sigma \vdash G \Leftrightarrow F}$$

### Thinking Exercise 5.1

Define rules for  $\oplus$ .

**Commentary:** this set of proof rules does not cover  $\oplus$ . We will cover them in greater detail.

## Topic 5.3

### Soundness

# Soundness

We need to show that

## Theorem 5.1

*If*

*proof rules derive a statement  $\Sigma \vdash F$*

*then*

$\Sigma \models F.$

## Proof.

We will make an inductive argument. We will **assume** that the theorem holds for the premises of the rules and show that it is also true for the conclusions. ...

## Proving soundness

### Proof(contd.)

Consider the following rule

$$\wedge - \text{ELIM} \frac{\Sigma \vdash F \wedge G}{\Sigma \vdash F}$$

Consider model  $m \models \Sigma$ . By the induction hypothesis,  $m \models F \wedge G$ .

Using the the truth table, we can show that if  $m \models F \wedge G$  then  $m \models F$ .

$m(F)$	$m(G)$	$m(F \wedge G)$
0	0	0
0	1	0
1	0	0
1	1	1

Therefore,  $\Sigma \models F$ .

## Proof

### Proof.

Consider one more rule

$$\Rightarrow -\text{INTRO} \frac{\Sigma \cup \{F\} \vdash G}{\Sigma \vdash F \Rightarrow G}$$

Consider model  $m \models \Sigma$ . There are two possibilities.

► **case**  $m \models F$ :

Therefore,  $m \models \Sigma \cup \{F\}$ . By the induction hypothesis,  $m \models G$ . Therefore,  $m \models (F \Rightarrow G)$ .

► **case**  $m \not\models F$ : Therefore,  $m \models (F \Rightarrow G)$ .

Therefore,  $\Sigma \vdash F \Rightarrow G$ .

Similarly, we draw truth table or case analysis for each of the rules to check the soundness.  $\square$



## Topic 5.4

### Problems

## Exercise: the Other Direction of Distributivity

### Thinking Exercise 5.2

*Show if we have  $\Sigma \vdash F \wedge (G \vee H)$ , we can derive  $\Sigma \vdash (F \wedge G) \vee (F \wedge H)$ .*

**Hint:** Case split on  $G$  and  $\neg G$ .

## Exercise: Proving a Puzzle

### Thinking Exercise 5.3

a. Convert the following argument into a propositional statement, i.e.,  $\Sigma \vdash F$ .

*If the laws are good and their enforcement is strict, then crime will diminish. If strict enforcement of laws will make crime diminish, then our problem is a practical one.*

*The laws are good. Therefore our problem is a practical one. (Hint: needed propositional variables  $G, S, D, P$ ) (Source : Copi, Introduction of logic)*

b. Write a formal proof proving the statement in the previous problem.

## Redundant Rules

### Exercise 5.4

*Show that the following rule(s) can be derived from the other rules.*

- ▶  $\forall$ -Symm

## Redundancy\*\*\*

### Thinking Exercise 5.5

*Find a minimal subset of the proof rules which has no redundancy, i.e., none of the rules can be derived from others. Prove that the subset has no redundancy.*

End of Lecture 5