

ED5340 - Data Science: Theory and Practise

L29 - Deep Networks in Practise

Ramanathan Muthuganapathy (<https://ed.iitm.ac.in/~raman>)

Course web page: <https://ed.iitm.ac.in/~raman/datascience.html>

Moodle page: Available at <https://courses.iitm.ac.in/>

Fields / Topics that employ DL



- Computer Vision (Major one but not the only one)
 - Image data as the input
 - Object recognition / Classification / Search & Retrieval
 - Segmentation / Decomposition
- 3D Models - Graphics / CAD
 - Point cloud or Mesh model
 - Classification / Search & Retrieval
 - Segmentation / Decomposition
 - Reconstruction
 - Feature recognition (typically, mechanical model features)

Fields / Topics that employ DL

- Sketch-based modelling
 - Input are sketches (images!)
 - Classification / Search & Retrieval
 - Sketch clean-up
- Analysis
 - Inputs - Points / Images
 - Prediction (Such as stresses / strains)
 - Interpretation of data
 - Flow Analysis (CFD)
- Speech / NLP / Signal processing / Medical Imaging


Point cloud

- A 3D model represented only as a set of points
- No predetermined order (Unordered cloud of points)






Mesh model

- Also called as tessellated models
- Triangulated data (Input file will consist of only vertices of triangles)
- No topology / geometry information





Mesh model




Reconstruction

- Input is the point cloud
- Output is the mesh model





Point / shape completion

- Input - Incomplete point cloud (missing data)
- Output - Completed point cloud





Feature identification

- Input - Mesh model
- Output - Identify features like holes / slots etc.




Feature identification

- Input - Mesh model
- Output - Group / Cluster similar parts




Point cloud retrieval (roof)




Partial search

- Input - part of a model
- Output - Similar models consisting the input as a part(s)



Query




Target Model





















Sketch processing

hand drawn sketches

- Input - Sketch of a 3D model
- Output - Similar 3D models.
- Sketch completion / sketch clean up is also another interesting problem




Segmentation

	Input mesh model	WC Segmentation	SDF	HFP	Our method
Bearing_Post_56_Back				 Clusters=4	
RedLantern				 Clusters=8	
a-arm2				 Clusters=3	
SparkPlug				 Clusters=21	


Point set segmentation

- Input - Point cloud
- Output - classify the points belonging to a particular segment.



Reconstructing a noisy model

- Input - model with noise
- Output - Reconstructed model after removing noise



Point cloud denoising - reconstruction

Transfer learning- learn from one problem and transfer it to another problem

DL-based Analysis of Loading conditions

- FEA (Finite element analysis) is a popular.
- DL-based approach towards analysis.

