


- Servidor anuncios para users acme.pt em conferência



F1

No.	Time	Source	Destination	Protocol	Length	Info
19	0.212387452	127.0.0.1	127.0.0.1	SIP/SDP	815	Request: INVITE sip:alice@acme.pt

Frame 19: 815 bytes on wire (6520 bits), 815 bytes captured (6520 bits) on interface any, id 0
Linux cooked capture v1
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 4444, Dst Port: 5060
Session Initiation Protocol (INVITE)
Request-Line: INVITE sip:alice@acme.pt SIP/2.0
Message Header
Via: SIP/2.0/UDP 127.0.0.1:4444;rport;branch=z9hG4bKqgtbxwvn
Max-Forwards: 70
To: <sip:alice@acme.pt>
From: "Trudy" <sip:trudy@acme.pt>;tag=ixzkr
Call-ID: vlngxxxellgwnqz@igrs-VirtualBox
[Generated Call-ID: vlngxxxellgwnqz@igrs-VirtualBox]
CSeq: 137 INVITE
Contact: <sip:trudy@127.0.0.1:4444>
Content-Type: application/sdp
Allow: INVITE,ACK,BYE,CANCEL,OPTIONS,REFER,NOTIFY,SUBSCRIBE,INFO,MESSAGE
Supported: replaces,norefersub
User-Agent: Twinkle/1.10.2
Content-Length: 302
Message Body
Session Description Protocol

F2

No.	Time	Source	Destination	Protocol	Length	Info
21	0.216151846	127.0.0.1	127.0.0.1	SIP	374	Status: 100 trying -- your call is important to us

Frame 21: 374 bytes on wire (2992 bits), 374 bytes captured (2992 bits) on interface any, id 0
Linux cooked capture v1
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 5060, Dst Port: 4444
Session Initiation Protocol (100)
Status-Line: SIP/2.0 100 trying -- your call is important to us
Message Header
Via: SIP/2.0/UDP 127.0.0.1:4444;rport=4444;branch=z9hG4bKqgtbxwvn;received=127.0.0.1
To: <sip:alice@acme.pt>
From: "Trudy" <sip:trudy@acme.pt>;tag=ixzkr
Call-ID: vlngxxxellgwnqz@igrs-VirtualBox
[Generated Call-ID: vlngxxxellgwnqz@igrs-VirtualBox]
CSeq: 137 INVITE
Server: kamailio (5.7.0 (x86_64/linux))
Content-Length: 0

F3

No.	Time	Source	Destination	Protocol	Length	Info
20	0.214933940	127.0.0.1	127.0.0.1	SIP/SDP	975	Request: INVITE sip:busyann@127.0.0.1:5080

Frame 20: 975 bytes on wire (7800 bits), 975 bytes captured (7800 bits) on interface any, id 0
Linux cooked capture v1
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 5060, Dst Port: 5080
Session Initiation Protocol (INVITE)
Request-Line: INVITE sip:busyann@127.0.0.1:5080 SIP/2.0
Message Header
Record-Route: <sip:127.0.0.1;lr;ftag=ixzkr>
Via: SIP/2.0/UDP 127.0.0.1;branch=z9hG4bKee6a.159c1ee3acb442a89a0387173b6afe01.0
Via: SIP/2.0/UDP 127.0.0.1:4444;received=127.0.0.1;rport=4444;branch=z9hG4bKqgtbxwvn
Max-Forwards: 70
To: <sip:alice@acme.pt>
From: "Trudy" <sip:trudy@acme.pt>;tag=ixzkr
Call-ID: vlngxxxellgwnqz@igrs-VirtualBox
[Generated Call-ID: vlngxxxellgwnqz@igrs-VirtualBox]
CSeq: 137 INVITE
Contact: <sip:trudy@127.0.0.1:4444>
Content-Type: application/sdp
Allow: INVITE,ACK,BYE,CANCEL,OPTIONS,REFER,NOTIFY,SUBSCRIBE,INFO,MESSAGE
Supported: replaces,norefersub
User-Agent: Twinkle/1.10.2
Content-Length: 302
Message Body
Session Description Protocol

F4

No.	Time	Source	Destination	Protocol	Length	Info
23	0.237576620	127.0.0.1	127.0.0.1	SIP/SDP	917	Status: 200 OK (INVITE)

Frame 23: 917 bytes on wire (7336 bits), 917 bytes captured (7336 bits) on interface any, id 0
Linux cooked capture v1
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 5080, Dst Port: 5060
Session Initiation Protocol (200)
Status-Line: SIP/2.0 200 OK
Message Header
Record-Route: <sip:127.0.0.1;lr;ftag=ixzkr>
Via: SIP/2.0/UDP 127.0.0.1;branch=z9hG4bKee6a.159c1ee3acb442a89a0387173b6afe01.0
Via: SIP/2.0/UDP 127.0.0.1:4444;received=127.0.0.1;rport=4444;branch=z9hG4bKqgtbxwvn
To: <sip:alice@acme.pt>;tag=2B3904A4-676702FA00035B92-FE8F86C0
From: "Trudy" <sip:trudy@acme.pt>;tag=ixzkr
Call-ID: vlngxxxellgwnqz@igrs-VirtualBox
[Generated Call-ID: vlngxxxellgwnqz@igrs-VirtualBox]
CSeq: 137 INVITE
Server: Sip Express Media Server (1.7-dev-488-gb0cd42b7-dirty (x86_64/linux))
Contact: <sip:127.0.0.1:5080;transport=udp>
Content-Type: application/sdp
Content-Length: 297
Message Body
Session Description Protocol

F5

No.	Time	Source	Destination	Protocol	Length	Info
24	0.241505316	127.0.0.1	127.0.0.1	SIP/SDP	835	Status: 200 OK (INVITE)

Frame 24: 835 bytes on wire (6680 bits), 835 bytes captured (6680 bits) on interface any, id 0
Linux cooked capture v1
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 5060, Dst Port: 4444
Session Initiation Protocol (200)
Status-Line: SIP/2.0 200 OK
Message Header
Record-Route: <sip:127.0.0.1;lr;ftag=ixzkr>
Via: SIP/2.0/UDP 127.0.0.1:4444;received=127.0.0.1;rport=4444;branch=z9hG4bKqgtbxwvn
To: <sip:alice@acme.pt>;tag=2B3904A4-676702FA00035B92-FE8F86C0
From: "Trudy" <sip:trudy@acme.pt>;tag=ixzkr
Call-ID: vlngxxxellgwnqz@igrs-VirtualBox
[Generated Call-ID: vlngxxxellgwnqz@igrs-VirtualBox]
CSeq: 137 INVITE
Server: Sip Express Media Server (1.7-dev-488-gb0cd42b7-dirty (x86_64/linux))
Contact: <sip:127.0.0.1:5080;transport=udp>
Content-Type: application/sdp
Content-Length: 297
Message Body
Session Description Protocol

F6

No.	Time	Source	Destination	Protocol	Length	Info
38	0.500196381	127.0.0.1	127.0.0.1	SIP	423	Request: ACK sip:127.0.0.1:5080;transport=udp

Frame 38: 423 bytes on wire (3384 bits), 423 bytes captured (3384 bits) on interface any, id 0
Linux cooked capture v1
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 4444, Dst Port: 5060
Session Initiation Protocol (ACK)
Request-Line: ACK sip:127.0.0.1:5080;transport=udp SIP/2.0
Message Header
Via: SIP/2.0/UDP 127.0.0.1:4444;rport;branch=z9hG4bKzjkmxqlw
Route: <sip:127.0.0.1;lr;ftag=ixzkr>
Max-Forwards: 70
To: <sip:alice@acme.pt>;tag=2B3904A4-676702FA00035B92-FE8F86C0
From: "Trudy" <sip:trudy@acme.pt>;tag=ixzkr
Call-ID: vlngxxxellgwnqz@igrs-VirtualBox
[Generated Call-ID: vlngxxxellgwnqz@igrs-VirtualBox]
CSeq: 137 ACK
User-Agent: Twinkle/1.10.2
Content-Length: 0

F7

No.	Time	Source	Destination	Protocol	Length	Info
39	0.501158589	127.0.0.1	127.0.0.1	SIP	491	Request: ACK sip:127.0.0.1:5080;transport=udp

Frame 39: 491 bytes on wire (3928 bits), 491 bytes captured (3928 bits) on interface any, id 0
Linux cooked capture v1
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 5060, Dst Port: 5080
Session Initiation Protocol (ACK)
Request-Line: ACK sip:127.0.0.1:5080;transport=udp SIP/2.0
Message Header
Via: SIP/2.0/UDP 127.0.0.1;branch=z9hG4bKee6a.3a1d30000a483323ed8b92ab0b112286.0
Via: SIP/2.0/UDP 127.0.0.1:4444;received=127.0.0.1;rport=4444;branch=z9hG4bKzjkmxqlw
Max-Forwards: 70
To: <sip:alice@acme.pt>;tag=2B3904A4-676702FA00035B92-FE8F86C0
From: "Trudy" <sip:trudy@acme.pt>;tag=ixzkr
Call-ID: vlngxxxellgwnqz@igrs-VirtualBox
[Generated Call-ID: vlngxxxellgwnqz@igrs-VirtualBox]
CSeq: 137 ACK
User-Agent: Twinkle/1.10.2

.mp/wireshark_anyMQEWY2.pcapng 2514 total packets, 8 shown

Content-Length: 0