

No. Time Source Destination Protocol Length Info

1 2023-12-23 11:10:58.711452 172.24.38.17 13.89.178.27 TLSv1.2 137 Application Data

Frame 1: 137 bytes on wire (1096 bits), 137 bytes captured (1096 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0

Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)

Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.89.178.27

Transmission Control Protocol, Src Port: 7554, Dst Port: 443, Seq: 1, Ack: 1, Len: 83

Transport Layer Security

[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]

No. Time Source Destination Protocol Length Info

2 2023-12-23 11:10:58.711499 172.24.38.17 13.89.178.27 TLSv1.2 865 Application Data

Frame 2: 865 bytes on wire (6920 bits), 865 bytes captured (6920 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0

Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)

Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.89.178.27

Transmission Control Protocol, Src Port: 7554, Dst Port: 443, Seq: 84, Ack: 1, Len: 811

Transport Layer Security

[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]

TRANSUM RTE Data

No. Time Source Destination Protocol Length Info

3 2023-12-23 11:10:58.897040 172.24.38.17 23.33.184.246 TCP 55 7364 → 443 [ACK] Seq=1 Ack=1 Win=513

Len=1 [TCP segment of a reassembled PDU]

Frame 3: 55 bytes on wire (440 bits), 55 bytes captured (440 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0

Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)

Internet Protocol Version 4, Src: 172.24.38.17, Dst: 23.33.184.246

Transmission Control Protocol, Src Port: 7364, Dst Port: 443, Seq: 1, Ack: 1, Len: 1

[Community ID: 1:E9RE8mDIQyPaJQRNRDyKEjDUH9w=]

TRANSUM RTE Data

No. Time Source Destination Protocol Length Info

4 2023-12-23 11:10:58.962506 23.33.184.246 172.24.38.17 TCP 66 443 → 7364 [ACK] Seq=1 Ack=2 Win=501

Len=0 SLE=1 SRE=2

Frame 4: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0

Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)

Internet Protocol Version 4, Src: 23.33.184.246, Dst: 172.24.38.17

Transmission Control Protocol, Src Port: 443, Dst Port: 7364, Seq: 1, Ack: 2, Len: 0

[Community ID: 1:E9RE8mDIQyPaJQRNRDyKEjDUH9w=]

No. Time Source Destination Protocol Length Info

5 2023-12-23 11:10:59.015682 13.89.178.27 172.24.38.17 TCP 60 443 → 7554 [ACK] Seq=1 Ack=895 Win=16385

Len=0

Frame 5: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0

Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)

Internet Protocol Version 4, Src: 13.89.178.27, Dst: 172.24.38.17

Transmission Control Protocol, Src Port: 443, Dst Port: 7554, Seq: 1, Ack: 895, Len: 0

[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]

No. Time Source Destination Protocol Length Info

6 2023-12-23 11:10:59.017748 13.89.178.27 172.24.38.17 TLSv1.2 153 Application Data

Frame 6: 153 bytes on wire (1224 bits), 153 bytes captured (1224 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0

Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)

Internet Protocol Version 4, Src: 13.89.178.27, Dst: 172.24.38.17

Transmission Control Protocol, Src Port: 443, Dst Port: 7554, Seq: 1, Ack: 895, Len: 99

Transport Layer Security

[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]

No. Time Source Destination Protocol Length Info

7 2023-12-23 11:10:59.067528 172.24.38.17 13.89.178.27 TCP 54 7554 → 443 [ACK] Seq=895 Ack=100 Win=514

Len=0

Frame 7: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0

Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)

Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.89.178.27

Transmission Control Protocol, Src Port: 7554, Dst Port: 443, Seq: 895, Ack: 100, Len: 0

[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]

No. Time Source Destination Protocol Length Info

8 2023-12-23 11:10:59.243326 2e:1f:93:f8:d1:46 Broadcast ARP 56 Who has 172.24.0.1? Tell 172.24.95.114

Frame 8: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0

Ethernet II, Src: 2e:1f:93:f8:d1:46 (2e:1f:93:f8:d1:46), Dst: Broadcast (ff:ff:ff:ff:ff:ff)

Address Resolution Protocol (request)

No. Time Source Destination Protocol Length Info

9 2023-12-23 11:10:59.448132 52:e2:83:ab:da:b4 Broadcast ARP 56 Who has 172.24.0.1? Tell 172.24.87.67

Frame 9: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0

Ethernet II, Src: 52:e2:83:ab:da:b4 (52:e2:83:ab:da:b4), Dst: Broadcast (ff:ff:ff:ff:ff:ff)

Address Resolution Protocol (request)

No. Time Source Destination Protocol Length Info

10 2023-12-23 11:10:59.906909 172.24.38.17 192.168.101.104 TCP 66 7574 → 7680 [SYN] Seq=0 Win=64240 Len=0

MSS=1460 WS=256 SACK_PERM

Frame 10: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0

Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)

Internet Protocol Version 4, Src: 172.24.38.17, Dst: 192.168.101.104

Transmission Control Protocol, Src Port: 7574, Dst Port: 7680, Seq: 0, Len: 0

[Community ID: 1:7iGs/hAU5XiX7zG2N5Quj01T000=]

No. Time Source Destination Protocol Length Info

11 2023-12-23 11:10:59.907673 172.24.38.17 192.168.1.133 TCP 66 7575 → 7680 [SYN] Seq=0 Win=64240 Len=0

MSS=1460 WS=256 SACK_PERM

Frame 11: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0

Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)

Internet Protocol Version 4, Src: 172.24.38.17, Dst: 192.168.1.133

Transmission Control Protocol, Src Port: 7575, Dst Port: 7680, Seq: 0, Len: 0

[Community ID: 1:JRlH2YzkvcgKDrc5j6sQz0Zuw=]

No.	Time	Source	Destination	Protocol	Length	Info
12	2023-12-23 11:10:59.949403	172.24.38.17	210.28.129.251	DNS	75	Standard query 0xe4c9 A api.codelife.cc

Frame 12: 75 bytes on wire (600 bits), 75 bytes captured (600 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 210.28.129.251
User Datagram Protocol, Src Port: 61175, Dst Port: 53
Domain Name System (query)

[Community ID: 1:JuRb7CpqNSASctMAsmopHXJ/N+s=]

TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
13	2023-12-23 11:10:59.950625	210.28.129.251	172.24.38.17	DNS	186	Standard query response 0xe4c9 A

api.codelife.cc CNAME api.codelife.cc.volcgs1b.com CNAME sz-common-ipv4.volcgtm.com A 221.130.19.96 A 221.130.19.95
Frame 13: 186 bytes on wire (1488 bits), 186 bytes captured (1488 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 210.28.129.251, Dst: 172.24.38.17
User Datagram Protocol, Src Port: 53, Dst Port: 61175
Domain Name System (response)

[Community ID: 1:JuRb7CpqNSASctMAsmopHXJ/N+s=]

No.	Time	Source	Destination	Protocol	Length	Info
14	2023-12-23 11:10:59.951176	172.24.38.17	223.119.220.238	TCP	54	7313 → 443 [FIN, ACK] Seq=1 Ack=1

Win=513 Len=0
Frame 14: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 223.119.220.238
Transmission Control Protocol, Src Port: 7313, Dst Port: 443, Seq: 1, Ack: 1, Len: 0

[Community ID: 1:yF8CX4VdkU8JGa3rPurXzXLlWJc=]

No.	Time	Source	Destination	Protocol	Length	Info
15	2023-12-23 11:10:59.951442	172.24.38.17	221.130.19.96	TCP	66	7576 → 443 [SYN] Seq=0 Win=64240 Len=0

MSS=1460 WS=256 SACK_PERM
Frame 15: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 221.130.19.96
Transmission Control Protocol, Src Port: 7576, Dst Port: 443, Seq: 0, Len: 0

[Community ID: 1:/6EVUV4QrHtDxnE2r6UpTjwR7Jc=]

TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
16	2023-12-23 11:10:59.957026	221.130.19.96	172.24.38.17	TCP	66	443 → 7576 [SYN, ACK] Seq=0 Ack=1

Win=65535 Len=0 MSS=1440 SACK_PERM WS=1024
Frame 16: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 221.130.19.96, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7576, Seq: 0, Ack: 1, Len: 0

[Community ID: 1:/6EVUV4QrHtDxnE2r6UpTjwR7Jc=]

No.	Time	Source	Destination	Protocol	Length	Info
17	2023-12-23 11:10:59.957106	172.24.38.17	221.130.19.96	TCP	54	7576 → 443 [ACK] Seq=1 Ack=1 Win=132352

Len=0
Frame 17: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 221.130.19.96
Transmission Control Protocol, Src Port: 7576, Dst Port: 443, Seq: 1, Ack: 1, Len: 0

[Community ID: 1:/6EVUV4QrHtDxnE2r6UpTjwR7Jc=]

No.	Time	Source	Destination	Protocol	Length	Info
18	2023-12-23 11:10:59.957415	172.24.38.17	221.130.19.96	TLSv1.3	892	Client Hello (SNI=api.codelife.cc)

Frame 18: 892 bytes on wire (7136 bits), 892 bytes captured (7136 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 221.130.19.96
Transmission Control Protocol, Src Port: 7576, Dst Port: 443, Seq: 1, Ack: 1, Len: 838
Transport Layer Security

[Community ID: 1:/6EVUV4QrHtDxnE2r6UpTjwR7Jc=]

TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
19	2023-12-23 11:10:59.963733	221.130.19.96	172.24.38.17	TCP	60	443 → 7576 [ACK] Seq=1 Ack=839 Win=67584

Len=0
Frame 19: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 221.130.19.96, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7576, Seq: 1, Ack: 839, Len: 0

[Community ID: 1:/6EVUV4QrHtDxnE2r6UpTjwR7Jc=]

No.	Time	Source	Destination	Protocol	Length	Info
20	2023-12-23 11:10:59.963966	221.130.19.96	172.24.38.17	TLSv1.3	308	Server Hello, Change Cipher Spec,

Application Data, Application Data
Frame 20: 308 bytes on wire (2464 bits), 308 bytes captured (2464 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 221.130.19.96, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7576, Seq: 1, Ack: 839, Len: 254
Transport Layer Security

[Community ID: 1:/6EVUV4QrHtDxnE2r6UpTjwR7Jc=]

No.	Time	Source	Destination	Protocol	Length	Info
21	2023-12-23 11:10:59.964209	172.24.38.17	221.130.19.96	TLSv1.3	134	Change Cipher Spec, Application Data

Frame 21: 134 bytes on wire (1072 bits), 134 bytes captured (1072 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)

Internet Protocol Version 4, Src: 172.24.38.17, Dst: 221.130.19.96
Transmission Control Protocol, Src Port: 7576, Dst Port: 443, Seq: 839, Ack: 255, Len: 80
Transport Layer Security
[Community ID: 1:/6EVUV4QrHtDxnE2r6UpTjwR7Jc=]

No.	Time	Source	Destination	Protocol	Length	Info
22	2023-12-23 11:10:59.964334	172.24.38.17	221.130.19.96	TLSv1.3	146	Application Data

Frame 22: 146 bytes on wire (1168 bits), 146 bytes captured (1168 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 221.130.19.96
Transmission Control Protocol, Src Port: 7576, Dst Port: 443, Seq: 919, Ack: 255, Len: 92
Transport Layer Security
[Community ID: 1:/6EVUV4QrHtDxnE2r6UpTjwR7Jc=]

No.	Time	Source	Destination	Protocol	Length	Info
23	2023-12-23 11:10:59.964459	172.24.38.17	221.130.19.96	TLSv1.3	479	Application Data

Frame 23: 479 bytes on wire (3832 bits), 479 bytes captured (3832 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 221.130.19.96
Transmission Control Protocol, Src Port: 7576, Dst Port: 443, Seq: 1011, Ack: 255, Len: 425
Transport Layer Security
[Community ID: 1:/6EVUV4QrHtDxnE2r6UpTjwR7Jc=]

TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
24	2023-12-23 11:10:59.969133	221.130.19.96	172.24.38.17	TCP	60	443 → 7576 [ACK] Seq=255 Ack=919

Win=67584 Len=0
Frame 24: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 221.130.19.96, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7576, Seq: 255, Ack: 919, Len: 0
[Community ID: 1:/6EVUV4QrHtDxnE2r6UpTjwR7Jc=]

No.	Time	Source	Destination	Protocol	Length	Info
25	2023-12-23 11:10:59.969344	221.130.19.96	172.24.38.17	TLSv1.3	116	Application Data

Frame 25: 116 bytes on wire (928 bits), 116 bytes captured (928 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 221.130.19.96, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7576, Seq: 255, Ack: 919, Len: 62
Transport Layer Security
[Community ID: 1:/6EVUV4QrHtDxnE2r6UpTjwR7Jc=]

No.	Time	Source	Destination	Protocol	Length	Info
26	2023-12-23 11:10:59.969455	172.24.38.17	221.130.19.96	TLSv1.3	85	Application Data

Frame 26: 85 bytes on wire (680 bits), 85 bytes captured (680 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 221.130.19.96
Transmission Control Protocol, Src Port: 7576, Dst Port: 443, Seq: 1436, Ack: 317, Len: 31
Transport Layer Security
[Community ID: 1:/6EVUV4QrHtDxnE2r6UpTjwR7Jc=]

TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
27	2023-12-23 11:10:59.970038	221.130.19.96	172.24.38.17	TCP	60	443 → 7576 [ACK] Seq=317 Ack=1011

Win=67584 Len=0
Frame 27: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 221.130.19.96, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7576, Seq: 317, Ack: 1011, Len: 0
[Community ID: 1:/6EVUV4QrHtDxnE2r6UpTjwR7Jc=]

No.	Time	Source	Destination	Protocol	Length	Info
28	2023-12-23 11:10:59.970324	221.130.19.96	172.24.38.17	TCP	60	443 → 7576 [ACK] Seq=317 Ack=1436

Win=69632 Len=0
Frame 28: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 221.130.19.96, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7576, Seq: 317, Ack: 1436, Len: 0
[Community ID: 1:/6EVUV4QrHtDxnE2r6UpTjwR7Jc=]

No.	Time	Source	Destination	Protocol	Length	Info
29	2023-12-23 11:10:59.970663	221.130.19.96	172.24.38.17	TLSv1.3	85	Application Data

Frame 29: 85 bytes on wire (680 bits), 85 bytes captured (680 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 221.130.19.96, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7576, Seq: 317, Ack: 1436, Len: 31
Transport Layer Security
[Community ID: 1:/6EVUV4QrHtDxnE2r6UpTjwR7Jc=]

No.	Time	Source	Destination	Protocol	Length	Info
30	2023-12-23 11:10:59.973739	221.130.19.96	172.24.38.17	TCP	60	443 → 7576 [ACK] Seq=348 Ack=1467

Win=69632 Len=0
Frame 30: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 221.130.19.96, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7576, Seq: 348, Ack: 1467, Len: 0
[Community ID: 1:/6EVUV4QrHtDxnE2r6UpTjwR7Jc=]

No.	Time	Source	Destination	Protocol	Length	Info
31	2023-12-23 11:10:59.988420	221.130.19.96	172.24.38.17	TCP	85	[TCP Retransmission] 443 → 7576 [PSH, ACK] Seq=317 Ack=1467 Win=69632 Len=31

Frame 31: 85 bytes on wire (680 bits), 85 bytes captured (680 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)

Internet Protocol Version 4, Src: 221.130.19.96, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7576, Seq: 317, Ack: 1467, Len: 31
[Community ID: 1:/6EVUV4QrHtDxnE2r6UpTjwR7Jc=]

No.	Time	Source	Destination	Protocol	Length	Info
32	2023-12-23 11:10:59.988465	172.24.38.17	221.130.19.96	TCP	66	7576 → 443 [ACK] Seq=1467 Ack=348

Win=132096 Len=0 SLE=317 SRE=348
Frame 32: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 221.130.19.96
Transmission Control Protocol, Src Port: 7576, Dst Port: 443, Seq: 1467, Ack: 348, Len: 0
[Community ID: 1:/6EVUV4QrHtDxnE2r6UpTjwR7Jc=]

No.	Time	Source	Destination	Protocol	Length	Info
33	2023-12-23 11:11:00.003775	223.119.220.238	172.24.38.17	TLSv1.2	78	Application Data

Frame 33: 78 bytes on wire (624 bits), 78 bytes captured (624 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 223.119.220.238, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7313, Seq: 1, Ack: 2, Len: 24
Transport Layer Security
[Community ID: 1:yF8CX4VdkU8JGa3rPurXzXLlWJc=]

No.	Time	Source	Destination	Protocol	Length	Info
34	2023-12-23 11:11:00.003857	172.24.38.17	223.119.220.238	TCP	54	7313 → 443 [RST, ACK] Seq=2 Ack=25 Win=0

Len=0
Frame 34: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 223.119.220.238
Transmission Control Protocol, Src Port: 7313, Dst Port: 443, Seq: 2, Ack: 25, Len: 0
[Community ID: 1:yF8CX4VdkU8JGa3rPurXzXLlWJc=]

No.	Time	Source	Destination	Protocol	Length	Info
35	2023-12-23 11:11:00.004341	223.119.220.238	172.24.38.17	TCP	60	443 → 7313 [FIN, ACK] Seq=25 Ack=2

Win=501 Len=0
Frame 35: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 223.119.220.238, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7313, Seq: 25, Ack: 2, Len: 0
[Community ID: 1:yF8CX4VdkU8JGa3rPurXzXLlWJc=]

No.	Time	Source	Destination	Protocol	Length	Info
36	2023-12-23 11:11:00.032091	172.24.38.17	13.89.178.27	TLSv1.2	137	Application Data

Frame 36: 137 bytes on wire (1096 bits), 137 bytes captured (1096 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.89.178.27
Transmission Control Protocol, Src Port: 7554, Dst Port: 443, Seq: 895, Ack: 100, Len: 83
Transport Layer Security
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]

No.	Time	Source	Destination	Protocol	Length	Info
37	2023-12-23 11:11:00.032162	172.24.38.17	13.89.178.27	TLSv1.2	1351	Application Data

Frame 37: 1351 bytes on wire (10808 bits), 1351 bytes captured (10808 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.89.178.27
Transmission Control Protocol, Src Port: 7554, Dst Port: 443, Seq: 978, Ack: 100, Len: 1297
Transport Layer Security
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]

TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
38	2023-12-23 11:11:00.037863	221.130.19.96	172.24.38.17	TLSv1.3	507	Application Data

Frame 38: 507 bytes on wire (4056 bits), 507 bytes captured (4056 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 221.130.19.96, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7576, Seq: 348, Ack: 1467, Len: 453
Transport Layer Security
[Community ID: 1:/6EVUV4QrHtDxnE2r6UpTjwR7Jc=]

No.	Time	Source	Destination	Protocol	Length	Info
39	2023-12-23 11:11:00.039285	221.130.19.96	172.24.38.17	TCP	507	[TCP Retransmission] 443 → 7576 [PSH, ACK] Seq=348 Ack=1467 Win=69632 Len=453

Frame 39: 507 bytes on wire (4056 bits), 507 bytes captured (4056 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 221.130.19.96, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7576, Seq: 348, Ack: 1467, Len: 453
[Community ID: 1:/6EVUV4QrHtDxnE2r6UpTjwR7Jc=]

No.	Time	Source	Destination	Protocol	Length	Info
40	2023-12-23 11:11:00.039316	172.24.38.17	221.130.19.96	TCP	66	7576 → 443 [ACK] Seq=1467 Ack=801

Win=131584 Len=0 SLE=348 SRE=801
Frame 40: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 221.130.19.96
Transmission Control Protocol, Src Port: 7576, Dst Port: 443, Seq: 1467, Ack: 801, Len: 0
[Community ID: 1:/6EVUV4QrHtDxnE2r6UpTjwR7Jc=]

No.	Time	Source	Destination	Protocol	Length	Info
41	2023-12-23 11:11:00.039699	172.24.38.17	221.130.19.96	TCP	66	7577 → 443 [SYN] Seq=0 Win=64240 Len=0

MSS=1460 WS=256 SACK_PERM
Frame 41: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 221.130.19.96

Transmission Control Protocol, Src Port: 7577, Dst Port: 443, Seq: 0, Len: 0
[Community ID: 1:+seGusO++ewsda098toi5axz7Wc=]
TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
42	2023-12-23 11:11:00.043404	221.130.19.96	172.24.38.17	TCP	66	443 → 7577 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1440 SACK_PERM WS=1024

Frame 42: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 221.130.19.96, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7577, Seq: 0, Ack: 1, Len: 0
[Community ID: 1:+seGusO++ewsda098toi5axz7Wc=]

No.	Time	Source	Destination	Protocol	Length	Info
43	2023-12-23 11:11:00.043489	172.24.38.17	221.130.19.96	TCP	54	7577 → 443 [ACK] Seq=1 Ack=1 Win=132352 Len=0

Frame 43: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 221.130.19.96
Transmission Control Protocol, Src Port: 7577, Dst Port: 443, Seq: 1, Ack: 1, Len: 0
[Community ID: 1:+seGusO++ewsda098toi5axz7Wc=]

No.	Time	Source	Destination	Protocol	Length	Info
44	2023-12-23 11:11:00.043696	172.24.38.17	221.130.19.96	TLSv1.3	892	Client Hello (SNI=api.codelife.cc)

Frame 44: 892 bytes on wire (7136 bits), 892 bytes captured (7136 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 221.130.19.96
Transmission Control Protocol, Src Port: 7577, Dst Port: 443, Seq: 1, Ack: 1, Len: 838
Transport Layer Security
[Community ID: 1:+seGusO++ewsda098toi5axz7Wc=]
TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
45	2023-12-23 11:11:00.047535	221.130.19.96	172.24.38.17	TCP	60	443 → 7577 [ACK] Seq=1 Ack=839 Win=67584 Len=0

Frame 45: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 221.130.19.96, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7577, Seq: 1, Ack: 839, Len: 0
[Community ID: 1:+seGusO++ewsda098toi5axz7Wc=]

No.	Time	Source	Destination	Protocol	Length	Info
46	2023-12-23 11:11:00.048008	221.130.19.96	172.24.38.17	TLSv1.3	308	Server Hello, Change Cipher Spec, Application Data, Application Data

Frame 46: 308 bytes on wire (2464 bits), 308 bytes captured (2464 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 221.130.19.96, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7577, Seq: 1, Ack: 839, Len: 254
Transport Layer Security
[Community ID: 1:+seGusO++ewsda098toi5axz7Wc=]

No.	Time	Source	Destination	Protocol	Length	Info
47	2023-12-23 11:11:00.048311	172.24.38.17	221.130.19.96	TLSv1.3	134	Change Cipher Spec, Application Data

Frame 47: 134 bytes on wire (1072 bits), 134 bytes captured (1072 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 221.130.19.96
Transmission Control Protocol, Src Port: 7577, Dst Port: 443, Seq: 839, Ack: 255, Len: 80
Transport Layer Security
[Community ID: 1:+seGusO++ewsda098toi5axz7Wc=]

No.	Time	Source	Destination	Protocol	Length	Info
48	2023-12-23 11:11:00.048457	172.24.38.17	221.130.19.96	TLSv1.3	146	Application Data

Frame 48: 146 bytes on wire (1168 bits), 146 bytes captured (1168 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 221.130.19.96
Transmission Control Protocol, Src Port: 7577, Dst Port: 443, Seq: 919, Ack: 255, Len: 92
Transport Layer Security
[Community ID: 1:+seGusO++ewsda098toi5axz7Wc=]

No.	Time	Source	Destination	Protocol	Length	Info
49	2023-12-23 11:11:00.048582	172.24.38.17	221.130.19.96	TLSv1.3	623	Application Data

Frame 49: 623 bytes on wire (4984 bits), 623 bytes captured (4984 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 221.130.19.96
Transmission Control Protocol, Src Port: 7577, Dst Port: 443, Seq: 1011, Ack: 255, Len: 569
Transport Layer Security
[Community ID: 1:+seGusO++ewsda098toi5axz7Wc=]
TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
50	2023-12-23 11:11:00.051668	221.130.19.96	172.24.38.17	TCP	60	443 → 7577 [ACK] Seq=255 Ack=919 Win=67584 Len=0

Frame 50: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 221.130.19.96, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7577, Seq: 255, Ack: 919, Len: 0
[Community ID: 1:+seGusO++ewsda098toi5axz7Wc=]

No.	Time	Source	Destination	Protocol	Length	Info
51	2023-12-23 11:11:00.051932	221.130.19.96	172.24.38.17	TLSv1.3	116	Application Data

Frame 51: 116 bytes on wire (928 bits), 116 bytes captured (928 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 221.130.19.96, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7577, Seq: 255, Ack: 919, Len: 62
Transport Layer Security
[Community ID: 1:+seGus0++ewsd098toi5axz7Wc=]
No. Time Source Destination Protocol Length Info
52 2023-12-23 11:11:00.052056 172.24.38.17 221.130.19.96 TLSv1.3 85 Application Data
Frame 52: 85 bytes on wire (680 bits), 85 bytes captured (680 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 221.130.19.96
Transmission Control Protocol, Src Port: 7577, Dst Port: 443, Seq: 1580, Ack: 317, Len: 31
Transport Layer Security
[Community ID: 1:+seGus0++ewsd098toi5axz7Wc=]
TRANSUM RTE Data
No. Time Source Destination Protocol Length Info
53 2023-12-23 11:11:00.052475 221.130.19.96 172.24.38.17 TCP 60 443 → 7577 [ACK] Seq=317 Ack=1011
Win=67584 Len=0
Frame 53: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 221.130.19.96, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7577, Seq: 317, Ack: 1011, Len: 0
[Community ID: 1:+seGus0++ewsd098toi5axz7Wc=]
No. Time Source Destination Protocol Length Info
54 2023-12-23 11:11:00.053045 221.130.19.96 172.24.38.17 TCP 60 443 → 7577 [ACK] Seq=317 Ack=1580
Win=69632 Len=0
Frame 54: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 221.130.19.96, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7577, Seq: 317, Ack: 1580, Len: 0
[Community ID: 1:+seGus0++ewsd098toi5axz7Wc=]
No. Time Source Destination Protocol Length Info
55 2023-12-23 11:11:00.053336 221.130.19.96 172.24.38.17 TLSv1.3 85 Application Data
Frame 55: 85 bytes on wire (680 bits), 85 bytes captured (680 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 221.130.19.96, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7577, Seq: 317, Ack: 1580, Len: 31
Transport Layer Security
[Community ID: 1:+seGus0++ewsd098toi5axz7Wc=]
No. Time Source Destination Protocol Length Info
56 2023-12-23 11:11:00.064463 221.130.19.96 172.24.38.17 TCP 85 [TCP Retransmission] 443 → 7577 [PSH, ACK] Seq=317 Ack=1611 Win=69632 Len=31
Frame 56: 85 bytes on wire (680 bits), 85 bytes captured (680 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 221.130.19.96, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7577, Seq: 317, Ack: 1611, Len: 31
[Community ID: 1:+seGus0++ewsd098toi5axz7Wc=]
No. Time Source Destination Protocol Length Info
57 2023-12-23 11:11:00.064515 172.24.38.17 221.130.19.96 TCP 66 7577 → 443 [ACK] Seq=1611 Ack=348
Win=132096 Len=0 SLE=317 SRE=348
Frame 57: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 221.130.19.96
Transmission Control Protocol, Src Port: 7577, Dst Port: 443, Seq: 1611, Ack: 348, Len: 0
[Community ID: 1:+seGus0++ewsd098toi5axz7Wc=]
No. Time Source Destination Protocol Length Info
58 2023-12-23 11:11:00.127293 221.130.19.96 172.24.38.17 TLSv1.3 562 Application Data
Frame 58: 562 bytes on wire (4496 bits), 562 bytes captured (4496 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 221.130.19.96, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7577, Seq: 348, Ack: 1611, Len: 508
Transport Layer Security
[Community ID: 1:+seGus0++ewsd098toi5axz7Wc=]
No. Time Source Destination Protocol Length Info
59 2023-12-23 11:11:00.171933 172.24.38.17 221.130.19.96 TCP 54 7577 → 443 [ACK] Seq=1611 Ack=856
Win=131584 Len=0
Frame 59: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 221.130.19.96
Transmission Control Protocol, Src Port: 7577, Dst Port: 443, Seq: 1611, Ack: 856, Len: 0
[Community ID: 1:+seGus0++ewsd098toi5axz7Wc=]
No. Time Source Destination Protocol Length Info
60 2023-12-23 11:11:00.282494 13.89.178.27 172.24.38.17 TCP 60 443 → 7554 [ACK] Seq=100 Ack=2275
Win=16379 Len=0
Frame 60: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 13.89.178.27, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7554, Seq: 100, Ack: 2275, Len: 0
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]
No. Time Source Destination Protocol Length Info
61 2023-12-23 11:11:00.286612 13.89.178.27 172.24.38.17 TLSv1.2 153 Application Data
Frame 61: 153 bytes on wire (1224 bits), 153 bytes captured (1224 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)

Internet Protocol Version 4, Src: 13.89.178.27, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7554, Seq: 100, Ack: 2275, Len: 99
Transport Layer Security
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]

No.	Time	Source	Destination	Protocol	Length	Info
62	2023-12-23 11:11:00.287183	172.24.38.17	13.89.178.27	TLSv1.2	89	Application Data

Frame 62: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.89.178.27
Transmission Control Protocol, Src Port: 7554, Dst Port: 443, Seq: 2275, Ack: 199, Len: 35
Transport Layer Security
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]

No.	Time	Source	Destination	Protocol	Length	Info
63	2023-12-23 11:11:00.586723	13.89.178.27	172.24.38.17	TCP	60	443 → 7554 [ACK] Seq=199 Ack=2310 Win=16379 Len=0

Frame 63: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 13.89.178.27, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7554, Seq: 199, Ack: 2310, Len: 0
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]

No.	Time	Source	Destination	Protocol	Length	Info
64	2023-12-23 11:11:00.881907	0.0.0.0	255.255.255.255	DHCP	340	DHCP Discover - Transaction ID 0x1353db27

Frame 64: 340 bytes on wire (2720 bits), 340 bytes captured (2720 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:99:66:91:e5:b3 (b2:99:66:91:e5:b3), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Internet Protocol Version 4, Src: 0.0.0.0, Dst: 255.255.255.255
User Datagram Protocol, Src Port: 68, Dst Port: 67
Dynamic Host Configuration Protocol (Discover)
[Community ID: 1:t901j0qj7104wJM7gnaHtgmf8=]

No.	Time	Source	Destination	Protocol	Length	Info
65	2023-12-23 11:11:00.914639	172.24.38.17	192.168.101.104	TCP	66	[TCP Retransmission] 7574 → 7680 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM

Frame 65: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 192.168.101.104
Transmission Control Protocol, Src Port: 7574, Dst Port: 7680, Seq: 0, Len: 0
[Community ID: 1:7iGs/hAU5XiX7zG2N5Quj01T000=]

No.	Time	Source	Destination	Protocol	Length	Info
66	2023-12-23 11:11:00.914639	172.24.38.17	192.168.1.133	TCP	66	[TCP Retransmission] 7575 → 7680 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM

Frame 66: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 192.168.1.133
Transmission Control Protocol, Src Port: 7575, Dst Port: 7680, Seq: 0, Len: 0
[Community ID: 1:JRlHz2YzkvcgKDrc5j6sQz0Zuw=]

No.	Time	Source	Destination	Protocol	Length	Info
67	2023-12-23 11:11:01.905895	0.0.0.0	255.255.255.255	DHCP	340	DHCP Discover - Transaction ID 0x1353db27

Frame 67: 340 bytes on wire (2720 bits), 340 bytes captured (2720 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:99:66:91:e5:b3 (b2:99:66:91:e5:b3), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Internet Protocol Version 4, Src: 0.0.0.0, Dst: 255.255.255.255
User Datagram Protocol, Src Port: 68, Dst Port: 67
Dynamic Host Configuration Protocol (Discover)
[Community ID: 1:t901j0qj7104wJM7gnaHtgmf8=]

No.	Time	Source	Destination	Protocol	Length	Info
68	2023-12-23 11:11:01.906044	172.24.0.1	255.255.255.255	DHCP	343	DHCP Offer - Transaction ID 0x1353db27

Frame 68: 343 bytes on wire (2744 bits), 343 bytes captured (2744 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Internet Protocol Version 4, Src: 172.24.0.1, Dst: 255.255.255.255
User Datagram Protocol, Src Port: 67, Dst Port: 68
Dynamic Host Configuration Protocol (Offer)
[Community ID: 1:8hM3qU2FpAp5sf7RICEHo0ES0dM=]

No.	Time	Source	Destination	Protocol	Length	Info
69	2023-12-23 11:11:02.008211	0.0.0.0	255.255.255.255	DHCP	352	DHCP Request - Transaction ID 0x1353db27

Frame 69: 352 bytes on wire (2816 bits), 352 bytes captured (2816 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:99:66:91:e5:b3 (b2:99:66:91:e5:b3), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Internet Protocol Version 4, Src: 0.0.0.0, Dst: 255.255.255.255
User Datagram Protocol, Src Port: 68, Dst Port: 67
Dynamic Host Configuration Protocol (Request)
[Community ID: 1:t901j0qj7104wJM7gnaHtgmf8=]

No.	Time	Source	Destination	Protocol	Length	Info
70	2023-12-23 11:11:02.008356	172.24.0.1	255.255.255.255	DHCP	343	DHCP ACK - Transaction ID 0x1353db27

Frame 70: 343 bytes on wire (2744 bits), 343 bytes captured (2744 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Internet Protocol Version 4, Src: 172.24.0.1, Dst: 255.255.255.255
User Datagram Protocol, Src Port: 67, Dst Port: 68
Dynamic Host Configuration Protocol (ACK)
[Community ID: 1:8hM3qU2FpAp5sf7RICEHo0ES0dM=]

```

Time                               Source                               Destination                               Protocol Length Info
71 2023-12-23 11:11:02.110521      b2:99:66:91:e5:b3                   Broadcast                               ARP           56           Who has 172.24.86.164? (ARP Probe)
Frame 71: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:99:66:91:e5:b3 (b2:99:66:91:e5:b3), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Address Resolution Protocol (ARP Probe)
No.      Time                               Source                               Destination                               Protocol Length Info
72 2023-12-23 11:11:02.212918      b2:99:66:91:e5:b3                   Broadcast                               ARP           56           Who has 172.24.86.164? (ARP Probe)
Frame 72: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:99:66:91:e5:b3 (b2:99:66:91:e5:b3), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Address Resolution Protocol (ARP Probe)
No.      Time                               Source                               Destination                               Protocol Length Info
73 2023-12-23 11:11:02.520111      b2:99:66:91:e5:b3                   Broadcast                               ARP           56           Who has 172.24.86.164? (ARP Probe)
Frame 73: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:99:66:91:e5:b3 (b2:99:66:91:e5:b3), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Address Resolution Protocol (ARP Probe)
No.      Time                               Source                               Destination                               Protocol Length Info
74 2023-12-23 11:11:02.622074      HuaweiTechno_1b:24:9f               AzureWaveTec_50:59:c3                ARP           56           Who has 172.24.38.17? Tell 172.24.0.1
Frame 74: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Address Resolution Protocol (request)
No.      Time                               Source                               Destination                               Protocol Length Info
75 2023-12-23 11:11:02.622094      AzureWaveTec_50:59:c3               HuaweiTechno_1b:24:9f                ARP           42           172.24.38.17 is at b4:8c:9d:50:59:c3
Frame 75: 42 bytes on wire (336 bits), 42 bytes captured (336 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Address Resolution Protocol (reply)
No.      Time                               Source                               Destination                               Protocol Length Info
76 2023-12-23 11:11:02.622505      b2:99:66:91:e5:b3                   Broadcast                               ARP           56           ARP Announcement for 172.24.86.164
Frame 76: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:99:66:91:e5:b3 (b2:99:66:91:e5:b3), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Address Resolution Protocol (ARP Announcement)
No.      Time                               Source                               Destination                               Protocol Length Info
77 2023-12-23 11:11:02.724933      b2:99:66:91:e5:b3                   Broadcast                               ARP           56           ARP Announcement for 172.24.86.164
Frame 77: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:99:66:91:e5:b3 (b2:99:66:91:e5:b3), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Address Resolution Protocol (ARP Announcement)
No.      Time                               Source                               Destination                               Protocol Length Info
78 2023-12-23 11:11:02.827311      b2:99:66:91:e5:b3                   Broadcast                               ARP           56           Who has 172.24.0.1? Tell 172.24.86.164
Frame 78: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:99:66:91:e5:b3 (b2:99:66:91:e5:b3), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Address Resolution Protocol (request)
No.      Time                               Source                               Destination                               Protocol Length Info
79 2023-12-23 11:11:02.919488      172.24.38.17                        192.168.101.104                      TCP           66           [TCP Retransmission] 7574 → 7680 [SYN]
Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM
Frame 79: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 192.168.101.104
Transmission Control Protocol, Src Port: 7574, Dst Port: 7680, Seq: 0, Len: 0
[Community ID: 1:7iGs/hAU5XiX7zG2N5Quj01T000=]
No.      Time                               Source                               Destination                               Protocol Length Info
80 2023-12-23 11:11:02.919488      172.24.38.17                        192.168.1.133                        TCP           66           [TCP Retransmission] 7575 → 7680 [SYN]
Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM
Frame 80: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 192.168.1.133
Transmission Control Protocol, Src Port: 7575, Dst Port: 7680, Seq: 0, Len: 0
[Community ID: 1:JRlH2YzKvcgKDrc5j6sQz0Zuw=]
No.      Time                               Source                               Destination                               Protocol Length Info
81 2023-12-23 11:11:05.284880      32:ed:11:87:2a:62                   Broadcast                               ARP           56           Who has 172.24.0.1? Tell 172.24.105.148
Frame 81: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: 32:ed:11:87:2a:62 (32:ed:11:87:2a:62), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Address Resolution Protocol (request)
No.      Time                               Source                               Destination                               Protocol Length Info
82 2023-12-23 11:11:05.592189      0.0.0.0                             255.255.255.255                      DHCP          346          DHCP Discover - Transaction ID 0x27e7a69
Frame 82: 346 bytes on wire (2768 bits), 346 bytes captured (2768 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: da:b6:75:60:d7:31 (da:b6:75:60:d7:31), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Internet Protocol Version 4, Src: 0.0.0.0, Dst: 255.255.255.255
User Datagram Protocol, Src Port: 68, Dst Port: 67
Dynamic Host Configuration Protocol (Discover)
[Community ID: 1:t901j0qj7104wJM7gnaHtgmf8v=]
No.      Time                               Source                               Destination                               Protocol Length Info
83 2023-12-23 11:11:05.592338      172.24.0.1                          255.255.255.255                      DHCP          343          DHCP Offer - Transaction ID 0x27e7a69
Frame 83: 343 bytes on wire (2744 bits), 343 bytes captured (2744 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Internet Protocol Version 4, Src: 172.24.0.1, Dst: 255.255.255.255
User Datagram Protocol, Src Port: 67, Dst Port: 68
Dynamic Host Configuration Protocol (Offer)
[Community ID: 1:8hM3qU2FpAp5sf7RICEHo0ES0dM=]
No.      Time                               Source                               Destination                               Protocol Length Info
84 2023-12-23 11:11:05.915795      172.24.38.17                        210.28.129.251                       DNS           94           Standard query 0xaa75 A nav-edge.smartscreen.microsoft.com
Frame 84: 94 bytes on wire (752 bits), 94 bytes captured (752 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 210.28.129.251
User Datagram Protocol, Src Port: 56858, Dst Port: 53

```


Domain Name System (query)
[Community ID: 1:Q0qmwVjfw8RbckH7EiZVWw0aaF4=]
TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
85	2023-12-23 11:11:05.917852	210.28.129.251	172.24.38.17	DNS	220	Standard query response 0xaa75 A nav-edge.smartscreen.microsoft.com CNAME tm-prod-wd-csp-edge.trafficmanager.net CNAME prod-agic-sa-1.southeastasia.cloudapp.azure.com A 20.195.39.155

Frame 85: 220 bytes on wire (1760 bits), 220 bytes captured (1760 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 210.28.129.251, Dst: 172.24.38.17
User Datagram Protocol, Src Port: 53, Dst Port: 56858
Domain Name System (response)
[Community ID: 1:Q0qmwVjfw8RbckH7EiZVWw0aaF4=]

No.	Time	Source	Destination	Protocol	Length	Info
86	2023-12-23 11:11:05.918313	172.24.38.17	20.195.39.155	TCP	66	7595 → 443 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM

Frame 86: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 20.195.39.155
Transmission Control Protocol, Src Port: 7595, Dst Port: 443, Seq: 0, Len: 0
[Community ID: 1:ww3nbD0w5uFogZP6t5vp08tr9UY=]
TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
87	2023-12-23 11:11:05.922385	172.24.38.17	114.212.10.193	TCP	66	7596 → 8080 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM

Frame 87: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 114.212.10.193
Transmission Control Protocol, Src Port: 7596, Dst Port: 8080, Seq: 0, Len: 0
[Community ID: 1:h+Sj7/Mu44iEtNBbINGka2Juf/c=]
TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
88	2023-12-23 11:11:05.923870	114.212.10.193	172.24.38.17	TCP	66	8080 → 7596 [SYN, ACK] Seq=0 Ack=1 Win=29200 Len=0 MSS=1460 SACK_PERM WS=128

Frame 88: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 114.212.10.193, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 8080, Dst Port: 7596, Seq: 0, Ack: 1, Len: 0
[Community ID: 1:h+Sj7/Mu44iEtNBbINGka2Juf/c=]
TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
89	2023-12-23 11:11:05.924043	172.24.38.17	114.212.10.193	TCP	54	7596 → 8080 [ACK] Seq=1 Ack=1 Win=131328 Len=0

Frame 89: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 114.212.10.193
Transmission Control Protocol, Src Port: 7596, Dst Port: 8080, Seq: 1, Ack: 1, Len: 0
[Community ID: 1:h+Sj7/Mu44iEtNBbINGka2Juf/c=]
TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
90	2023-12-23 11:11:05.924272	172.24.38.17	114.212.10.193	HTTP	548	GET /course/net23/pcaplab.htm HTTP/1.1

Frame 90: 548 bytes on wire (4384 bits), 548 bytes captured (4384 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 114.212.10.193
Transmission Control Protocol, Src Port: 7596, Dst Port: 8080, Seq: 1, Ack: 1, Len: 494
Hypertext Transfer Protocol
[Community ID: 1:h+Sj7/Mu44iEtNBbINGka2Juf/c=]
TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
91	2023-12-23 11:11:05.925901	114.212.10.193	172.24.38.17	TCP	60	8080 → 7596 [ACK] Seq=1 Ack=495 Win=30336 Len=0

Frame 91: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 114.212.10.193, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 8080, Dst Port: 7596, Seq: 1, Ack: 495, Len: 0
[Community ID: 1:h+Sj7/Mu44iEtNBbINGka2Juf/c=]
TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
92	2023-12-23 11:11:05.926208	114.212.10.193	172.24.38.17	HTTP	907	HTTP/1.1 200 OK (text/html)

Frame 92: 907 bytes on wire (7256 bits), 907 bytes captured (7256 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 114.212.10.193, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 8080, Dst Port: 7596, Seq: 1, Ack: 495, Len: 853
Hypertext Transfer Protocol
Line-based text data: text/html (27 lines)
[Community ID: 1:h+Sj7/Mu44iEtNBbINGka2Juf/c=]
TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
93	2023-12-23 11:11:05.974044	172.24.38.17	210.28.129.251	DNS	78	Standard query 0x7ad0 A edge.microsoft.com

Frame 93: 78 bytes on wire (624 bits), 78 bytes captured (624 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 210.28.129.251
User Datagram Protocol, Src Port: 60459, Dst Port: 53
Domain Name System (query)
[Community ID: 1:rWqXrhmNBuB6Wh05lJ5oDhp9DMo=]
TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

94 2023-12-23 11:11:05.975583 210.28.129.251 172.24.38.17 DNS 181 Standard query response 0x7ad0 A
edge.microsoft.com CNAME edge-microsoft-com.dual-a-0036.a-msedge.net CNAME dual-a-0036.a-msedge.net A 13.107.21.239 A 204.79.197.239
Frame 94: 181 bytes on wire (1448 bits), 181 bytes captured (1448 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113},
id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 210.28.129.251, Dst: 172.24.38.17
User Datagram Protocol, Src Port: 53, Dst Port: 60459
Domain Name System (response)
[Community ID: 1:rWqXrhmnBuB6Wh051J5oDhp9DMo=]
No. Time Source Destination Protocol Length Info
95 2023-12-23 11:11:05.976086 172.24.38.17 13.107.21.239 TCP 66 7598 → 443 [SYN] Seq=0 Win=64240 Len=0
MSS=1460 WS=256 SACK_PERM
Frame 95: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.107.21.239
Transmission Control Protocol, Src Port: 7598, Dst Port: 443, Seq: 0, Len: 0
[Community ID: 1:DA8L8hbJaNHGGNUPusTDkhETH0=]
TRANSUM RTE Data
No. Time Source Destination Protocol Length Info
96 2023-12-23 11:11:05.977397 172.24.38.17 114.212.10.193 TCP 54 7596 → 8080 [ACK] Seq=495 Ack=854
Win=130304 Len=0
Frame 96: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 114.212.10.193
Transmission Control Protocol, Src Port: 7596, Dst Port: 8080, Seq: 495, Ack: 854, Len: 0
[Community ID: 1:h+Sj7/Mu44iEtNBbINGka2Juf/c=]
No. Time Source Destination Protocol Length Info
97 2023-12-23 11:11:06.017256 20.195.39.155 172.24.38.17 TCP 66 443 → 7595 [SYN, ACK] Seq=0 Ack=1
Win=64240 Len=0 MSS=1440 SACK_PERM WS=1024
Frame 97: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 20.195.39.155, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7595, Seq: 0, Ack: 1, Len: 0
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]
No. Time Source Destination Protocol Length Info
98 2023-12-23 11:11:06.017343 172.24.38.17 20.195.39.155 TCP 54 7595 → 443 [ACK] Seq=1 Ack=1 Win=132352
Len=0
Frame 98: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 20.195.39.155
Transmission Control Protocol, Src Port: 7595, Dst Port: 443, Seq: 1, Ack: 1, Len: 0
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]
No. Time Source Destination Protocol Length Info
99 2023-12-23 11:11:06.017547 172.24.38.17 20.195.39.155 TLSv1.3 672 Client Hello (SNI=nav-
edge.smartscreen.microsoft.com)
Frame 99: 672 bytes on wire (5376 bits), 672 bytes captured (5376 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113},
id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 20.195.39.155
Transmission Control Protocol, Src Port: 7595, Dst Port: 443, Seq: 1, Ack: 1, Len: 618
Transport Layer Security
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]
TRANSUM RTE Data
No. Time Source Destination Protocol Length Info
100 2023-12-23 11:11:06.041456 13.107.21.239 172.24.38.17 TCP 66 443 → 7598 [SYN, ACK] Seq=0 Ack=1
Win=65535 Len=0 MSS=1440 WS=256 SACK_PERM
Frame 100: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 13.107.21.239, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7598, Seq: 0, Ack: 1, Len: 0
[Community ID: 1:DA8L8hbJaNHGGNUPusTDkhETH0=]
No. Time Source Destination Protocol Length Info
101 2023-12-23 11:11:06.041544 172.24.38.17 13.107.21.239 TCP 54 7598 → 443 [ACK] Seq=1 Ack=1 Win=132352
Len=0
Frame 101: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.107.21.239
Transmission Control Protocol, Src Port: 7598, Dst Port: 443, Seq: 1, Ack: 1, Len: 0
[Community ID: 1:DA8L8hbJaNHGGNUPusTDkhETH0=]
No. Time Source Destination Protocol Length Info
102 2023-12-23 11:11:06.041757 172.24.38.17 13.107.21.239 TLSv1.2 900 Client Hello (SNI=edge.microsoft.com)
Frame 102: 900 bytes on wire (7200 bits), 900 bytes captured (7200 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113},
id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.107.21.239
Transmission Control Protocol, Src Port: 7598, Dst Port: 443, Seq: 1, Ack: 1, Len: 846
Transport Layer Security
[Community ID: 1:DA8L8hbJaNHGGNUPusTDkhETH0=]
Spirent Test Center Signature
TRANSUM RTE Data
No. Time Source Destination Protocol Length Info
103 2023-12-23 11:11:06.106844 13.107.21.239 172.24.38.17 TCP 60 443 → 7598 [ACK] Seq=1 Ack=847
Win=4193536 Len=0
Frame 103: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 13.107.21.239, Dst: 172.24.38.17

Transmission Control Protocol, Src Port: 443, Dst Port: 7598, Seq: 1, Ack: 847, Len: 0
[Community ID: 1:DA8L8hbJaNHGGNUPusTDkhETH0=]

No.	Time	Source	Destination	Protocol	Length	Info
104	2023-12-23 11:11:06.107143	13.107.21.239	172.24.38.17	TLSv1.2	208	Server Hello, Change Cipher Spec, Encrypted Handshake Message

Frame 104: 208 bytes on wire (1664 bits), 208 bytes captured (1664 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 13.107.21.239, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7598, Seq: 1, Ack: 847, Len: 154
Transport Layer Security
[Community ID: 1:DA8L8hbJaNHGGNUPusTDkhETH0=]

No.	Time	Source	Destination	Protocol	Length	Info
105	2023-12-23 11:11:06.107338	172.24.38.17	13.107.21.239	TLSv1.2	105	Change Cipher Spec, Encrypted Handshake Message

Frame 105: 105 bytes on wire (840 bits), 105 bytes captured (840 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.107.21.239
Transmission Control Protocol, Src Port: 7598, Dst Port: 443, Seq: 847, Ack: 155, Len: 51
Transport Layer Security
[Community ID: 1:DA8L8hbJaNHGGNUPusTDkhETH0=]

No.	Time	Source	Destination	Protocol	Length	Info
106	2023-12-23 11:11:06.107456	172.24.38.17	13.107.21.239	TLSv1.2	153	Application Data

Frame 106: 153 bytes on wire (1224 bits), 153 bytes captured (1224 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.107.21.239
Transmission Control Protocol, Src Port: 7598, Dst Port: 443, Seq: 898, Ack: 155, Len: 99
Transport Layer Security
[Community ID: 1:DA8L8hbJaNHGGNUPusTDkhETH0=]

No.	Time	Source	Destination	Protocol	Length	Info
107	2023-12-23 11:11:06.107540	172.24.38.17	13.107.21.239	TLSv1.2	406	Application Data

Frame 107: 406 bytes on wire (3248 bits), 406 bytes captured (3248 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.107.21.239
Transmission Control Protocol, Src Port: 7598, Dst Port: 443, Seq: 997, Ack: 155, Len: 352
Transport Layer Security
[Community ID: 1:DA8L8hbJaNHGGNUPusTDkhETH0=]

TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
108	2023-12-23 11:11:06.117519	20.195.39.155	172.24.38.17	TCP	60	443 → 7595 [ACK] Seq=1 Ack=619 Win=64512 Len=0

Frame 108: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 20.195.39.155, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7595, Seq: 1, Ack: 619, Len: 0
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
109	2023-12-23 11:11:06.117961	20.195.39.155	172.24.38.17	TLSv1.3	1514	Server Hello, Change Cipher Spec, Application Data

Frame 109: 1514 bytes on wire (12112 bits), 1514 bytes captured (12112 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 20.195.39.155, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7595, Seq: 1, Ack: 619, Len: 1460
Transport Layer Security
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
110	2023-12-23 11:11:06.118237	20.195.39.155	172.24.38.17	TCP	1514	443 → 7595 [PSH, ACK] Seq=1461 Ack=619 Win=64512 Len=1460 [TCP segment of a reassembled PDU]

Frame 110: 1514 bytes on wire (12112 bits), 1514 bytes captured (12112 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 20.195.39.155, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7595, Seq: 1461, Ack: 619, Len: 1460
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
111	2023-12-23 11:11:06.118237	20.195.39.155	172.24.38.17	TCP	1230	443 → 7595 [PSH, ACK] Seq=2921 Ack=619 Win=64512 Len=1176 [TCP segment of a reassembled PDU]

Frame 111: 1230 bytes on wire (9840 bits), 1230 bytes captured (9840 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 20.195.39.155, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7595, Seq: 2921, Ack: 619, Len: 1176
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
112	2023-12-23 11:11:06.118273	172.24.38.17	20.195.39.155	TCP	54	7595 → 443 [ACK] Seq=619 Ack=4097 Win=132352 Len=0

Frame 112: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 20.195.39.155
Transmission Control Protocol, Src Port: 7595, Dst Port: 443, Seq: 619, Ack: 4097, Len: 0
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

```
113 2023-12-23 11:11:06.119046 20.195.39.155 172.24.38.17 TCP 1514 443 → 7595 [ACK] Seq=4097 Ack=619
Win=64512 Len=1460 [TCP segment of a reassembled PDU]
Frame 113: 1514 bytes on wire (12112 bits), 1514 bytes captured (12112 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 20.195.39.155, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7595, Seq: 4097, Ack: 619, Len: 1460
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]
No. Time Source Destination Protocol Length Info
114 2023-12-23 11:11:06.119064 172.24.38.17 20.195.39.155 TCP 54 7595 → 443 [ACK] Seq=619 Ack=5557
Win=132352 Len=0
Frame 114: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 20.195.39.155
Transmission Control Protocol, Src Port: 7595, Dst Port: 443, Seq: 619, Ack: 5557, Len: 0
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]
No. Time Source Destination Protocol Length Info
115 2023-12-23 11:11:06.119329 20.195.39.155 172.24.38.17 TLSv1.3 858 Application Data, Application Data,
Application Data
Frame 115: 858 bytes on wire (6864 bits), 858 bytes captured (6864 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113},
id 0
Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 20.195.39.155, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7595, Seq: 5557, Ack: 619, Len: 804
[5 Reassembled TCP Segments (5826 bytes): #109(1286), #110(1460), #111(1176), #113(1460), #115(444)]
Transport Layer Security
Transport Layer Security
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]
No. Time Source Destination Protocol Length Info
116 2023-12-23 11:11:06.119513 172.24.38.17 20.195.39.155 TLSv1.3 134 Change Cipher Spec, Application Data
Frame 116: 134 bytes on wire (1072 bits), 134 bytes captured (1072 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113},
id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 20.195.39.155
Transmission Control Protocol, Src Port: 7595, Dst Port: 443, Seq: 619, Ack: 6361, Len: 80
Transport Layer Security
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]
No. Time Source Destination Protocol Length Info
117 2023-12-23 11:11:06.119621 172.24.38.17 20.195.39.155 TLSv1.3 146 Application Data
Frame 117: 146 bytes on wire (1168 bits), 146 bytes captured (1168 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113},
id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 20.195.39.155
Transmission Control Protocol, Src Port: 7595, Dst Port: 443, Seq: 699, Ack: 6361, Len: 92
Transport Layer Security
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]
No. Time Source Destination Protocol Length Info
118 2023-12-23 11:11:06.119711 172.24.38.17 20.195.39.155 TLSv1.3 463 Application Data
Frame 118: 463 bytes on wire (3704 bits), 463 bytes captured (3704 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113},
id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 20.195.39.155
Transmission Control Protocol, Src Port: 7595, Dst Port: 443, Seq: 791, Ack: 6361, Len: 409
Transport Layer Security
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]
No. Time Source Destination Protocol Length Info
119 2023-12-23 11:11:06.119741 172.24.38.17 20.195.39.155 TCP 1494 7595 → 443 [ACK] Seq=1200 Ack=6361
Win=131584 Len=1440 [TCP segment of a reassembled PDU]
Frame 119: 1494 bytes on wire (11952 bits), 1494 bytes captured (11952 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 20.195.39.155
Transmission Control Protocol, Src Port: 7595, Dst Port: 443, Seq: 1200, Ack: 6361, Len: 1440
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]
No. Time Source Destination Protocol Length Info
120 2023-12-23 11:11:06.119741 172.24.38.17 20.195.39.155 TLSv1.3 222 Application Data
Frame 120: 222 bytes on wire (1776 bits), 222 bytes captured (1776 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113},
id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 20.195.39.155
Transmission Control Protocol, Src Port: 7595, Dst Port: 443, Seq: 2640, Ack: 6361, Len: 168
[2 Reassembled TCP Segments (1608 bytes): #119(1440), #120(168)]
Transport Layer Security
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]
TRANSUM RTE Data
No. Time Source Destination Protocol Length Info
121 2023-12-23 11:11:06.171601 13.107.21.239 172.24.38.17 TCP 60 443 → 7598 [ACK] Seq=155 Ack=898
Win=4193536 Len=0
Frame 121: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 13.107.21.239, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7598, Seq: 155, Ack: 898, Len: 0
[Community ID: 1:DA8L8hbJaNHGGNUPusTDkhETH0=]
No. Time Source Destination Protocol Length Info
122 2023-12-23 11:11:06.171868 13.107.21.239 172.24.38.17 TLSv1.2 123 Application Data
```

Frame 122: 123 bytes on wire (984 bits), 123 bytes captured (984 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0

Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)

Internet Protocol Version 4, Src: 13.107.21.239, Dst: 172.24.38.17

Transmission Control Protocol, Src Port: 443, Dst Port: 7598, Seq: 155, Ack: 898, Len: 69

Transport Layer Security

[Community ID: 1:DA8L8hbJaNHGGNUPusTDkhETH0=]

No.	Time	Source	Destination	Protocol	Length	Info
123	2023-12-23 11:11:06.172005	172.24.38.17	13.107.21.239	TLv1.2	92	Application Data

Frame 123: 92 bytes on wire (736 bits), 92 bytes captured (736 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0

Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)

Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.107.21.239

Transmission Control Protocol, Src Port: 7598, Dst Port: 443, Seq: 1349, Ack: 224, Len: 38

Transport Layer Security

[Community ID: 1:DA8L8hbJaNHGGNUPusTDkhETH0=]

TRANSM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
124	2023-12-23 11:11:06.172511	13.107.21.239	172.24.38.17	TCP	60	443 → 7598 [ACK] Seq=224 Ack=997

Win=4193536 Len=0

Frame 124: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0

Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)

Internet Protocol Version 4, Src: 13.107.21.239, Dst: 172.24.38.17

Transmission Control Protocol, Src Port: 443, Dst Port: 7598, Seq: 224, Ack: 997, Len: 0

[Community ID: 1:DA8L8hbJaNHGGNUPusTDkhETH0=]

No.	Time	Source	Destination	Protocol	Length	Info
125	2023-12-23 11:11:06.172837	13.107.21.239	172.24.38.17	TLv1.2	92	Application Data

Frame 125: 92 bytes on wire (736 bits), 92 bytes captured (736 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0

Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)

Internet Protocol Version 4, Src: 13.107.21.239, Dst: 172.24.38.17

Transmission Control Protocol, Src Port: 443, Dst Port: 7598, Seq: 224, Ack: 1349, Len: 38

Transport Layer Security

[Community ID: 1:DA8L8hbJaNHGGNUPusTDkhETH0=]

No.	Time	Source	Destination	Protocol	Length	Info
126	2023-12-23 11:11:06.212411	172.24.38.17	13.107.21.239	TCP	54	7598 → 443 [ACK] Seq=1387 Ack=262

Win=132096 Len=0

Frame 126: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0

Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)

Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.107.21.239

Transmission Control Protocol, Src Port: 7598, Dst Port: 443, Seq: 1387, Ack: 262, Len: 0

[Community ID: 1:DA8L8hbJaNHGGNUPusTDkhETH0=]

No.	Time	Source	Destination	Protocol	Length	Info
127	2023-12-23 11:11:06.218468	20.195.39.155	172.24.38.17	TCP	60	443 → 7595 [ACK] Seq=6361 Ack=699

Win=64512 Len=0

Frame 127: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0

Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)

Internet Protocol Version 4, Src: 20.195.39.155, Dst: 172.24.38.17

Transmission Control Protocol, Src Port: 443, Dst Port: 7595, Seq: 6361, Ack: 699, Len: 0

[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
128	2023-12-23 11:11:06.218580	20.195.39.155	172.24.38.17	TCP	60	443 → 7595 [ACK] Seq=6361 Ack=791

Win=64512 Len=0

Frame 128: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0

Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)

Internet Protocol Version 4, Src: 20.195.39.155, Dst: 172.24.38.17

Transmission Control Protocol, Src Port: 443, Dst Port: 7595, Seq: 6361, Ack: 791, Len: 0

[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
129	2023-12-23 11:11:06.218580	20.195.39.155	172.24.38.17	TCP	60	443 → 7595 [ACK] Seq=6361 Ack=1200

Win=64512 Len=0

Frame 129: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0

Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)

Internet Protocol Version 4, Src: 20.195.39.155, Dst: 172.24.38.17

Transmission Control Protocol, Src Port: 443, Dst Port: 7595, Seq: 6361, Ack: 1200, Len: 0

[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
130	2023-12-23 11:11:06.218580	20.195.39.155	172.24.38.17	TCP	60	443 → 7595 [ACK] Seq=6361 Ack=2808

Win=63488 Len=0

Frame 130: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0

Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)

Internet Protocol Version 4, Src: 20.195.39.155, Dst: 172.24.38.17

Transmission Control Protocol, Src Port: 443, Dst Port: 7595, Seq: 6361, Ack: 2808, Len: 0

[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
131	2023-12-23 11:11:06.218580	20.195.39.155	172.24.38.17	TLv1.3	357	Application Data

Frame 131: 357 bytes on wire (2856 bits), 357 bytes captured (2856 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0

Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)

Internet Protocol Version 4, Src: 20.195.39.155, Dst: 172.24.38.17

Transmission Control Protocol, Src Port: 443, Dst Port: 7595, Seq: 6361, Ack: 2808, Len: 303

Transport Layer Security

[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
132	2023-12-23 11:11:06.218942	20.195.39.155	172.24.38.17	TLv1.3	357	Application Data

Frame 132: 357 bytes on wire (2856 bits), 357 bytes captured (2856 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0

Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)

Internet Protocol Version 4, Src: 20.195.39.155, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7595, Seq: 6664, Ack: 2808, Len: 303
Transport Layer Security
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
133	2023-12-23 11:11:06.218942	20.195.39.155	172.24.38.17	TLSv1.3	138	Application Data

Frame 133: 138 bytes on wire (1104 bits), 138 bytes captured (1104 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 20.195.39.155, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7595, Seq: 6967, Ack: 2808, Len: 84
Transport Layer Security
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
134	2023-12-23 11:11:06.218968	172.24.38.17	20.195.39.155	TCP	54	7595 → 443 [ACK] Seq=2808 Ack=7051

Win=132352 Len=0
Frame 134: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 20.195.39.155
Transmission Control Protocol, Src Port: 7595, Dst Port: 443, Seq: 2808, Ack: 7051, Len: 0
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
135	2023-12-23 11:11:06.219036	172.24.38.17	20.195.39.155	TLSv1.3	85	Application Data

Frame 135: 85 bytes on wire (680 bits), 85 bytes captured (680 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 20.195.39.155
Transmission Control Protocol, Src Port: 7595, Dst Port: 443, Seq: 2808, Ack: 7051, Len: 31
Transport Layer Security
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
136	2023-12-23 11:11:06.222170	20.195.39.155	172.24.38.17	TLSv1.3	1104	Application Data

Frame 136: 1104 bytes on wire (8832 bits), 1104 bytes captured (8832 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 20.195.39.155, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7595, Seq: 7051, Ack: 2808, Len: 1050
Transport Layer Security
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
137	2023-12-23 11:11:06.236360	13.107.21.239	172.24.38.17	TCP	60	443 → 7598 [ACK] Seq=262 Ack=1387

Win=4193024 Len=0
Frame 137: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 13.107.21.239, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7598, Seq: 262, Ack: 1387, Len: 0
[Community ID: 1:DA8L8hbJaNHGGNUPusTDkhETH0=]

No.	Time	Source	Destination	Protocol	Length	Info
138	2023-12-23 11:11:06.272564	172.24.38.17	20.195.39.155	TCP	54	7595 → 443 [ACK] Seq=2839 Ack=8101

Win=131328 Len=0
Frame 138: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 20.195.39.155
Transmission Control Protocol, Src Port: 7595, Dst Port: 443, Seq: 2839, Ack: 8101, Len: 0
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
139	2023-12-23 11:11:06.276462	13.107.21.239	172.24.38.17	TLSv1.2	231	Application Data

Frame 139: 231 bytes on wire (1848 bits), 231 bytes captured (1848 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 13.107.21.239, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7598, Seq: 262, Ack: 1387, Len: 177
Transport Layer Security
[Community ID: 1:DA8L8hbJaNHGGNUPusTDkhETH0=]

No.	Time	Source	Destination	Protocol	Length	Info
140	2023-12-23 11:11:06.317403	20.195.39.155	172.24.38.17	TCP	60	443 → 7595 [ACK] Seq=8101 Ack=2839

Win=64512 Len=0
Frame 140: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 20.195.39.155, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7595, Seq: 8101, Ack: 2839, Len: 0
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
141	2023-12-23 11:11:06.319059	172.24.38.17	13.107.21.239	TCP	54	7598 → 443 [ACK] Seq=1387 Ack=439

Win=131840 Len=0
Frame 141: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.107.21.239
Transmission Control Protocol, Src Port: 7598, Dst Port: 443, Seq: 1387, Ack: 439, Len: 0
[Community ID: 1:DA8L8hbJaNHGGNUPusTDkhETH0=]

No.	Time	Source	Destination	Protocol	Length	Info
142	2023-12-23 11:11:06.718578	0.0.0.0	255.255.255.255	DHCP	346	DHCP Discover - Transaction ID 0x27e7a69

Frame 142: 346 bytes on wire (2768 bits), 346 bytes captured (2768 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: da:b6:75:60:d7:31 (da:b6:75:60:d7:31), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Internet Protocol Version 4, Src: 0.0.0.0, Dst: 255.255.255.255

User Datagram Protocol, Src Port: 68, Dst Port: 67
Dynamic Host Configuration Protocol (Discover)
[Community ID: 1:t901j0qj7104wJM7gnaHtgmfev8=]

No.	Time	Source	Destination	Protocol	Length	Info
143	2023-12-23 11:11:06.820958	172.24.0.1	255.255.255.255	DHCP	343	DHCP Offer - Transaction ID 0x27e7a69

Frame 143: 343 bytes on wire (2744 bits), 343 bytes captured (2744 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Internet Protocol Version 4, Src: 172.24.0.1, Dst: 255.255.255.255
User Datagram Protocol, Src Port: 67, Dst Port: 68
Dynamic Host Configuration Protocol (Offer)
[Community ID: 1:8hM3qU2FpAp5sf7RICEHo0ES0dM=]

No.	Time	Source	Destination	Protocol	Length	Info
144	2023-12-23 11:11:06.821107	172.24.75.108	255.255.255.255	DHCP	346	DHCP Request - Transaction ID 0xcd78de37

Frame 144: 346 bytes on wire (2768 bits), 346 bytes captured (2768 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: da:b6:75:60:d7:31 (da:b6:75:60:d7:31), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Internet Protocol Version 4, Src: 172.24.75.108, Dst: 255.255.255.255
User Datagram Protocol, Src Port: 68, Dst Port: 67
Dynamic Host Configuration Protocol (Request)
[Community ID: 1:RgW5QakPa+jTSsCF3dQ6iTo6lDs=]

No.	Time	Source	Destination	Protocol	Length	Info
145	2023-12-23 11:11:06.925976	172.24.38.17	192.168.101.104	TCP	66	[TCP Retransmission] 7574 → 7680 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM

Frame 145: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 192.168.101.104
Transmission Control Protocol, Src Port: 7574, Dst Port: 7680, Seq: 0, Len: 0
[Community ID: 1:7iGs/hAUsXiX7zG2N5Quj01T000=]

No.	Time	Source	Destination	Protocol	Length	Info
146	2023-12-23 11:11:06.925976	172.24.38.17	192.168.1.133	TCP	66	[TCP Retransmission] 7575 → 7680 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM

Frame 146: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 192.168.1.133
Transmission Control Protocol, Src Port: 7575, Dst Port: 7680, Seq: 0, Len: 0
[Community ID: 1:JRIlHz2YzkcvgKDrc5j6sQzOZuw=]

No.	Time	Source	Destination	Protocol	Length	Info
147	2023-12-23 11:11:07.020211	172.24.38.17	50.117.117.42	TCP	66	7599 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM

Frame 147: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 50.117.117.42
Transmission Control Protocol, Src Port: 7599, Dst Port: 80, Seq: 0, Len: 0
[Community ID: 1:P77tKSdYKW0mnyT0yqSxdNaZBac=]

No.	Time	Source	Destination	Protocol	Length	Info
148	2023-12-23 11:11:07.082472	172.24.38.17	103.28.54.181	SKYPE	126	Unknown_0 Unk: 3

Frame 148: 126 bytes on wire (1008 bits), 126 bytes captured (1008 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 103.28.54.181
User Datagram Protocol, Src Port: 55523, Dst Port: 27017
SKYPE
[Community ID: 1:rJyxMknQxu+M6zFvBsllXhYX6YY=]

No.	Time	Source	Destination	Protocol	Length	Info
149	2023-12-23 11:11:07.435265	0a:49:df:78:76:6f	Broadcast	ARP	42	Who has 172.24.0.1? Tell 172.24.113.221

Frame 149: 42 bytes on wire (336 bits), 42 bytes captured (336 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: 0a:49:df:78:76:6f (0a:49:df:78:76:6f), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Address Resolution Protocol (request)

No.	Time	Source	Destination	Protocol	Length	Info
150	2023-12-23 11:11:07.742472	aa:41:e2:e9:2d:ef	Broadcast	ARP	56	Who has 172.24.69.97? Tell 172.24.69.225

Frame 150: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: aa:41:e2:e9:2d:ef (aa:41:e2:e9:2d:ef), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Address Resolution Protocol (request)

No.	Time	Source	Destination	Protocol	Length	Info
151	2023-12-23 11:11:07.828859	20.187.186.89	172.24.38.17	TLSv1.2	113	Application Data

Frame 151: 113 bytes on wire (904 bits), 113 bytes captured (904 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 20.187.186.89, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7296, Seq: 1, Ack: 1, Len: 59
Transport Layer Security
[Community ID: 1:FfPbjv1W/msBBrksMw+N5skaA41w=]

No.	Time	Source	Destination	Protocol	Length	Info
152	2023-12-23 11:11:07.829213	172.24.38.17	20.187.186.89	TLSv1.2	120	Application Data

Frame 152: 120 bytes on wire (960 bits), 120 bytes captured (960 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 20.187.186.89
Transmission Control Protocol, Src Port: 7296, Dst Port: 443, Seq: 1, Ack: 60, Len: 66
Transport Layer Security
[Community ID: 1:FfPbjv1W/msBBrksMw+N5skaA41w=]

TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
153	2023-12-23 11:11:07.920635	172.24.38.17	13.89.178.27	TLSv1.2	137	Application Data

Frame 153: 137 bytes on wire (1096 bits), 137 bytes captured (1096 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.89.178.27
Transmission Control Protocol, Src Port: 7554, Dst Port: 443, Seq: 2310, Ack: 199, Len: 83
Transport Layer Security
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]
No. Time Source Destination Protocol Length Info
154 2023-12-23 11:11:07.920694 172.24.38.17 13.89.178.27 TLSv1.2 1391 Application Data
Frame 154: 1391 bytes on wire (11128 bits), 1391 bytes captured (11128 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.89.178.27
Transmission Control Protocol, Src Port: 7554, Dst Port: 443, Seq: 2393, Ack: 199, Len: 1337
Transport Layer Security
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]
TRANSM RTE Data
No. Time Source Destination Protocol Length Info
155 2023-12-23 11:11:08.027113 172.24.38.17 50.117.117.42 TCP 66 [TCP Retransmission] 7599 → 80 [SYN]
Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM
Frame 155: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 50.117.117.42
Transmission Control Protocol, Src Port: 7599, Dst Port: 80, Seq: 0, Len: 0
[Community ID: 1:P77tKSdYKW0mnyT0yqSxdNazBac=]
No. Time Source Destination Protocol Length Info
156 2023-12-23 11:11:08.029158 20.187.186.89 172.24.38.17 TCP 60 443 → 7296 [ACK] Seq=60 Ack=67 Win=59
Len=0
Frame 156: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 20.187.186.89, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7296, Seq: 60, Ack: 67, Len: 0
[Community ID: 1:FfPbjv1W/msBBrksMw+N5skA41w=]
No. Time Source Destination Protocol Length Info
157 2023-12-23 11:11:08.170442 13.89.178.27 172.24.38.17 TCP 60 443 → 7554 [ACK] Seq=199 Ack=3730
Win=16385 Len=0
Frame 157: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 13.89.178.27, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7554, Seq: 199, Ack: 3730, Len: 0
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]
No. Time Source Destination Protocol Length Info
158 2023-12-23 11:11:08.176185 13.89.178.27 172.24.38.17 TLSv1.2 153 Application Data
Frame 158: 153 bytes on wire (1224 bits), 153 bytes captured (1224 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 13.89.178.27, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7554, Seq: 199, Ack: 3730, Len: 99
Transport Layer Security
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]
No. Time Source Destination Protocol Length Info
159 2023-12-23 11:11:08.176697 172.24.38.17 13.89.178.27 TLSv1.2 89 Application Data
Frame 159: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.89.178.27
Transmission Control Protocol, Src Port: 7554, Dst Port: 443, Seq: 3730, Ack: 298, Len: 35
Transport Layer Security
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]
No. Time Source Destination Protocol Length Info
160 2023-12-23 11:11:08.179220 172.24.38.17 13.89.178.27 TLSv1.2 137 Application Data
Frame 160: 137 bytes on wire (1096 bits), 137 bytes captured (1096 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.89.178.27
Transmission Control Protocol, Src Port: 7554, Dst Port: 443, Seq: 3765, Ack: 298, Len: 83
Transport Layer Security
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]
No. Time Source Destination Protocol Length Info
161 2023-12-23 11:11:08.179249 172.24.38.17 13.89.178.27 TLSv1.2 866 Application Data
Frame 161: 866 bytes on wire (6928 bits), 866 bytes captured (6928 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.89.178.27
Transmission Control Protocol, Src Port: 7554, Dst Port: 443, Seq: 3848, Ack: 298, Len: 812
Transport Layer Security
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]
TRANSM RTE Data
No. Time Source Destination Protocol Length Info
162 2023-12-23 11:11:08.428124 13.89.178.27 172.24.38.17 TCP 60 443 → 7554 [ACK] Seq=298 Ack=3848
Win=16384 Len=0
Frame 162: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 13.89.178.27, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7554, Seq: 298, Ack: 3848, Len: 0
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]
No. Time Source Destination Protocol Length Info

163 2023-12-23 11:11:08.429805 13.89.178.27 172.24.38.17 TLSv1.2 89 Application Data
Frame 163: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 13.89.178.27, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7554, Seq: 298, Ack: 4660, Len: 35
Transport Layer Security
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]
No. Time Source Destination Protocol Length Info
164 2023-12-23 11:11:08.476473 172.24.38.17 13.89.178.27 TCP 54 7554 → 443 [ACK] Seq=4660 Ack=333
Win=513 Len=0
Frame 164: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.89.178.27
Transmission Control Protocol, Src Port: 7554, Dst Port: 443, Seq: 4660, Ack: 333, Len: 0
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]
No. Time Source Destination Protocol Length Info
165 2023-12-23 11:11:08.827844 13.89.178.27 172.24.38.17 TLSv1.2 153 Application Data
Frame 165: 153 bytes on wire (1224 bits), 153 bytes captured (1224 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 13.89.178.27, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7554, Seq: 333, Ack: 4660, Len: 99
Transport Layer Security
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]
No. Time Source Destination Protocol Length Info
166 2023-12-23 11:11:08.878680 172.24.38.17 13.89.178.27 TCP 54 7554 → 443 [ACK] Seq=4660 Ack=432
Win=513 Len=0
Frame 166: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.89.178.27
Transmission Control Protocol, Src Port: 7554, Dst Port: 443, Seq: 4660, Ack: 432, Len: 0
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]
No. Time Source Destination Protocol Length Info
167 2023-12-23 11:11:09.117962 13.89.178.27 172.24.38.17 TCP 153 [TCP Spurious Retransmission] 443 → 7554
[PSH, ACK] Seq=333 Ack=4660 Win=16381 Len=99
Frame 167: 153 bytes on wire (1224 bits), 153 bytes captured (1224 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 13.89.178.27, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7554, Seq: 333, Ack: 4660, Len: 99
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]
No. Time Source Destination Protocol Length Info
168 2023-12-23 11:11:09.118000 172.24.38.17 13.89.178.27 TCP 66 [TCP Dup ACK 166#1] 7554 → 443 [ACK]
Seq=4660 Ack=432 Win=513 Len=0 SLE=333 SRE=432
Frame 168: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.89.178.27
Transmission Control Protocol, Src Port: 7554, Dst Port: 443, Seq: 4660, Ack: 432, Len: 0
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]
No. Time Source Destination Protocol Length Info
169 2023-12-23 11:11:10.035716 172.24.38.17 50.117.117.42 TCP 66 [TCP Retransmission] 7599 → 80 [SYN]
Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM
Frame 169: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 50.117.117.42
Transmission Control Protocol, Src Port: 7599, Dst Port: 80, Seq: 0, Len: 0
[Community ID: 1:P77tKSdYKW0mnyT0yqSxdNaZBac=]
No. Time Source Destination Protocol Length Info
170 2023-12-23 11:11:10.404963 e2:7d:bf:f7:63:73 Broadcast ARP 56 Who has 172.24.0.1? Tell 172.24.39.252
Frame 170: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: e2:7d:bf:f7:63:73 (e2:7d:bf:f7:63:73), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Address Resolution Protocol (request)
No. Time Source Destination Protocol Length Info
171 2023-12-23 11:11:10.931310 114.212.10.193 172.24.38.17 TCP 60 8080 → 7596 [FIN, ACK] Seq=854 Ack=495
Win=30336 Len=0
Frame 171: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 114.212.10.193, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 8080, Dst Port: 7596, Seq: 854, Ack: 495, Len: 0
[Community ID: 1:h+Sj7/Mu44iEtNBbINGka2Juf/c=]
No. Time Source Destination Protocol Length Info
172 2023-12-23 11:11:10.931362 172.24.38.17 114.212.10.193 TCP 54 7596 → 8080 [ACK] Seq=495 Ack=855
Win=130304 Len=0
Frame 172: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 114.212.10.193
Transmission Control Protocol, Src Port: 7596, Dst Port: 8080, Seq: 495, Ack: 855, Len: 0
[Community ID: 1:h+Sj7/Mu44iEtNBbINGka2Juf/c=]
No. Time Source Destination Protocol Length Info
173 2023-12-23 11:11:11.326569 172.24.0.1 255.255.255.255 DHCP 343 DHCP Offer - Transaction ID 0x531e40c6
Frame 173: 343 bytes on wire (2744 bits), 343 bytes captured (2744 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Internet Protocol Version 4, Src: 172.24.0.1, Dst: 255.255.255.255
User Datagram Protocol, Src Port: 67, Dst Port: 68

Dynamic Host Configuration Protocol (Offer)
[Community ID: 1:8hM3qU2FpAp5sf7RICEHo0ES0dM=]

No.	Time	Source	Destination	Protocol	Length	Info
174	2023-12-23 11:11:11.940880	2a:e7:da:c2:bf:30	Broadcast	ARP	56	Who has 172.24.0.1? Tell 172.24.121.208

Frame 174: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: 2a:e7:da:c2:bf:30 (2a:e7:da:c2:bf:30), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Address Resolution Protocol (request)

No.	Time	Source	Destination	Protocol	Length	Info
175	2023-12-23 11:11:12.426985	172.24.38.17	146.75.95.10	TCP	55	7429 → 443 [ACK] Seq=1 Ack=1 Win=509

Len=1 [TCP segment of a reassembled PDU]
Frame 175: 55 bytes on wire (440 bits), 55 bytes captured (440 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 146.75.95.10
Transmission Control Protocol, Src Port: 7429, Dst Port: 443, Seq: 1, Ack: 1, Len: 1
[Community ID: 1:F3K8SsxQXh5wY14F8a2FrNzdA6w=]

TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
176	2023-12-23 11:11:12.624173	146.75.95.10	172.24.38.17	TCP	66	443 → 7429 [ACK] Seq=1 Ack=2 Win=290

Len=0 SLE=1 SRE=2
Frame 176: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 146.75.95.10, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7429, Seq: 1, Ack: 2, Len: 0
[Community ID: 1:F3K8SsxQXh5wY14F8a2FrNzdA6w=]

No.	Time	Source	Destination	Protocol	Length	Info
177	2023-12-23 11:11:13.374692	172.24.0.1	255.255.255.255	DHCP	343	DHCP Offer - Transaction ID 0x531e40c6

Frame 177: 343 bytes on wire (2744 bits), 343 bytes captured (2744 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Internet Protocol Version 4, Src: 172.24.0.1, Dst: 255.255.255.255
User Datagram Protocol, Src Port: 67, Dst Port: 68
Dynamic Host Configuration Protocol (Offer)
[Community ID: 1:8hM3qU2FpAp5sf7RICEHo0ES0dM=]

No.	Time	Source	Destination	Protocol	Length	Info
178	2023-12-23 11:11:13.375013	172.24.0.1	255.255.255.255	DHCP	343	DHCP ACK - Transaction ID 0x531e40c6

Frame 178: 343 bytes on wire (2744 bits), 343 bytes captured (2744 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Internet Protocol Version 4, Src: 172.24.0.1, Dst: 255.255.255.255
User Datagram Protocol, Src Port: 67, Dst Port: 68
Dynamic Host Configuration Protocol (ACK)
[Community ID: 1:8hM3qU2FpAp5sf7RICEHo0ES0dM=]

No.	Time	Source	Destination	Protocol	Length	Info
179	2023-12-23 11:11:13.636625	172.24.38.17	20.195.39.155	TLSv1.3	254	Application Data

Frame 179: 254 bytes on wire (2032 bits), 254 bytes captured (2032 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 20.195.39.155
Transmission Control Protocol, Src Port: 7595, Dst Port: 443, Seq: 2839, Ack: 8101, Len: 200
Transport Layer Security
[Community ID: 1:wv3nbd0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
180	2023-12-23 11:11:13.636682	172.24.38.17	20.195.39.155	TCP	1494	7595 → 443 [ACK] Seq=3039 Ack=8101

Win=131328 Len=1440 [TCP segment of a reassembled PDU]
Frame 180: 1494 bytes on wire (11952 bits), 1494 bytes captured (11952 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 20.195.39.155
Transmission Control Protocol, Src Port: 7595, Dst Port: 443, Seq: 3039, Ack: 8101, Len: 1440
[Community ID: 1:wv3nbd0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
181	2023-12-23 11:11:13.636682	172.24.38.17	20.195.39.155	TLSv1.3	316	Application Data

Frame 181: 316 bytes on wire (2528 bits), 316 bytes captured (2528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 20.195.39.155
Transmission Control Protocol, Src Port: 7595, Dst Port: 443, Seq: 4479, Ack: 8101, Len: 262
[2 Reassembled TCP Segments (1702 bytes): #180(1440), #181(262)]
Transport Layer Security
[Community ID: 1:wv3nbd0w5uFogZP6t5vp08tr9UY=]

TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
182	2023-12-23 11:11:13.639907	172.24.38.17	114.212.10.193	TCP	54	7596 → 8080 [FIN, ACK] Seq=495 Ack=855

Win=130304 Len=0
Frame 182: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 114.212.10.193
Transmission Control Protocol, Src Port: 7596, Dst Port: 8080, Seq: 495, Ack: 855, Len: 0
[Community ID: 1:h+Sj7/Mu44iEtNBbINGka2Juf/c=]

No.	Time	Source	Destination	Protocol	Length	Info
183	2023-12-23 11:11:13.640097	172.24.38.17	114.212.10.193	TCP	66	7618 → 8080 [SYN] Seq=0 Win=64240 Len=0

MSS=1460 WS=256 SACK_PERM
Frame 183: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)

Internet Protocol Version 4, Src: 172.24.38.17, Dst: 114.212.10.193
Transmission Control Protocol, Src Port: 7618, Dst Port: 8080, Seq: 0, Len: 0
[Community ID: 1:bEOnacEj0akDhBLyy/h5qMXq0zo=]
TRANSMUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
184	2023-12-23 11:11:13.641488	114.212.10.193	172.24.38.17	TCP	60	8080 → 7596 [ACK] Seq=855 Ack=496

Win=30336 Len=0
Frame 184: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 114.212.10.193, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 8080, Dst Port: 7596, Seq: 855, Ack: 496, Len: 0
[Community ID: 1:h+Sj7/Mu44iEtNBbINGka2Juf/c=]

No.	Time	Source	Destination	Protocol	Length	Info
185	2023-12-23 11:11:13.641850	114.212.10.193	172.24.38.17	TCP	66	8080 → 7618 [SYN, ACK] Seq=0 Ack=1

Win=29200 Len=0 MSS=1460 SACK_PERM WS=128
Frame 185: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 114.212.10.193, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 8080, Dst Port: 7618, Seq: 0, Ack: 1, Len: 0
[Community ID: 1:bEOnacEj0akDhBLyy/h5qMXq0zo=]

No.	Time	Source	Destination	Protocol	Length	Info
186	2023-12-23 11:11:13.641885	172.24.38.17	114.212.10.193	TCP	54	7618 → 8080 [ACK] Seq=1 Ack=1 Win=131328

Len=0
Frame 186: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 114.212.10.193
Transmission Control Protocol, Src Port: 7618, Dst Port: 8080, Seq: 1, Ack: 1, Len: 0
[Community ID: 1:bEOnacEj0akDhBLyy/h5qMXq0zo=]

No.	Time	Source	Destination	Protocol	Length	Info
187	2023-12-23 11:11:13.641993	172.24.38.17	114.212.10.193	HTTP	758	POST /course/net23/pcaplab.py HTTP/1.1

(application/x-www-form-urlencoded)
Frame 187: 758 bytes on wire (6064 bits), 758 bytes captured (6064 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 114.212.10.193
Transmission Control Protocol, Src Port: 7618, Dst Port: 8080, Seq: 1, Ack: 1, Len: 704
Hypertext Transfer Protocol
HTML Form URL Encoded: application/x-www-form-urlencoded
[Community ID: 1:bEOnacEj0akDhBLyy/h5qMXq0zo=]

No.	Time	Source	Destination	Protocol	Length	Info
188	2023-12-23 11:11:13.643419	114.212.10.193	172.24.38.17	TCP	60	8080 → 7618 [ACK] Seq=1 Ack=705

Win=30720 Len=0
Frame 188: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 114.212.10.193, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 8080, Dst Port: 7618, Seq: 1, Ack: 705, Len: 0
[Community ID: 1:bEOnacEj0akDhBLyy/h5qMXq0zo=]

No.	Time	Source	Destination	Protocol	Length	Info
189	2023-12-23 11:11:13.801576	20.195.39.155	172.24.38.17	TCP	60	443 → 7595 [ACK] Seq=8101 Ack=3039

Win=64512 Len=0
Frame 189: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 20.195.39.155, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7595, Seq: 8101, Ack: 3039, Len: 0
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
190	2023-12-23 11:11:13.801689	20.195.39.155	172.24.38.17	TCP	60	443 → 7595 [ACK] Seq=8101 Ack=4741

Win=63488 Len=0
Frame 190: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 20.195.39.155, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7595, Seq: 8101, Ack: 4741, Len: 0
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
191	2023-12-23 11:11:13.801689	20.195.39.155	172.24.38.17	TLSv1.3	89	Application Data

Frame 191: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 20.195.39.155, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7595, Seq: 8101, Ack: 4741, Len: 35
Transport Layer Security
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
192	2023-12-23 11:11:13.801753	20.195.39.155	172.24.38.17	TLSv1.3	1180	Application Data

Frame 192: 1180 bytes on wire (9440 bits), 1180 bytes captured (9440 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 20.195.39.155, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7595, Seq: 8136, Ack: 4741, Len: 1126
Transport Layer Security
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
193	2023-12-23 11:11:13.801753	114.212.10.193	172.24.38.17	TCP	362	8080 → 7618 [PSH, ACK] Seq=1 Ack=705

Win=30720 Len=308 [TCP segment of a reassembled PDU]
Frame 193: 362 bytes on wire (2896 bits), 362 bytes captured (2896 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)

Internet Protocol Version 4, Src: 114.212.10.193, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 8080, Dst Port: 7618, Seq: 1, Ack: 705, Len: 308
[Community ID: 1:bEOnacEj0akDhBLyy/h5qMXq0zo=]

No.	Time	Source	Destination	Protocol	Length	Info
194	2023-12-23 11:11:13.801797	172.24.38.17	20.195.39.155	TCP	54	7595 → 443 [ACK] Seq=4741 Ack=9262

Win=132352 Len=0
Frame 194: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 20.195.39.155
Transmission Control Protocol, Src Port: 7595, Dst Port: 443, Seq: 4741, Ack: 9262, Len: 0
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
195	2023-12-23 11:11:13.801927	114.212.10.193	172.24.38.17	HTTP	60	HTTP/1.1 200 OK (text/html)

Frame 195: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 114.212.10.193, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 8080, Dst Port: 7618, Seq: 309, Ack: 705, Len: 5
[3 Reassembled TCP Segments (313 bytes): #193(308), #195(5), #196(5)]
Hypertext Transfer Protocol, has 2 chunks (including last chunk)
Line-based text data: text/html (4 lines)
[Community ID: 1:bEOnacEj0akDhBLyy/h5qMXq0zo=]

No.	Time	Source	Destination	Protocol	Length	Info
196	2023-12-23 11:11:13.801927	114.212.10.193	172.24.38.17	TCP	60	[TCP Retransmission] 8080 → 7618 [PSH, ACK] Seq=309 Ack=705 Win=30720 Len=5 [TCP segment of a reassembled PDU]

Frame 196: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: b2:b8:e6:7e:16:0c (b2:b8:e6:7e:16:0c), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 114.212.10.193, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 8080, Dst Port: 7618, Seq: 309, Ack: 705, Len: 5
[Community ID: 1:bEOnacEj0akDhBLyy/h5qMXq0zo=]

No.	Time	Source	Destination	Protocol	Length	Info
197	2023-12-23 11:11:13.801950	172.24.38.17	114.212.10.193	TCP	66	7618 → 8080 [ACK] Seq=705 Ack=314

Win=131072 Len=0 SLE=309 SRE=314
Frame 197: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 114.212.10.193
Transmission Control Protocol, Src Port: 7618, Dst Port: 8080, Seq: 705, Ack: 314, Len: 0
[Community ID: 1:bEOnacEj0akDhBLyy/h5qMXq0zo=]

No.	Time	Source	Destination	Protocol	Length	Info
198	2023-12-23 11:11:13.802511	172.24.38.17	20.195.39.155	TLSv1.3	89	Application Data

Frame 198: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 20.195.39.155
Transmission Control Protocol, Src Port: 7595, Dst Port: 443, Seq: 4741, Ack: 9262, Len: 35
Transport Layer Security
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
199	2023-12-23 11:11:13.886495	92:50:54:66:02:11	Broadcast	ARP	56	Who has 172.24.0.1? Tell 172.24.127.175

Frame 199: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: 92:50:54:66:02:11 (92:50:54:66:02:11), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Address Resolution Protocol (request)

No.	Time	Source	Destination	Protocol	Length	Info
200	2023-12-23 11:11:13.972409	20.195.39.155	172.24.38.17	TCP	60	443 → 7595 [ACK] Seq=9262 Ack=4776

Win=64512 Len=0
Frame 200: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 20.195.39.155, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7595, Seq: 9262, Ack: 4776, Len: 0
[Community ID: 1:wv3nbD0w5uFogZP6t5vp08tr9UY=]

No.	Time	Source	Destination	Protocol	Length	Info
201	2023-12-23 11:11:14.044392	172.24.38.17	50.117.117.42	TCP	66	[TCP Retransmission] 7599 → 80 [SYN]

Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM
Frame 201: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 50.117.117.42
Transmission Control Protocol, Src Port: 7599, Dst Port: 80, Seq: 0, Len: 0
[Community ID: 1:P77tKSdYKW0mnyT0yqSxdNaZBac=]

TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
202	2023-12-23 11:11:14.931035	172.24.38.17	192.168.101.104	TCP	66	[TCP Retransmission] 7574 → 7680 [SYN]

Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM
Frame 202: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 192.168.101.104
Transmission Control Protocol, Src Port: 7574, Dst Port: 7680, Seq: 0, Len: 0
[Community ID: 1:7iGs/hAUsXi7zG2N5Quj01T000=]

TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
203	2023-12-23 11:11:14.931035	172.24.38.17	192.168.1.133	TCP	66	[TCP Retransmission] 7575 → 7680 [SYN]

Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM
Frame 203: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 192.168.1.133
Transmission Control Protocol, Src Port: 7575, Dst Port: 7680, Seq: 0, Len: 0
[Community ID: 1:JRlH2YzKvcgKDrc5j6sQzOZuw=]

TRANSUM RTE Data

No. Time Source Destination Protocol Length Info
204 2023-12-23 11:11:15.422607 0.0.0.0 255.255.255.255 DHCP 342 DHCP Discover - Transaction ID
0xa04fe26c
Frame 204: 342 bytes on wire (2736 bits), 342 bytes captured (2736 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: 52:e2:83:ab:da:b4 (52:e2:83:ab:da:b4), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Internet Protocol Version 4, Src: 0.0.0.0, Dst: 255.255.255.255
User Datagram Protocol, Src Port: 68, Dst Port: 67
Dynamic Host Configuration Protocol (Discover)
[Community ID: 1:t901j0qj7104wJM7gnaHtgMfev8=]

No. Time Source Destination Protocol Length Info
205 2023-12-23 11:11:15.422762 172.24.0.1 255.255.255.255 DHCP 343 DHCP Offer - Transaction ID
0xa04fe26c
Frame 205: 343 bytes on wire (2744 bits), 343 bytes captured (2744 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Internet Protocol Version 4, Src: 172.24.0.1, Dst: 255.255.255.255
User Datagram Protocol, Src Port: 67, Dst Port: 68
Dynamic Host Configuration Protocol (Offer)
[Community ID: 1:8hM3qU2FpAp5sf7RICEHo0ES0dM=]

No. Time Source Destination Protocol Length Info
206 2023-12-23 11:11:15.422940 0.0.0.0 255.255.255.255 DHCP 354 DHCP Request - Transaction ID
0xa04fe26c
Frame 206: 354 bytes on wire (2832 bits), 354 bytes captured (2832 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: 52:e2:83:ab:da:b4 (52:e2:83:ab:da:b4), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Internet Protocol Version 4, Src: 0.0.0.0, Dst: 255.255.255.255
User Datagram Protocol, Src Port: 68, Dst Port: 67
Dynamic Host Configuration Protocol (Request)
[Community ID: 1:t901j0qj7104wJM7gnaHtgMfev8=]

No. Time Source Destination Protocol Length Info
207 2023-12-23 11:11:15.524804 52:e2:83:ab:da:b4 Broadcast ARP 56 Who has 172.24.87.67? (ARP Probe)
Frame 207: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: 52:e2:83:ab:da:b4 (52:e2:83:ab:da:b4), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Address Resolution Protocol (ARP Probe)

No. Time Source Destination Protocol Length Info
208 2023-12-23 11:11:15.583769 172.24.38.17 223.119.50.137 TCP 55 7491 → 443 [ACK] Seq=1 Ack=1 Win=508
Len=1 [TCP segment of a reassembled PDU]
Frame 208: 55 bytes on wire (440 bits), 55 bytes captured (440 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 223.119.50.137
Transmission Control Protocol, Src Port: 7491, Dst Port: 443, Seq: 1, Ack: 1, Len: 1
[Community ID: 1:JEOEDLDrKtncIJGLrtJYMB1aQLQ=]
Spirent Test Center Signature
TRANSUM RTE Data

No. Time Source Destination Protocol Length Info
209 2023-12-23 11:11:15.634217 223.119.50.137 172.24.38.17 TCP 66 443 → 7491 [ACK] Seq=1 Ack=2 Win=501
Len=0 SLE=1 SRE=2
Frame 209: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 223.119.50.137, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7491, Seq: 1, Ack: 2, Len: 0
[Community ID: 1:JEOEDLDrKtncIJGLrtJYMB1aQLQ=]

No. Time Source Destination Protocol Length Info
210 2023-12-23 11:11:15.647552 172.24.38.17 13.89.178.27 TLSv1.2 138 Application Data
Frame 210: 138 bytes on wire (1104 bits), 138 bytes captured (1104 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.89.178.27
Transmission Control Protocol, Src Port: 7554, Dst Port: 443, Seq: 4660, Ack: 432, Len: 84
Transport Layer Security
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]

No. Time Source Destination Protocol Length Info
211 2023-12-23 11:11:15.647598 172.24.38.17 13.89.178.27 TLSv1.2 1388 Application Data
Frame 211: 1388 bytes on wire (11104 bits), 1388 bytes captured (11104 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.89.178.27
Transmission Control Protocol, Src Port: 7554, Dst Port: 443, Seq: 4744, Ack: 432, Len: 1334
Transport Layer Security
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]

No. Time Source Destination Protocol Length Info
212 2023-12-23 11:11:15.897389 13.89.178.27 172.24.38.17 TCP 60 443 → 7554 [ACK] Seq=432 Ack=6078
Win=16385 Len=0
Frame 212: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 13.89.178.27, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7554, Seq: 432, Ack: 6078, Len: 0
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]

No. Time Source Destination Protocol Length Info
213 2023-12-23 11:11:15.904704 13.89.178.27 172.24.38.17 TLSv1.2 153 Application Data
Frame 213: 153 bytes on wire (1224 bits), 153 bytes captured (1224 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 13.89.178.27, Dst: 172.24.38.17

Transmission Control Protocol, Src Port: 443, Dst Port: 7554, Seq: 432, Ack: 6078, Len: 99
Transport Layer Security
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]

No.	Time	Source	Destination	Protocol	Length	Info
214	2023-12-23 11:11:15.905270	172.24.38.17	13.89.178.27	TLSv1.2	89	Application Data

Frame 214: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 13.89.178.27
Transmission Control Protocol, Src Port: 7554, Dst Port: 443, Seq: 6078, Ack: 531, Len: 35
Transport Layer Security
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]

TRANSUM RTE Data

No.	Time	Source	Destination	Protocol	Length	Info
215	2023-12-23 11:11:16.036812	52:e2:83:ab:da:b4	Broadcast	ARP	56	Who has 172.24.87.67? (ARP Probe)

Frame 215: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: 52:e2:83:ab:da:b4 (52:e2:83:ab:da:b4), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Address Resolution Protocol (ARP Probe)

No.	Time	Source	Destination	Protocol	Length	Info
216	2023-12-23 11:11:16.036849	52:e2:83:ab:da:b4	Broadcast	ARP	56	Who has 172.24.87.67? (ARP Probe)

Frame 216: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: 52:e2:83:ab:da:b4 (52:e2:83:ab:da:b4), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Address Resolution Protocol (ARP Probe)

No.	Time	Source	Destination	Protocol	Length	Info
217	2023-12-23 11:11:16.115803	172.24.38.17	103.28.54.181	SKYPE	126	Unknown_0 Unk: 3

Frame 217: 126 bytes on wire (1008 bits), 126 bytes captured (1008 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3), Dst: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f)
Internet Protocol Version 4, Src: 172.24.38.17, Dst: 103.28.54.181
User Datagram Protocol, Src Port: 55523, Dst Port: 27017
SKYPE
[Community ID: 1:rJyxMknQxu+M6zFvBsllXhYX6YY=]

No.	Time	Source	Destination	Protocol	Length	Info
218	2023-12-23 11:11:16.139263	52:e2:83:ab:da:b4	Broadcast	ARP	56	ARP Announcement for 172.24.87.67

Frame 218: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: 52:e2:83:ab:da:b4 (52:e2:83:ab:da:b4), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Address Resolution Protocol (ARP Announcement)

No.	Time	Source	Destination	Protocol	Length	Info
219	2023-12-23 11:11:16.196369	13.89.178.27	172.24.38.17	TCP	60	443 → 7554 [ACK] Seq=531 Ack=6113 Win=16384 Len=0

Frame 219: 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: HuaweiTechno_1b:24:9f (10:51:72:1b:24:9f), Dst: AzureWaveTec_50:59:c3 (b4:8c:9d:50:59:c3)
Internet Protocol Version 4, Src: 13.89.178.27, Dst: 172.24.38.17
Transmission Control Protocol, Src Port: 443, Dst Port: 7554, Seq: 531, Ack: 6113, Len: 0
[Community ID: 1:pio8PJ8o23h0Y9nowK5w3gow90Y=]

No.	Time	Source	Destination	Protocol	Length	Info
220	2023-12-23 11:11:16.446474	52:e2:83:ab:da:b4	Broadcast	ARP	56	ARP Announcement for 172.24.87.67

Frame 220: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: 52:e2:83:ab:da:b4 (52:e2:83:ab:da:b4), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Address Resolution Protocol (ARP Announcement)

No.	Time	Source	Destination	Protocol	Length	Info
221	2023-12-23 11:11:16.753630	52:e2:83:ab:da:b4	Broadcast	ARP	56	Who has 172.24.0.1? Tell 172.24.87.67

Frame 221: 56 bytes on wire (448 bits), 56 bytes captured (448 bits) on interface \Device\NPF_{B556E8DB-875B-45ED-B4D4-00832D7BC113}, id 0
Ethernet II, Src: 52:e2:83:ab:da:b4 (52:e2:83:ab:da:b4), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Address Resolution Protocol (request)