

Authors' Reply

Lagrangian Heuristic for Simultaneous Subsidization and Penalization:

Implementations on Rooted Travelling Salesman Games

Lindong Liu, Yuqian Zhou, Zikang Li

We would like to thank the Associate Editor and the reviewers for the encouraging and detailed comments on the paper. We have carefully studied all the comments and addressed them in our manuscript. In this reply, we summarize several major changes we have made, and then give the specific details.

First, regarding the proofs of the structural properties of the penalty-subsidy tradeoff function, we now have a much simpler proof which was suggested by the Associate Editor, and for which we are very grateful.

Second, regarding constructing the tradeoff function over the entire effective domain, we add a new approximation algorithm with a guaranteed error bound.

Third, regarding computing the tradeoff between penalty and subsidy at a specific point, we remove the Lagrangian relaxation heuristic method, and design two new solution approaches that are more theoretically sound, and that can find the exact solutions for some games of which $c(s)$ are solvable.

Fourth, regarding the demonstration games, we replace the TSP game with machine scheduling games. Indeed, we obtain some interesting properties by studying the special structures of these games.

There is another change mainly for the convenience of presentation. For the **, we now define it as ** instead of **.

Please find below our point-by-point reply to the Associate Editor and each of the reviewers. To facilitate reading, the original comments are in *italics*.

Reply to Associate Editor

Thank you very much for processing our submission efficiently and providing guidance for the revision. We are especially grateful for the simple proofs that you suggested. The issues raised in your report are addressed as follows:

Reply to Referee 1

Thank you for your comments, especially for pointing out that we should focus on the main contributions of our paper by assuming that the coalitions' costs are known. We have adopted your suggestions and revised our paper accordingly. The main issues raised in your report are addressed as follows:

Question 1. *Constraint # 2 in problem (4). It appears from the next page that the equality can be replaced to \geq inequality in this problem formulation. I would like the authors to expand the discussion of reasons for that being the case as the brief explanation on page 9 does not seem sufficient. Moreover, it looks like a good idea to do it right after introduction of problem (4), since in this case it becomes obvious that (4) is a restriction of (2) and therefore $z_r(w)$ is an upper bound on $z(w)$:*

$$\begin{aligned}\beta(s) &\leq c_l(s) + z \leq c(s) + z \\ \beta(V) &\geq c_u(U) + z \geq c(s) + z\end{aligned}$$

Reply 1. For the first part of this question, it is obvious that it is a relaxation.

For the second part of this question. At first, this formula $\beta(s) \leq c_l(s) + z \leq c(s) + z$ you wrote is correct, which indicates that $\beta(s) \leq c_l(s) + z$ in LP(4) is a restriction of $\beta(s) \leq c(s) + z$ in LP(2). However, we think there are some mistakes in the formula $\beta(V) \geq c_u(U) + z \geq c(s) + z$. Firstly, U should be a written error. Secondly, $\beta(V)$ has no direct relation with z . In fact, according to the cooperative game theory, coalitional stability constraints refer to all subcoalitions $S \in \mathbb{S} \setminus \{V\}$ except the grand coalition V . Thus, the second condition in LP(4), $\beta(V) = c_u(V) - \omega$ i.e., the budget balance constraint is not a restriction of $\beta(V) = c(V) - \omega$ in LP(2). Based on the above analysis, LP(4) is not a relaxation of LP(2), which can explain why we cannot get a relaxation of LP(2) if we switch the places of $c_l(s)$ and $c_u(s)$ you mentioned in Question 10. Maybe the 'restricted' word misleads you, so we deleted 'restricted word'.

Question 2. *When approximate problem (4) is introduced, it is not mentioned which upper bound $c_u(V)$ is used. Probably a discussion of upper bound possibilities will be good here.*

Reply 2. Thanks a lot for your suggestion. In fact, there are specific methods, such as LP-based methods, which can be used to obtain the upper bound $c_u(V)$. We add this clarification.

In order to be consistent with the general methods, we only mentioned a general method, i.e., Lagrangian heuristic to calculate the upper bound $c(V)$.

Question 3. *Proof of Theorem 1. This is probably a general question but it also directly affects the proof of Theorem 1. The vector of cost allocation beta is defined to be in R^n . I would like to see some discussion on why some individual cost allocation is allowed to be negative (implying a gain for a player, I guess) and how that is possible with existence of grand coalition. My concern is that beta components in the proof of Theorem 1 can become negative, but, again, I am not sure I understand the meaning of negative cost allocation.*

Reply 3. The beta components in the proof indeed can be negative as you said, that is because the vector of cost allocation that is defined to be in R^v in the proof is mathematically valid. When the cost assigned to some player is negative, it can be understood as a gain for the player as you guessed. In cooperative game theory, cost allocation does not mean cost assigned to every player in the cooperative game must to be positive. As long as a cost allocation satisfies the budget balance and coalitional stability constraints we mentioned in the paper, it is meaningful and can make the grand coalition stable (In other words, the grand coalition can exist), even if some components of it are negative.

Question 4. *Proof of Remark 1. I am not able to see "the point-wise maximum of a finite set of straight lines (hyperplanes, you mean?)" in defining the $z_r(\omega)$ (19). Please clarify.*

Reply 4. In the objective function of LP(19), $z_r(\omega)$ is only related to ω and $c_u(V), c_l(s)$ can be calculated and have no connection with ω . By deriving $z_r(\omega)$ with respect to ω , we can obtain the slope is $\max_{\rho} -\rho_v$, which is the maximum of the slopes of a finite set of straight lines.

Question 5. *In the description of the Algorithm 1, how is the initial restricted coalition set is constructed? For example, it is not clear what the first step means means if no initial set is defined. And also, I am not able to see how the initial values of Lagrangian coefficients λ is constructed and how they change (if they do) during the algorithm. It would be great to add some clarifications.*

Reply 5. The initial restricted coalition set can be constructed as initially. In fact,

Question 6. *The description of the TSP game is somewhat different from one can find in the literature. For example in Tamir (1989) the game was defined on an uncomplete graph, while here the game is defined on the complete graph. This affects all the models presented on page 13 and further. Probably both versions of the game exist, but I would like to understand why the descriptions are different.*

Reply 6. In Tamir(1989), the author also mentioned the game can be defined on a complete graph. He defined the game on an uncomplete graph for the convenience's sake. In the TSP game we mentioned, use the complete graph can help us present the model clearly.

Question 7. *Constraint (15): I am not sure why would one keep (15) in such an aggregated format when it is possible to disaggregate it to $x_{ij} \leq \gamma_i$ $x_{ij} \leq \gamma_j$ In terms of LP relaxation disaggregation gives a tighter bound and probably will lead to the improvement to Lagrangian relaxation just as well.*

Reply 7. The disaggregation indeed gives a better bound when using LP relaxation. However, in the Lagrangian relaxation we don't change the integer property of the formulation, i.e., x_{ij} still has to be binary. Considering that the aggregated and disaggregated formats are fully equivalent, so the disaggregated format will not lead to the improvement to Lagrangian relaxation. For better understanding, we changed the aggregated format to the disaggregated one you mentioned.

Question 8. *The symmetry of TSP game. I would like to attract the attention of the authors to the Dantzig Fulkerson Johnson (1954) paper, which originated the development of the TSP theory. Most importantly, the authors there also considered a symmetric TSP problem. If the problem is symmetric, one does not need as many binary variables as was introduced by authors. For example, on page 13 x_{ij} exists together with x_{ji} but direction of the travel is not important for symmetric problem therefore it is sufficient to introduce x_e for e being an edge or x_{ij} for $i < j$ only. This is how the TSP problem was introduced in DFJ and this is something that can simplify many notations in this paper. Also, it will be probably a good idea to get rid of x_{ii} variables on page 13 and other optimization problems.*

Reply 8. When it comes to a symmetric TSP problem, it is more convenient to introduce x_e or $x_{ij}, i < j$. However, the player is an important concept in the cooperative game. We have to express every single node in the TSP game. If we only use x_e or $x_{ij}, i < j$ to express the edge in the TSP game, the notation γ_j^S used in the rooted TSP game cannot be expressed. We have to introduce other notations to express single node, which is obviously troublesome. Thus, we use the expression $x_{ij}, i, j \in V$ in our manuscript.

Question 9. *I am a bit confused by Figure 2. Does it represent 4 different games? What exactly is on y axis and x axis, Penalty and Subsidy on y and x axis for all 4 figures? I suggest to add definitions of squared points and round points to the legend of the figure. Why is it that one figure gets two points and another gets 6 and they are evaluated at different levels of subsidy?*

Reply 9. Thanks for your suggestions. We have added the legend of the figure and make a specific explanation on these 4 representatives of games. x axis and y axis represent penalty and subsidy respectively for all 4 subfigures. Figure 2. represents four different situations. (a) represents that the slopes at the two points are equal, thus there is no breakpoint between them. (b) represents that the two lines passing the two points at the beginning and the end meets a point meanwhile the value of $z_\theta(\omega)$ at x-coordinate value of the point equals the value of y-coordinate of the point which indicates that this point is a breakpoint. (c) represents that the two lines passing the two points at the beginning and the end meets a point whose y-coordinate value is not equal to the third squared point's y-coordinate value, $z_\theta(\omega)$ at x-coordinate value of the point. The line passing the third squared point intersects the two lines passing the two points at the beginning and the end at the second and fourth squared points, respectively. The difference of (c) and (d) is that (d) has one more line intersection process than (c) at right half part.

The exact PSF curve is shown later in Figure 1 on page X when we demonstrate the IPC algorithm in Example 1. We have explicitly mentioned this in the paper.

Question 10. *In regards to results of experiments in Table 3, what exactly was used and the upper bound $\phi(N)$? and finally a general remark on the lower bound construction $z(w)$: – if we consider problem (4) as a restriction of (2), then it is also possible to create a relaxation of the problem in the similar way as problem (4) was constructed.*

Reply 10. Thanks for your problem. We forgot to mention $\phi(N)$. The upper bound $\phi(N)$ is what we

use Lagrangian heuristic method to obtain. As we mentioned in Reply 1. LP(4) is not a restriction of LP(2). So we know what you concerned, we tried this before but it won't work. Thus we design a new method to obtain the upper and lower bound.

Minor comments.

1. Problem (2) in the paper is frequently called an LP problem or a combinatorial optimization problem (page 4, for example). I suggest to use one terminology approach for consistency. For example, page 8 "solve LP (4) with some conventional combinatorial optimization techniques" sounds confusing.
2. Remark 1: probably, for any s in $S \setminus V$ in the first line of the Remark?
3. Page 8, line 58. Perhaps it is worth mentioning that this is due to Lagrangian being concave function.
4. Page 10, line 60. Perhaps LP (4) instead of (2)?
5. Page 10, line 26. Perhaps, it is better to replace forward reference (9) by "reduced cost".
6. Page 13, I would suggest to make a reference to the Dantzig Fulkerson Johnson (1954) paper with respect to constraints (13), as these constraints are not given in TSP literature but are in fact result of development by those authors.
7. I would suggest merging first two constraints in (11) as it is a bit confusing in its present form.
8. Page 15, line 45. don't you need to remove the word 'minimum' here?

Reply.

1. We have changed our expression use LP problem to avoid the confusion.
2. We've revised.
3. We have added the concave property before mentioning the sub-gradient method.
4. Based on what we demonstrated in Reply 1, LP(4) is not a restriction of LP(2). And what we mean right here is eliminating some constraints of LP(2) to construct a lower bound of the subsidized minimum penalty. Thus, it is LP(2) in Page 10.
5. We've replaced (9) by 'reduced cost' to avoid the forward reference.
6. We've added a reference to the Dantzig Fulkerson Johnson (1954) paper when introducing constraints (13).
7. We've merged the first two constraints for the ease of understanding.
8. We've removed the word 'minimum'.

Reply to Referee 2

We appreciate your detailed comments made directly on the manuscript. We have corrected all the typos and grammatical errors that you pointed out and carefully studied the technical concerns you raised. Because the second part of the paper has been rewritten, we will only address your comments on the first part. Nevertheless, we find your other comments also very helpful for our further study.

Question 1. *Notation. The paper does not conform with the standard notation in TU-games. Usually, coalitions are referred with capital letters and its cardinal in lower case letters, i.e. $S \subset N$ and $|S| = s$. This paper uses a different notation with s for coalitions and then some inconsistencies appears when referring to v in some places. I would suggest to adapt the notation to the standard to ease the readability of potential readers.*

Reply 1. Thanks for your suggestions. We've changed the notation to the standard form.

Question 2. *Some confusion appears, here and there, when referring to LP or MIP. For instance, in page 4 line 3, it is mentioned that (2) is a combinatorial optimization problem. However, (2) is a LP since in its description c is given and thus all constraints and variables are linear and continuous. The same confusion can be found at other places of the paper. Please clarify!*

Reply 2. We changed our expression by only using LP problem to avoid the confusion.

Question 3. *Page 4 line -13: The authors must be more precise. The Lagrangean bound is more accurate than the linear relaxation whenever the problem does not fulfill the integrality property.*

Reply 3. Thank you for pointing this out. We have added the statement.

Question 4. *The statement of Theorem 1 should be modified since the value of the LP is one of the many possible upper bounds not the only one as stated there.*

Reply 4. This should be “an”. Thanks for pointing this out.

Question 5. *Remark 1. The meaning of v is unclear. One should guess that it refers to $|V|$ but this has to be made explicit.*

Reply 5.

We have pointed this out in the revised manuscript in line X of page X.

Question 6. *Page 8, line -12. Note that (5) is not an LP but an ILP.*

Reply 6. Yes, our focus is the “effective domain” of the function. We have adopted this term all through the revised manuscript. Thanks a lot for your suggestion.

This should be MIP.

Question 7. *To better illustrate the proposed methodology, it would be advisable to apply it not only to*

the rooted traveling salesman problem. I would suggest to add another class of combinatorial games, for instance location games, to the computational study.

Reply 7.

How to add a computation?

Reply 9. The exact PSF curve is shown later in Figure 1 on page X when we demonstrate the IPC algorithm in Example 1. We have explicitly mentioned this in the paper.

Reply 10. Thanks a lot for your comments. You are right that the upper bound is not updated in each iteration. We further realize that we actually do not need an iterative upper bound to derive the exact PSF $\omega(z)$ when applying the IPC algorithm. We have refined the description of the IPC algorithm and concluded its correctness in Theorem 4. Please see the details on page X.