Contents

1   Multinomial Logistic Regression

Examples of multinomial logistic regression

Example 1. People's occupational choices might be influenced by their parents' occupations and their own education level. We can study the relationship of one's occupation choice with education level and father's occupation. The occupational choices will be the outcome variable which consists of categories of occupations.

Example 2. A biologist may be interested in food choices that alligators make. Adult alligators might have difference preference than young ones. The outcome variable here will be the types of food, and the predictor variables might be the length of the alligators and other environmental variables.

Example 3. Entering high school students make program choices among general program, vocational program and academic program. Their choice might be modeled using their writing score and their social economic status.

1.1   Multinomial Logistic Regression

Multinomial Logistic Regression is useful for situations in which you want to be able to classify subjects based on values of a set of predictor variables. This type of regression is similar to logistic regression, but it is more general because the dependent variable is not restricted to two categories. For Example, In order to market films more effectively, movie studios want to predict what type of film a moviegoer is likely to see. By performing a Multinomial Logistic Regression, the studio can determine the strength of influence a persons age, gender, and dating status has upon the type of film they prefer. The studio can then slant the advertising campaign of a particular movie toward a group of people likely to go see it.

2   Multiple Logistic Regression

So far we have looked at the case where our dependent variable is binary, i.e. it has just two categories. However, as you know there are many nominal variables with more than two categories. If we look at the example we gave earlier about staying on in education post-16, you can imagine that we might want a little more detail, such as knowing whether students have stayed in mainstream education, are in vocational training, or have left education altogether. This would be a three category nominal variable.

We therefore need methods that can model this type of dependent variable as well. Luckily we can extend the logistic regression model to do this. We call this extended method multinomial logistic regression, and refer to logistic regression for dichotomous dependent variables as binary logistic regression.

The basic principle of multinomial logistic regression is similar to that for binomial logistic regression, in that it is based on the probability of membership of each category of the dependent variable. So, in our three category example, the focus is on what the probability is of being in education, in training or not in education.

The way multinomial logistic regression deals with the variables in this case is somewhat similar to the concept of dummy variables we have seen earlier, in that it compares the probability of being in each of n-1 categories compared to a baseline or reference category. In a way we can say that we are fitting n-1 separate binary logistic models, where we compare category 1 to the baseline category, then category 2 to the baseline and so on. In practice software algorithms allow us to model the comparisons to the baseline simultaneously using maximum likelihood estimation, which is better as doing it sequentially could lead to misestimation of the standard errors. Therefore, multinomial logistic regression is basically an extension of binary logistic regression for nominal variables with more than two categories.

Multiple Logistic Regression

- So far we have looked at the case where our dependent variable is binary, i.e. it has just two categories. However, as you know there are many nominal variables with more than two categories. If we look at the example we gave earlier about staying on in education post-16, you can imagine that we might want a little more detail, such as knowing whether students have stayed in mainstream education, are in vocational training, or have left education altogether. This would be a three category nominal variable.

- We therefore need methods that can model this type of dependent variable as well. Luckily we can extend the logistic regression model to do this. We call this extended method multinomial logistic regression, and refer to logistic regression for dichotomous dependent variables as binary logistic regression.

- The basic principle of multinomial logistic regression is similar to that for binomial logistic regression, in that it is based on the probability of membership of each category of the dependent variable. So, in our three category example, the focus is on what the probability is of being in education, in training or not in education.

- The way multinomial logistic regression deals with the variables in this case is somewhat similar to the concept of dummy variables we have seen earlier, in that it compares the probability of being in each of n-1 categories compared to a baseline or reference category. In a way we can say that we are fitting n-1 separate binary logistic models, where we compare category 1 to the baseline category, then category 2 to the baseline and so on.

- In practice software algorithms allow us to model the comparisons to the baseline simultaneously using maximum likelihood estimation, which is better as doing it sequentially could lead to misestimation of the standard errors.

- Therefore, multinomial logistic regression is basically an extension of binary logistic regression for nominal variables with more than two categories.

2.1 Multinomial Logistic Regression

Multinomial Logistic Regression is useful for situations in which you want to be able to classify subjects based on values of a set of predictor variables. This type of regression is similar to logistic regression, but it is more general because the dependent variable is not restricted to two categories. For Example, In order to market films more effectively, movie studios want to predict what type of film a moviegoer is likely to see. By performing a Multinomial Logistic Regression, the studio can determine the strength of influence a person?s age, gender, and dating status has upon the type of film they prefer. The studio can then slant the advertising campaign of a particular movie toward a group of people likely to go see it.

Examples of multinomial logistic regression

Example 1. People's occupational choices might be influenced by their parents' occupations and their own education level. We can study the relationship of one's occupation choice with education level and father's occupation. The occupational choices will be the outcome variable which consists of categories of occupations.

Example 2. A biologist may be interested in food choices that alligators make. Adult alligators might have difference preference than young ones. The outcome variable here will be the types of food, and the predictor variables might be the length of the alligators and other environmental variables.

Example 3. Entering high school students make program choices among general program, vocational program and academic program. Their choice might be modeled using their writing score and their social economic status.