Open issues for the next release

Table of contents

1 [FOR-855] verify the license situation prior to each release	2
2 [FOR-865] Add missing entries to status.xml to generate the changes list	2
3 [FOR-868] add relevant notes to the "Upgrading" xdoc	2
4 [FOR-533] Auto Generate plugins.xml entry	2
5 [FOR-639] define terminology for the various aspects of Dispatcher	3
6 [FOR-735] Plugins are not correctly deployed in webapp mode	3
7 [FOR-711] Cache results from the Locationmap	3
8 [FOR-742] trouble accessing unversioned plugin for a released version of Forrest, projectInfo	
9 [FOR-241] character entities (e.g. ampersand) are expanded again for href or src attributes	3
10 [FOR-200] Locationmap for Forrest and Users	4
11 [FOR-546] Sitemap reference doc should be updated to reflect plugin architecture	4
12 [FOR-666] clarify the sitemap matches etc. in FAQ about non-skinned html	4
13 [FOR-726] use locationmap in all of the plugins	5
14 [FOR-765] forrest war gets NoSuchMethodError for some core transformer	5
15 [FOR-776] rationalise the pluginTemplate and current plugins to have minimal configurations, etc	
16 [FOR-901] Review the note on the home page about first forrest run and retrieving plugins network	
17 [FOR-906] locationmap documentation explain this-to-that.xsl naming convention and defaumatches	
18 [FOR-911] decide content of release	5
19 [FOR-922] update all docs that explain sitemap fragments	6
20 [FOR-936] Forrest "looses" the locale when switching pages	6
21 [FOR-537] Plugin documentation sitemap references	6
22 [FOR-671] Layering error of HTML headings breaks rest of the page w/o warning	6
23 [FOR-731] empty linkmap.html document, side-effect of workaround to FOR-675	7
24 [FOR-767] Forrestbot webapp reports successful even when there are broken links	7
25 [FOR-861] Update locationmap docs for working with remote files	7

Note:

These are the top 25 open issues for the next release that are scheduled in our <u>issue tracking system</u> (see <u>all</u> open issues). The listing below is regenerated on each Forrest run.

1. [FOR-855] verify the license situation prior to each release

http://issues.apache.org/jira/browse/FOR-855

2. [FOR-865] Add missing entries to status.xml to generate the changes list

http://issues.apache.org/jira/browse/FOR-865

3. [FOR-868] add relevant notes to the "Upgrading" xdoc

http://issues.apache.org/jira/browse/FOR-868

We need to add some notes to the upgrading_0*.html doc for the upcoming release. This would most easily be done after attending to FOR-865 "Add missing entries to status.xml to generate the changes list".

4. [FOR-533] Auto Generate plugins.xml entry

http://issues.apache.org/jira/browse/FOR-533

The information in the plugins.xml file would be better kept in the plugin directory and added to the plugins.xml file when deployed. This would reduce the amount of duplication in the plugins config files.

All the necessary values are now in the plugin build.xml file.

This change will require that the plugins.xml file be retrieved from the build directory rather than the plugins directory when building the plugin documentation pages. We will therefore need a fall back to retrieve this file from the network if it is not currently available - this can be done with the

locationmap

5. [FOR-639] define terminology for the various aspects of Dispatcher

http://issues.apache.org/jira/browse/FOR-639

See the email thread:
 <a

6. [FOR-735] Plugins are not correctly deployed in webapp mode

http://issues.apache.org/jira/browse/FOR-735

(At this point I didn't try this scenario step by step any more; basically it is what we did to setup the site, except that we copied our project data from forrest 0.6 before trying the pdf links)

 - run forrest webapp to create an empty webapp
 - configure Tomcat to run the webapp (we did it by creating a context descriptor and put it onder Tomcat's config directory)
 - the pdf links give an error "Resource Not Found"

7. [FOR-711] Cache results from the Locationmap

http://issues.apache.org/jira/browse/FOR-711

Now that we are using the locationmap extensively it is showing up just how innefficient it is. The problem is that for the majority of requests there are multiple requests to the locationmap. We can make things much faster (especially on the first page request) by caching results in the locationmap.

I think a simple cache will sufice, lets just provide a static hashmap using the hint as a key and, of course, the location as the value.

If we test all locationmaps and find no result we should record that tere is no result in this hashmap. This will also be a good place to throw an exception so that Cocoon can better report such errors (see FOR-701)

8. [FOR-742] trouble accessing unversioned plugin for a released version of Forrest, e.g. projectInfo

http://issues.apache.org/jira/browse/FOR-742

The plugin retrieval and deployment process are not quite correct. Recently the projectInfo plugin had its version number incremented and the "unversioned" plugin now relates specifically to 0.8-dev version. That prevents 0.7 from accessing the relevant plugin. $\langle br/ \rangle \langle br/ \rangle$ The solution is discussed here: $\langle br/ \rangle \langle a$

href="http://marc.theaimsgroup.com/?t=113176328300002">http://marc.theaimsgroup.com/?t=1131763283000

9. [FOR-241] character entities (e.g. ampersand) are expanded again for href or src attributes

http://issues.apache.org/jira/browse/FOR-241

If I have a url like this inside the XML source:

 http://sourceforge.net/sflogo.php?g

validate-xdocs fails because it wants the literal & typed out as
br/> & typed out as
br/> & typed out as

instead. So I correct it to become:

| correct |

href="http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?g

However, the generated HTML has the entity resolution UNDONE!:

<a

 $href="http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php$

There is a demonstration of the problem in the document
br/>

src/documentation/content/xdocs/docs/dreams.xml
 The ampersand in the link element text is properly handled but
 the ampersand in the link href attribute is not.

10. [FOR-200] Locationmap for Forrest and Users

http://issues.apache.org/jira/browse/FOR-200

The locationmap gives us the ability to specify where sources are, both for Forrest and for the users.

Beware that it will not work for raw files that are not linked, as this "feature" currently uses a fixed dir being being copied by Ant.

11. [FOR-546] Sitemap reference doc should be updated to reflect plugin architecture

http://issues.apache.org/jira/browse/FOR-546

The example at http://forrest.apache.org/0.7/docs/sitemap-re

<map:serializer name="fo2pdf"

</map:components>

 I found out about this because my sitemap uses the fo2pdf too (docbook to PDF), and had to add the serializer.

12. [FOR-666] clarify the sitemap matches etc. in FAQ about non-skinned html

http://issues.apache.org/jira/browse/FOR-666

The pattern matching example is quite misleading. There should be a note where exactly to copy your old site (in a standard seeded project) to make the pattern matching work.

 At least for me it worked only after I used a **.html directeive.

 <map:match

pattern="old_site/**.html">

13. [FOR-726] use locationmap in all of the plugins

http://issues.apache.org/jira/browse/FOR-726

Each plugin has sitemaps that need to use the locationmap.

 (Perhaps we need Jira sub-tasks for each plugin.)

14. [FOR-765] forrest war gets NoSuchMethodError for some core transformer

http://issues.apache.org/jira/browse/FOR-765

Until recently we could run forrest as a WAR. With today's SVN r356945 it gets past the Cocoon startup phase, then on the first client request it suffers some error which causes a NoSuchMethodError. See attached log ... no other clues. This happens for any site, e.g. 'forrest seed-sample war'. All is okay for 'forrest seed-sample run'.

15. [FOR-776] rationalise the pluginTemplate and current plugins to have minimal configuration files, etc.

http://issues.apache.org/jira/browse/FOR-776

forrest.properties can have minimal entries and rely on the default.forrest.properties
 kemove PDF from each "project.required.plugins"

 skinconf.xml needs to be ready-to-go for Apache Forrest hosted plugins. Helps with keeping the plugin docs consistent. (The need for skinconf.xml will probably go away with the new Dispatcher.)

 Fix whitespace in pluginTemplate files and existing plugins. Helps to use diff to keep consistent config.

 xdocs/images should be in documentation/resources/images

 site.xml needs to be consistent and remove any unneccessary files for xdocs.

 Tidy up the pluginTempate/status.xml

16. [FOR-901] Review the note on the home page about first forrest run and retrieving plugins from network

http://issues.apache.org/jira/browse/FOR-901

Review the note on the home page about first forrest run and retrieving plugins from network
 <a href="http://svn.apache.org/viewvc/forrest/trunk/site-author/content/xdocs/index.xml?r1=365495&r2=365494&

17. [FOR-906] locationmap documentation explain this-to-that.xsl naming convention and default lm matches

http://issues.apache.org/jira/browse/FOR-906

Explain this-to-that.xsl naming convention and default locationmap matches.

18. [FOR-911] decide content of release

http://issues.apache.org/jira/browse/FOR-911

For past releases we have essentially done a " source" release, i.e. pack everything found in svn trunk including a pre-built forrest binary jar file.

 content of release [was: Re: review list of scheduled issues for 0.8 release]

 content of release [was: Re: review list of scheduled issues for 0.8 release]

 content of release [was: Re: review list of scheduled issues for 0.8 release]

 content of release [was: Re: review list of scheduled issues for 0.8 release]

 content of release [was: Re: review list of scheduled issues for 0.8 release]

 content of release [was: Re: review list of scheduled issues for 0.8 release]

 content of release [was: Re: review list of scheduled issues for 0.8 release]

 content of release [was: Re: review list of scheduled issues for 0.8 release]

 content of release [was: Re: review list of scheduled issues for 0.8 release]

 content of release [was: Re: review list of scheduled issues for 0.8 release]

 content of release [was: Re: review list of scheduled issues for 0.8 release]

 content of release [was: Re: review list of scheduled issues for 0.8 release]

 content of release [was: Re: review list of scheduled issues for 0.8 release]

 content of release [was: Re: review list of scheduled issues for 0.8 release]

 content of release [was: Re: review list of scheduled issues for 0.8 release]

 content of release [was: Re: review list of scheduled issues for 0.8 release]

 content of release [was: Re: review list of scheduled issues for 0.8 release]

 content of release [was: Re: review list of scheduled issues for 0.8 release]

 content of release [was: Re: review list of scheduled issues for 0.8 release]

 content of release [was: Re: review list of scheduled issues for 0.8 release]

 content of release [was: Re: review list of scheduled issues for 0.

19. [FOR-922] update all docs that explain sitemap fragments

http://issues.apache.org/jira/browse/FOR-922

20. [FOR-936] Forrest "looses" the locale when switching pages

http://issues.apache.org/jira/browse/FOR-936

When moving from one page to another and switching locales in between, the chosen locale is lost when entering the new page. To reproduce:

 2) open a localized page
 3) switch locale by appending '?locale=XY' in the address field

 4) open another page available in both the original locale (before the switch) and the new locale XY

 5) notice how the new page is displayed in the original locale, NOT the expected XY locale

 Although one could argue that the described behaviour is wanted in some cases, I believe that to most users it would be natural that the locale is "sticky" once changed - it should not change back by itself. Thus, the "sticky" behaviour should be default in Forrest.

 The fix is simple, patch to come soon.

21. [FOR-537] Plugin documentation sitemap references

http://issues.apache.org/jira/browse/FOR-537

This one references:
 "FORREST_INSTALL_DIR/plugins/sitemap.xmap"
 and
 "src/plugins/sitemap.xmap"
 and
 "<map:mount uri-prefix=""

 $href="http://forrest.apache.org/0.7/docs/plugins/pluginInfrastructure.html \#How+does+Installation+work\%\,3F">

 --tim$

22. [FOR-671] Layering error of HTML headings breaks rest of the page w/o warning

http://issues.apache.org/jira/browse/FOR-671

encoding="ISO-8859-1"?>
 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd

 <html>
 <head>
 <title>Englisch</title>
 </head>

<ul class="Kursthemenliste">
 <li

class="Kurstthemenlistenpunkt">
 <a

class="Kursthemenliste_Listenpunkt"

href="\$KursthemaDateiname">Getting Started in Business (Abendkurs 1 x wöchentlich)
>

href="\$KursthemaDateiname">Getting Ahead in Business (Abendkurs 1 x wöchentlich)

href="\$KursthemaDateiname">Complaints, Reports and other Messages (Wochenendseminar)

23. [FOR-731] empty linkmap.html document, side-effect of workaround to FOR-675

http://issues.apache.org/jira/browse/FOR-731

The main/webapp/resources/stylesheets/linkmap-to-document.xsl has a workaround for a side-effect to the of the workaround for issue FOR-675.

24. [FOR-767] Forrestbot webapp reports successful even when there are broken links

http://issues.apache.org/jira/browse/FOR-767

We should also report why it failed:
 - plugin problem
 - broken link (with a link to the broken links file)
 - ??
 - ??

25. [FOR-861] Update locationmap docs for working with remote files

http://issues.apache.org/jira/browse/FOR-861

The docs for retrieving content from remote locations [1] have not kept up with Tims wonderful naming conventions for the locationmap [2]

br/> we need to update the docs to reflect the situation described in [3] (don't miss the correction in the next message)

br/> cbr/> [1] http://forrest.apache.org/docs_0_80/locationmap.html#source-via-http">http://forrest.apache.org/docs_0_

br/> [2] http://forrest.apache.org/docs_org