# Open issues for the next release

## **Table of contents**

1 [FOR-867] need doc to explain status of skins and dispatcher	2
2 [FOR-868] add relevant notes to the "Upgrading" xdoc	2
3 [FOR-865] Add missing entries to status.xml to generate the changes list	2
4 [FOR-855] verify the license situation prior to each release	2
5 [FOR-533] Auto Generate plugins.xml entry	2
6 [FOR-735] Plugins are not correctly deployed in webapp mode	3
7 [FOR-711] Cache results from the Locationmap	3
8 [FOR-742] trouble accessing unversioned plugin for a released version of Forrest, projectInfo	
9 [FOR-639] define terminology for the various aspects of Dispatcher	3
10 [FOR-241] character entities (e.g. ampersand) are expanded again for href or src attributes	4
11 [FOR-546] Sitemap reference doc should be updated to reflect plugin architecture	4
12 [FOR-666] clarify the sitemap matches etc. in FAQ about non-skinned html	4
13 [FOR-726] use locationmap in all of the plugins	5
14 [FOR-677] leading slash in gathered URIs causes double the number of links to be processed.	5
15 [FOR-765] forrest war gets NoSuchMethodError for some core transformer	5
16 [FOR-772] INvalid HTML as source causes unexpected behaviour	5
17 [FOR-776] rationalise the pluginTemplate and current plugins to have minimal configurations, etc	
18 [FOR-901] Review the note on the home page about first forrest run and retrieving plugins to network	
19 [FOR-889] Use by Ant of newer catalog entity resolver failing for Windows	6
20 [FOR-209] First level selected tab is not highlighted when containing 2nd level tabs	6
21 [FOR-200] Locationmap for Forrest and Users	6
22 [FOR-906] locationmap documentation explain this-to-that.xsl naming convention and defautmatches	
23 [FOR-537] Plugin documentation sitemap references	7
24 [FOR-671] Layering error of HTML headings breaks rest of the page w/o warning	7
25 [FOR-731] empty linkmap.html document, side-effect of workaround to FOR-675	7

#### Note:

These are the top 25 open issues for the next release that are scheduled in our <u>issue tracking system</u> (see <u>all</u> open issues). The listing below is regenerated on each Forrest run.

## 1. [FOR-867] need doc to explain status of skins and dispatcher

#### http://issues.apache.org/jira/browse/FOR-867

Need doc to explain status of skins and dispatcher. Link to the doc from warnings of dispatchers docs, from skins.html and from upgrading\_08.html <br/> <br/>br/> I have already commenced this xdoc.

## 2. [FOR-868] add relevant notes to the "Upgrading" xdoc

#### http://issues.apache.org/jira/browse/FOR-868

We need to add some notes to the upgrading\_0\*.html doc for the upcoming release. This would most easily be done after attending to <a href="http://issues.apache.org/jira/browse/FOR-865" title="Add missing entries to status.xml to generate the changes list">FOR-865</a> &quot;Add missing entries to status.xml to generate the changes list&quot;.

## 3. [FOR-865] Add missing entries to status.xml to generate the changes list

### http://issues.apache.org/jira/browse/FOR-865

There are insufficient entries in our site-author/status.xml to generate the changes.html for the upcoming release. <br/>
stoy-> cbr/> Besides informing users of the major changes and providing cross-links to the issue tracker, this file also provides recognition of contributions ... at the moment there are too few. It also has the importance=high attribute, which generates our release announcement ... again, too few. <br/>
stoy-> cbr/> Re: better use of changes.html (Was: Community health) <br/>
stoy-> ca href="http://marc.theaimsgroup.com/?t=11427483660001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=114274836600001">http://marc.theaimsgroup.com/?t=11427483600001">http://marc.theaimsgroup.com/?t=11427483600001">http://marc.theaimsgroup.com/?t=11427483600001">http://marc.theaimsgroup.com/?t=11427483600001">http://marc.theaimsgroup.com/?t=11427483600001">http://marc.theaimsgroup.com/?t=11427483600001">http://marc.theaimsgroup.com/?t=11427483600001">http://marc.theaimsgroup.com/?t=11427483600001">http://marc.theaimsgroup.com/?t=11427483600001">http://marc.theaimsgroup.com/?t=11427483600001

## 4. [FOR-855] verify the license situation prior to each release

#### http://issues.apache.org/jira/browse/FOR-855

This should be continually happening anyway, but immediately prior to each release we need to verify that our license situation is in order. This issue should not ever be closed, rather just move the "Fix for Version" on to the next release. <br/>
<br/>
<br/>
<br/>
<br/>
<br/>
<br/>
A) Ensure that all supporting libraries have a corresponding license. Basically every jar file or other external package needs to have a \*.license.txt file. Ensure that any license conditions are met, e.g. for some we must add an entry to NOTICE.txt, while for some others we must not. Remember to abide by the ASF guidelines (e.g. nothing more restrictive than the Apache License). <br/>
<br/>
<br/>
Scan the whole trunk repository to add missing ASF license headers to source files and to ensure that the ASF license headers have not been accidently added to external files. See etc/relicense.txt <br/>
<br/>
br/>

## 5. [FOR-533] Auto Generate plugins.xml entry

### http://issues.apache.org/jira/browse/FOR-533

The information in the plugins.xml file would be better kept in the plugin directory and added to the plugins.xml file when deployed. This would reduce the amount of duplication in the plugins config files. <br/>
<br/>
<br/>
All the necessary values are now in the plugin build.xml file. <br/>
<br/>
This change will require that the plugins.xml file be retrieved from the build directory rather than the plugins directory when building the plugin documentation pages. We will therefore need a fall back to retrieve this file from the network if it is not currently available - this can be done with the locationmap

## 6. [FOR-735] Plugins are not correctly deployed in webapp mode

#### http://issues.apache.org/jira/browse/FOR-735

(At this point I didn't try this scenario step by step any more; basically it is what we did to setup the site, except that we copied our project data from forrest 0.6 before trying the pdf links) <br/> <br/> - run forrest webapp to create an empty webapp <br/> - configure Tomcat to run the webapp (we did it by creating a context descriptor and put it onder Tomcat's config directory) <br/> - the pdf links give an error &quot;Resource Not Found&quot;

## 7. [FOR-711] Cache results from the Locationmap

#### http://issues.apache.org/jira/browse/FOR-711

Now that we are using the locationmap extensively it is showing up just how innefficient it is. The problem is that for the majority of requests there are multiple requests to the locationmap. We can make things much faster (especially on the first page request) by caching results in the locationmap. <br/>
<br/>
<br/>
<br/>
<br/>
in think a simple cache will sufice, lets just provide a static hashmap using the hint as a key and, of course, the location as the value. <br/>
<br/>
<br/>
<br/>
showing up just how innefficient it is. The problem is showing up just how innefficient it is. The problem is that for the majority of requests there are multiple requests to the locationmap. We can make things much faster (especially on the first page request) by caching results in the locationmap.<br/>
<br/>
<br/>
<br/>
showing up just how innefficient it is. The problem is showing up just h

href="http://issues.apache.org/jira/browse/FOR-701" title="Missing locationmap entry gives poor error">FOR-701</a>)

# 8. [FOR-742] trouble accessing unversioned plugin for a released version of Forrest, e.g. projectInfo

#### http://issues.apache.org/jira/browse/FOR-742

The plugin retrieval and deployment process are not quite correct. Recently the projectInfo plugin had its version number incremented and the "unversioned" plugin now relates specifically to 0.8-dev version. That prevents 0.7 from accessing the relevant plugin.  $\langle br/ \rangle \langle br/ \rangle$  The solution is discussed here:  $\langle br/ \rangle \langle a$ 

href="http://marc.theaimsgroup.com/?t=113176328300002">http://marc.theaimsgroup.com/?t=1131763283000

## 9. [FOR-639] define terminology for the various aspects of Dispatcher

http://issues.apache.org/jira/browse/FOR-639

See the email thread: <br/> <a

href="http://marc.theaimsgroup.com/?t=112276643700001">http://marc.theaimsgroup.com/?t=11227664370000 <br/><br/><br/>

## 10. [FOR-241] character entities (e.g. ampersand) are expanded again for href or src attributes

#### http://issues.apache.org/jira/browse/FOR-241

If I have a url like this inside the XML source: <br/> <br/> <a

href="http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?g<br/>
<br/>
<br/>
<br/>
<br/>
instead. So I correct it to become: <br/>
<br/>
<br/>
<a href="http://sourceforge.net/sflogo.php?g">http://sourceforge.net/sflogo.php?g</a>

 $href="http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group\_id=comics-grabber\&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?group_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php.grabber&type=1">http://sourceforge.net/sflogo.php.grabber&type=1">http://sourceforge.net/sflogo.php.grabber&type=1">http://sourceforge.net/sflogo.php.grabbe$ 

href="http://sourceforge.net/sflogo.php?group\_id=comics-grabber&type=1">http://sourceforge.net/sflogo.php?g<br/><br/><br/><br/>> This HTML fails validation as 4.01 transitional. <br/><br/>br/> David Crossley adds: <br/>

There is a demonstration of the problem in the document <br/>br/>

src/documentation/content/xdocs/docs/dreams.xml <br/>br/> The ampersand in the link element text is properly handled but <br/>br/> the ampersand in the link href attribute is not.

## 11. [FOR-546] Sitemap reference doc should be updated to reflect plugin architecture

#### http://issues.apache.org/jira/browse/FOR-546

The example at <a

href="http://forrest.apache.org/0.7/docs/sitemap-ref.html#pdf">http://forrest.apache.org/0.7/docs/sitemap-ref.html uses a fo2pdf serializer. This probaly worked in versions < 0.7, because the PDF output feature was in the core, and the serializer was very likely declared there. <br/>br/> &br/> With version 0.7, PDF output is moved to a plugin, the fo2pdf serializer seems to be no longer there. The serializer should probably be added to the example, for completeness. <br/>br/> &nbsp;&n

 $\ \&nbs$ 

</map:components&gt; <br/> <br/> I found out about this because my sitemap uses the fo2pdf too (docbook to PDF), and had to add the serializer.

## 12. [FOR-666] clarify the sitemap matches etc. in FAQ about non-skinned html

#### http://issues.apache.org/jira/browse/FOR-666

The pattern matching example is quite misleading. There should be a note where exactly to copy your old site (in a standard seeded project) to make the pattern matching work. <br/>
<br/>
At least for me it worked only after I used a \*\*.html directeive. <br/>
<br/>
<br/>
<br/>
&lt;map:match pattern=&quot;old\_site/\*\*.html&quot;&gt;

## 13. [FOR-726] use locationmap in all of the plugins

### http://issues.apache.org/jira/browse/FOR-726

Each plugin has sitemaps that need to use the locationmap. <br/> <br/> <br/> (Perhaps we need Jira sub-tasks for each plugin.)

# 14. [FOR-677] leading slash in gathered URIs causes double the number of links to be processed

### http://issues.apache.org/jira/browse/FOR-677

Doing 'forrest' starts at the virtual document called linkmap.html where the Cocoon crawler gathers the initial set of links, then starts crawling and generating pages. Any new links are pushed onto the linkmap. However, for some sites, such as our own "seed-sample" and our "site-author", there is a sudden jump in the number of URIs remaining to be processed. <br/>
<br/>
<br/>
<br/>
<br/>
This is due to a URI with a leading slash (e.g. /samples/faq.html). When that URI is processed, it gains a whole new set of links all with leading slashes, and so the list of URIs is potentially doubled. <br/>
<br/>
<br/>
<br/>
<br/>
This issue could be due to a user error, i.e. adding a link that deliberately begins with a slash. Sometimes, that is unavoidable. <br/>
<br/>
<br/>
<br/>
<br/>
<br/>
<br/>
However, we do have a sitemap transformer to &quot;relativize&quot; and &quot;absolutize&quot; the links. Should it always trim the leading slash? Or are there cases where that should not happen, so cannot generalise?

## 15. [FOR-765] forrest war gets NoSuchMethodError for some core transformer

#### http://issues.apache.org/jira/browse/FOR-765

Until recently we could run forrest as a WAR. With today's SVN r356945 it gets past the Cocoon startup phase, then on the first client request it suffers some error which causes a NoSuchMethodError. See attached log ... no other clues. This happens for any site, e.g. 'forrest seed-sample war'. All is okay for 'forrest seed-sample run'.

## 16. [FOR-772] INvalid HTML as source causes unexpected behaviour

### http://issues.apache.org/jira/browse/FOR-772

Reported via user list: <br/> <br/> Vor/> <br/> Using HTML as a source: <br/> <br/> &gt; I manage to cut out one '&gt;' too much. The page still manages to render. There <br/> &gt; is no error message, and...I'll be damned...the entire title line is gone, <br/> &gt; even when I &quot;view source&quot;. <br/> <br/> <br/> <br/> <br/> I guess this is a problem of using HTML as the source and would not occur if you were using XDoc. <br/> <br/> <br/> We use JTidy to preprocess the HTML (we must have valid XML to work with). I guess JTidy is just removing the invalid content. Can we configure JTidy to fail if such an error exists. <br/> <br/> <br/> >br/> Does such an error get spotted during the validation stage of a &quot;forrest site&quot; command (execute directly with &quot;forrest validate&quot;)

# 17. [FOR-776] rationalise the pluginTemplate and current plugins to have minimal configuration files, etc.

### http://issues.apache.org/jira/browse/FOR-776

forrest.properties can have minimal entries and rely on the default.forrest.properties <br/>b/> Remove PDF from each &quot;project.required.plugins&quot; <br/>b/> <br/>skinconf.xml needs to be ready-to-go for Apache Forrest hosted plugins. Helps with keeping the plugin docs consistent. (The need for skinconf.xml will probably go away with the new Dispatcher.) <br/>br/> <br/>Fix whitespace in pluginTemplate files and existing plugins. Helps to use diff to keep consistent config. <br/>br/> site.xml needs to be consistent and remove any unneccessary files for xdocs. <br/> <br/> Tidy up the pluginTempate/status.xml

# 18. [FOR-901] Review the note on the home page about first forrest run and retrieving plugins from network

http://issues.apache.org/jira/browse/FOR-901

Review the note on the home page about first forrest run and retrieving plugins from network <br/> <a href="http://svn.apache.org/viewvc/forrest/trunk/site-author/content/xdocs/index.xml?r1=365495&r2=365494&

## 19. [FOR-889] Use by Ant of newer catalog entity resolver failing for Windows

http://issues.apache.org/jira/browse/FOR-889

Some people on Windows report that the 'forrest validate-xdocs' task is " failing" when we upgrade the \$FORREST\_HOME/tools/ant/lib/xml-commons-resolver.jar <br/>
br/> &pr/> &pr/> See discussion in: <br/>
&nbsp;[heads up] Ant upgraded, please test <br/>
br/> &nbsp;<a href="http://marc.theaimsgroup.com/?t=114800390100001">http://marc.theaimsgroup.com/?t=1148003901000

## 20. [FOR-209] First level selected tab is not highlighted when containing 2nd level tabs

http://issues.apache.org/jira/browse/FOR-209

When there are two levels of tabs, the selected first level tab does not get highlighted, nor are there any other visual or structural clues as to which first-level tab is active, and which contains the displayed 2nd level tabs. <br/> <br/> This is checked with both the default skin, and with tigris-style. <br/> <br/>

## 21. [FOR-200] Locationmap for Forrest and Users

http://issues.apache.org/jira/browse/FOR-200

The locationmap gives us the ability to specify where sources are, both for Forrest and for the users. <br/> <br/> Beware that it will not work for raw files that are not linked, as this &quot;feature&quot; currently uses a fixed dir being being copied by Ant.

## 22. [FOR-906] locationmap documentation explain this-to-that.xsl naming convention and default lm matches

### http://issues.apache.org/jira/browse/FOR-906

Explain this-to-that.xsl naming convention and default locationmap matches.

## 23. [FOR-537] Plugin documentation sitemap references

### http://issues.apache.org/jira/browse/FOR-537

This one references: <br/> &quot;FORREST\_INSTALL\_DIR/plugins/sitemap.xmap&quot; <br/> and <br/> &quot;src/plugins/sitemap.xmap&quot; <br/> and <br/> &quot;&lt;map:mount uri-prefix=&quot;&quot; <br/>

&nbsp

 $href="http://forrest.apache.org/0.7/docs/plugins/pluginInfrastructure.html \#How+does+Installation+work\%\,3F"> <br/> <br/> <br/> <br/> --tim$ 

## 24. [FOR-671] Layering error of HTML headings breaks rest of the page w/o warning

## http://issues.apache.org/jira/browse/FOR-671

Up to revision 280144 if you make Forrest display the following file as a skinned .html-file in Forrest, you'll only see the title. Only if you fix the layering error of the headings and make h2 into h1 will the rest of the page content show. <br/> <br/> <br/> If Forrest minds this layering error it should at least report it as an error, shoulnd't it? <br/> <br/> &lt;?xml version=&quot;1.0&quot;

encoding="ISO-8859-1"?> <br/> &lt;!DOCTYPE html PUBLIC &quot;-//W3C//DTD XHTML 1.0 Strict//EN&quot; &quot;<a

href="http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd</hd>

<br/>
<br/>
<br/>
&lt;body class=&quot;Oberbereich&quot;&gt; <br/>
&lt;h2&gt;Kursthemen&lt;/h2&gt; <br/>
<br/>
| chr/> &lt;h2&gt;Kursthemen&lt;/h2&gt; <br/> | chr/> &lt;h2&gt;Kursthemen&lt;/h2&gt; <br/> | chr/> | chr/> &lt;h2&gt;Kursthemen&lt;/h2&gt; <br/> | chr/> | c

<ul class=&quot;Kursthemenliste&quot;&gt; <br/> &lt;li

class="Kurstthemenlistenpunkt"> <br/> &lt;a

class="Kursthemenliste\_Listenpunkt"

href=" \$KursthemaDateiname" >Getting Started in Business (Abendkurs 1 x wö chentlich)  $\mbox{<br/>>}$ 

class="Kursthemenliste\_Listenpunkt"

href="\$KursthemaDateiname">Getting Ahead in Business (Abendkurs 1 x wöchentlich) <br/>>

## 25. [FOR-731] empty linkmap.html document, side-effect of workaround to

## **FOR-675**

## http://issues.apache.org/jira/browse/FOR-731

The main/webapp/resources/stylesheets/linkmap-to-document.xsl has a workaround for a side-effect to the of the workaround for issue <a href="http://issues.apache.org/jira/browse/FOR-675" title="upgrading to commons-jxpath-1.2.jar causes failures with linkrewriter protocols site: etc.">FOR-675</a>.