

[0x1C8] ID: 00004, Type: C0000000 - \$Reparse_Point

- [0x1CC] Attribute Length: 120
- [0x1D0] Attribute Non-Resident Status: Resident
- [0x1D1] Length of Stream Name: 0
- [0x1D2] Offset to Stream Name: 0
- [0x1D6] Attribute ID: 4
- [0x1D8] Resident Content Size: 90
- [0x1DC] Resident Content Offset: 24
- [0x1E0] Reparse Point Tag Value: 0xA000000C
 - bit [0] - Is Microsoft tag set: True
 - bit [1] - Is High Latency set: True
 - bit [2] - Is Name surrogate set: True
 - bit [3] - Can have children set: False
 - Reparse Point Tag: IO_REPARSE_TAG_SYMLINK
 - [0x1E8] Offset to Substitute name: 0
 - Actual Offset to Substitute name: 20
 - [0x1EA] Substitute Name Length: 36
 - [0x1F4] Substitute Name: \??\C:\ProgramData
 - [0x1EC] Offset to Print Name: 38
 - Actual Offset to Print Name: 58
 - [0x1EE] Print Name Length: 28
 - [0x21A] Print Name: C:\ProgramData
 - [0x1F0] Flags: Full path name (0x00000000)
- [0x1E0] Reparse Point usage: Symbolic link
- [0x1E4] Size of Reparse Data: 82
- [0x1E6] Resident Content

[0x1D0] ID: 00004, Type: C0000000 - \$Reparse_Point

- [0x1D4] Attribute Length: 120
- [0x1D8] Attribute Non-Resident Status: Resident
- [0x1D9] Length of Stream Name: 0
- [0x1DA] Offset to Stream Name: 0
- [0x1DE] Attribute ID: 4
- [0x1E0] Resident Content Size: 92
- [0x1E4] Resident Content Offset: 24
- [0x1E8] Reparse Point Tag Value: 0xA0000003
 - bit [0] - Is Microsoft tag set: True
 - bit [1] - Is High Latency set: True
 - bit [2] - Is Name surrogate set: True
 - bit [3] - Can have children set: False
 - Reparse Point Tag: IO_REPARSE_TAG_MOUNT_POINT
 - [0x1F0] Offset to Substitute name: 0
 - Actual Offset to Substitute name: 16
 - [0x1F2] Substitute Name Length: 40
 - [0x1F8] Substitute Name: \??\C:\Users\Default
 - [0x1F4] Offset to Print Name: 42
 - Actual Offset to Print Name: 58
 - [0x1F6] Print Name Length: 32
 - [0x222] Print Name: C:\Users\Default
- [0x1E8] Reparse Point usage: Junction or mount point
- [0x1EC] Size of Reparse Data: 84
- [0x1EE] Resident Content

Win10/11 Sandbox: IO_REPARSE_TAG_WCI#

```
[0x248] ID: 00007, Type: C0000000 - $Reparse_Point
- [0x24C] Attribute Length: 64
- [0x250] Attribute Non-Resident Status: Resident
- [0x251] Length of Stream Name: 0
- [0x252] Offset to Stream Name: 0
- [0x256] Attribute ID: 7
- [0x258] Resident Content Size: 34
- [0x25C] Resident Content Offset: 24
- [0x260] Reparse Point Tag Value: 0x80000018
  - bit [0] - Is Microsoft tag set: True
  - bit [1] - Is High Latency set: False
  - bit [2] - Is Name surrogate set: False
  - bit [3] - Can have children set: False
  - Reparse Point Tag: IO_REPARSE_TAG_WCI
  - [0x268] WCI Version: 1
  - [0x26C] WCI Identifier: 5014FC54-7460-A7E8-46BB-CCD18183ECE9
  - [0x280] WCI Name Size: 0
- [0x260] Reparse Point usage: Windows Container Isolation (WCI)
- [0x264] Size of Reparse Data: 26
- [0x266] Resident Content
```

```
[0x298] ID: 00004, Type: C0000000 - $Reparse_Point
- [0x29C] Attribute Length: 96
- [0x2A0] Attribute Non-Resident Status: Resident
- [0x2A1] Length of Stream Name: 0
- [0x2A2] Offset to Stream Name: 0
- [0x2A6] Attribute ID: 4
- [0x2A8] Resident Content Size: 66
- [0x2AC] Resident Content Offset: 24
- [0x2B0] Reparse Point Tag Value: 0x80000018
  - bit [0] - Is Microsoft tag set: True
  - bit [1] - Is High Latency set: False
  - bit [2] - Is Name surrogate set: False
  - bit [3] - Can have children set: False
  - Reparse Point Tag: IO_REPARSE_TAG_WCI
  - [0x2B8] WCI Version: 1
  - [0x2BC] WCI Identifier: E56E0644-DBA6-80ED-49FC-3627C5770FA6
  - [0x2D0] WCI Name Size: 32
  - [0x2D2] WCI Name: Microsoft Shared
- [0x2B0] Reparse Point usage: Windows Container Isolation (WCI)
- [0x2B4] Size of Reparse Data: 58
- [0x2B6] Resident Content
```

```
[0x160] ID: 00003, Type: C0000000 - $Reparse_Point
-[0x164] Attribute Length: 120
-[0x168] Attribute Non-Resident Status: Resident
-[0x169] Length of Stream Name: 0
-[0x16A] Offset to Stream Name: 0
-[0x16E] Attribute ID: 3
-[0x170] Resident Content Size: 92
-[0x174] Resident Content Offset: 24
-[0x178] Reparse Point Tag Value: 0x90001018
  -bit [0] - Is Microsoft tag set: True
  -bit [1] - Is High Latency set: False
  -bit [2] - Is Name surrogate set: False
  -bit [3] - Can have children set: True
  -Reparse Point Tag: IO_REPARSE_TAG_WCI_1
  -[0x180] WCI Version: 1
  -[0x184] WCI Identifier: 67EE9E3F-7507-B2B9-42EB-279B1B3979C8
  -[0x198] WCI Name Size: 58
  -[0x19A] WCI Name: Windows\System32\kerberos.dll
-[0x178] Reparse Point usage: Windows Container Isolation (WCI)
-[0x17C] Size of Reparse Data: 84
-[0x17E] Resident Content
```

```
[0x160] ID: 00003, Type: C0000000 - $Reparse_Point
-[0x164] Attribute Length: 104
-[0x168] Attribute Non-Resident Status: Resident
-[0x169] Length of Stream Name: 0
-[0x16A] Offset to Stream Name: 0
-[0x16E] Attribute ID: 3
-[0x170] Resident Content Size: 74
-[0x174] Resident Content Offset: 24
-[0x178] Reparse Point Tag Value: 0xA0001027
  -bit [0] - Is Microsoft tag set: True
  -bit [1] - Is High Latency set: True
  -bit [2] - Is Name surrogate set: True
  -bit [3] - Can have children set: False
  -Reparse Point Tag: IO_REPARSE_TAG_WCI_LINK_1
  -[0x180] WCI Version: 1
  -[0x184] WCI Identifier: C2DA8087-944A-BF9A-4CA5-40B08264F677
  -[0x198] WCI Name Size: 40
  -[0x19A] WCI Name: Windows\explorer.exe
-[0x178] Reparse Point usage: Windows Container Isolation (WCI)
-[0x17C] Size of Reparse Data: 66
-[0x17E] Resident Content
```

IO_REPARSE_TAG_WOF: Related to 'WofCompressedData' ADS and Compress.exe

<https://docs.microsoft.com/en-us/windows-hardware/manufacture/desktop/compact-os>

```
[0x170] ID: 00003, Type: C0000000 - $Reparse_Point
- [0x174] Attribute Length: 48
- [0x178] Attribute Non-Resident Status: Resident
- [0x179] Length of Stream Name: 0
- [0x17A] Offset to Stream Name: 0
- [0x17E] Attribute ID: 3
- [0x180] Resident Content Size: 24
- [0x184] Resident Content Offset: 24
- [0x188] Reparse Point Tag Value: 0x80000017
  - bit [0] - Is Microsoft tag set: True
  - bit [1] - Is High Latency set: False
  - bit [2] - Is Name surrogate set: False
  - bit [3] - Can have children set: False
  - Reparse Point Tag: IO_REPARSE_TAG_WOF
  - [0x190] WOF Version: WIM
  - [0x194] WOF Provider: 2
  - [0x198] WOF Provider Version: 1
  - [0x19C] WOF Compression Format: XPRESS8K
- [0x188] Reparse Point usage: Windows Overlay Filter (WOF)
- [0x18C] Size of Reparse Data: 16
- [0x18E] Resident Content
```

From Win10/11 OneDrive folder:

Structure unknown yet: IO_REPARSE_TAG_CLOUD#

```
[0x2D0] ID: 00010, Type: C0000000 - $Reparse_Point
- [0x2D4] Attribute Length: 192
- [0x2D8] Attribute Non-Resident Status: Resident
- [0x2D9] Length of Stream Name: 0
- [0x2DA] Offset to Stream Name: 0
- [0x2DE] Attribute ID: 10
- [0x2E0] Resident Content Size: 168
- [0x2E4] Resident Content Offset: 24
- [0x2E8] Reparse Point Tag Value: 0x9000E01A
  - bit [0] - Is Microsoft tag set: True
  - bit [1] - Is High Latency set: False
  - bit [2] - Is Name surrogate set: False
  - bit [3] - Can have children set: True
  - [0x2E8] Reparse Point Tag: IO_REPARSE_TAG_CLOUD_E
- [0x2E8] Reparse Point usage: Cloud Files filter
- [0x2EC] Size of Reparse Data: 160
- [0x2F0] Resident Content
```

```
[0x1E0] ID: 00004, Type: C0000000 - $Reparse_Point
- [0x1E4] Attribute Length: 264
- [0x1E8] Attribute Non-Resident Status: Resident
- [0x1E9] Length of Stream Name: 0
- [0x1EA] Offset to Stream Name: 0
- [0x1EE] Attribute ID: 4
- [0x1F0] Resident Content Size: 235
- [0x1F4] Resident Content Offset: 24
- [0x1F8] Reparse Point Tag Value: 0x9000401A
  - bit [0] - Is Microsoft tag set: True
  - bit [1] - Is High Latency set: False
  - bit [2] - Is Name surrogate set: False
  - bit [3] - Can have children set: True
  - [0x1F8] Reparse Point Tag: IO_REPARSE_TAG_CLOUD_4
- [0x1F8] Reparse Point usage: Cloud Files filter
- [0x1FC] Size of Reparse Data: 227
- [0x200] Resident Content
```

```
[0x1D8] ID: 00072, Type: C0000000 - $Reparse_Point
- [0x1DC] Attribute Length: 152
- [0x1E0] Attribute Non-Resident Status: Resident
- [0x1E1] Length of Stream Name: 0
- [0x1E2] Offset to Stream Name: 0
- [0x1E6] Attribute ID: 72
- [0x1E8] Resident Content Size: 128
- [0x1EC] Resident Content Offset: 24
- [0x1F0] Reparse Point Tag Value: 0x9000601A
  - bit [0] - Is Microsoft tag set: True
  - bit [1] - Is High Latency set: False
  - bit [2] - Is Name surrogate set: False
  - bit [3] - Can have children set: True
  - [0x1F0] Reparse Point Tag: IO_REPARSE_TAG_CLOUD_6
- [0x1F0] Reparse Point usage: Cloud Files filter
- [0x1F4] Size of Reparse Data: 120
- [0x1F8] Resident Content
```

```
[0x368] ID: 00044, Type: C0000000 - $Reparse_Point
- [0x36C] Attribute Length: 144
- [0x370] Attribute Non-Resident Status: Resident
- [0x371] Length of Stream Name: 0
- [0x372] Offset to Stream Name: 0
- [0x376] Attribute ID: 44
- [0x378] Resident Content Size: 116
- [0x37C] Resident Content Offset: 24
- [0x380] Reparse Point Tag Value: 0x9000701A
  - bit [0] - Is Microsoft tag set: True
  - bit [1] - Is High Latency set: False
  - bit [2] - Is Name surrogate set: False
  - bit [3] - Can have children set: True
  - Reparse Point Tag: IO_REPARSE_TAG_CLOUD_7
- [0x380] Reparse Point usage: Cloud Files filter
- [0x384] Size of Reparse Data: 108
- [0x386] Resident Content
```

IO_REPARSE_TAG_APPEXECLINK: Related to UWP apps e.g.

.\Users\%username%\AppData\Local\Microsoft\WindowsApps\Microsoft.DesktopAppInstaller_8wekyb3d8bbwe\python.exe

```
[0x1A8] ID: 00004, Type: C0000000 - $Reparse_Point
- [0x1AC] Attribute Length: 304
- [0x1B0] Attribute Non-Resident Status: Resident
- [0x1B1] Length of Stream Name: 0
- [0x1B2] Offset to Stream Name: 0
- [0x1B6] Attribute ID: 4
- [0x1B8] Resident Content Size: 280
- [0x1BC] Resident Content Offset: 24
- [0x1C0] Reparse Point Tag Value: 0x8000001B
  - bit [0] - Is Microsoft tag set: True
  - bit [1] - Is High Latency set: False
  - bit [2] - Is Name surrogate set: False
  - bit [3] - Can have children set: False
  - Reparse Point Tag: IO_REPARSE_TAG_APPEXECLINK
  - [0x1C8] AppExecLink Version: 3
  - [0x1CC] Package ID: Microsoft.MicrosoftEdge_8wekyb3d8bbwe
  - [0x218] Entry Point: Microsoft.MicrosoftEdge_8wekyb3d8bbwe!MicrosoftEdge
  - [0x280] Executable: C:\WINDOWS\system32\SystemUWPLauncher.exe
  - [0x2D4] Application Type: UWP application
- [0x1C0] Reparse Point usage: Universal Windows Platform (UWP)
- [0x1C4] Size of Reparse Data: 272
- [0x1C6] Resident Content
```

Structure unknown yet: IO_REPARSE_TAG_DFS

```
[0x150] ID: 00003, Type: C0000000 - $Reparse_Point
- [0x154] Attribute Length: 32
- [0x158] Attribute Non-Resident Status: Resident
- [0x159] Length of Stream Name: 0
- [0x15A] Offset to Stream Name: 0
- [0x15E] Attribute ID: 3
- [0x160] Resident Content Size: 8
- [0x164] Resident Content Offset: 24
- [0x168] Reparse Point Tag Value: 0x8000000A
  - bit [0] - Is Microsoft tag set: True
  - bit [1] - Is High Latency set: False
  - bit [2] - Is Name surrogate set: False
  - bit [3] - Can have children set: False
  - Reparse Point Tag: IO_REPARSE_TAG_DFS
- [0x168] Reparse Point usage: Distributed File System (DFS)
- [0x16C] Size of Reparse Data: 0
- [0x16E] Resident Content
```

From the WSL 1/2 folders:

```
[0x120] ID: 00003, Type: C0000000 - $Reparse_Point
- [0x124] Attribute Length: 48
- [0x128] Attribute Non-Resident Status: Resident
- [0x129] Length of Stream Name: 0
- [0x12A] Offset to Stream Name: 0
- [0x12E] Attribute ID: 3
- [0x130] Resident Content Size: 24
- [0x134] Resident Content Offset: 24
- [0x138] Reparse Point Tag Value: 0x80000023
  - bit [0] - Is Microsoft tag set: True
  - bit [1] - Is High Latency set: False
  - bit [2] - Is Name surrogate set: False
  - bit [3] - Can have children set: False
  - [0x138] Reparse Point Tag: IO_REPARSE_TAG_AF_UNIX
- [0x138] Reparse Point usage: WSL to represent a UNIX domain socket
- [0x13C] Size of Reparse Data: 0
- [0x140] Resident Content
```

```
[0x118] ID: 00003, Type: C0000000 - $Reparse_Point
- [0x11C] Attribute Length: 56
- [0x120] Attribute Non-Resident Status: Resident
- [0x121] Length of Stream Name: 0
- [0x122] Offset to Stream Name: 0
- [0x126] Attribute ID: 3
- [0x128] Resident Content Size: 31
- [0x12C] Resident Content Offset: 24
- [0x130] Reparse Point Tag Value: 0xA000001D
  - bit [0] - Is Microsoft tag set: True
  - bit [1] - Is High Latency set: True
  - bit [2] - Is Name surrogate set: True
  - bit [3] - Can have children set: False
  - [0x130] Reparse Point Tag: IO_REPARSE_TAG_LX_SYMLINK
  - [0x138] Flags: 0x02000000
  - [0x13C] SymLink Target: ../Pacific/Pitcairn
- [0x130] Reparse Point usage: WSL to represent a UNIX symbolic link
- [0x134] Size of Reparse Data: 23
- [0x138] Resident Content
```



```
[0x118] ID: 00003, Type: C0000000 - $Reparse_Point
- [0x11C] Attribute Length: 32
- [0x120] Attribute Non-Resident Status: Resident
- [0x121] Length of Stream Name: 0
- [0x122] Offset to Stream Name: 0
- [0x126] Attribute ID: 3
- [0x128] Resident Content Size: 8
- [0x12C] Resident Content Offset: 24
- [0x130] Reparse Point Tag Value: 0x80000025
  - bit [0] - Is Microsoft tag set: True
  - bit [1] - Is High Latency set: False
  - bit [2] - Is Name surrogate set: False
  - bit [3] - Can have children set: False
  - [0x130] Reparse Point Tag: IO_REPARSE_TAG_LX_CHR
- [0x130] Reparse Point usage: WSL to represent a UNIX character special file
- [0x134] Size of Reparse Data: 0
- [0x138] Resident Content
```