

1 Motivation

This document presents an intuitive explanation of the *Carathéodory Criterion* from measure theory.

2 Introduction

In measure theory, after defining the **outer measure** (denoted as λ^*) we need to define sets that are measurable as not all the sets are measurable, for instance *Vitali set*. Hence,

Definition 2.1. Let Ω be a space and with $E \subset \Omega$. E is **measurable** if and only if for all subset of Ω denoted as A , not necessarily measurable

$$\lambda^*(A) = \lambda^*(A \cap E) + \lambda^*(A \cap E^c)$$

An interesting fact about A is that it may be (and usually is) non-measurable. But why does it work in the first place even for *non-measurable* A ? Let's start with a reminder what an outer measure and its intuition is.

3 Outer measure

Definition 3.1. An outer measure is a map denoted as $\lambda^* : \Omega \rightarrow \mathbb{R}^+$ that satisfies the following properties:

1. $\lambda^*(\emptyset) = 0$
2. $A \subset B \subset \Omega \implies \lambda^*(A) \leq \lambda^*(B)$
3. $\lambda^*(\cup A_n) \leq \sum \lambda^*(A_n)$

Definition 3.2. The Lebesgue outer measure of a set $E \subset \mathbb{R}^n$ is

$$\lambda^*(E) = \inf \{ \sum \lambda(V_i) \mid E \subset \cup V_i \}$$

with $(V_i)_{i \in I}$ a family of boxes such that $E \subset \cup_{i \in I} V_i$.

Exercise 3.1. Are these two definitions equivalent? Provide a proof or a counterexample.

Intuitively, we look for the smallest set of measurable sets (boxes) that cover E .




Figure 1: Searching for infimum of covers of E . The black space is our set E , blue rectangles are the boxes of the $(V_i)_{i \in I}$ family. On the right, the rectangles are smaller lead to less amount of white spaces taking into account.

That is the intuitive way of the *Lebesgue Outer Measure* (see the definition 3.2). We look for smaller boxes and better placements to cover over set E in order to find the smallest size of such cover.

In the rest of this explanation we suppose that the blue box on the right of the Figure 1 is the smallest box we can take to cover any set to calculate the outer measure.

4 Carathéodory criterion

Let's introduce non-measurable set (in our simplified sense) and measurable set (in the same sense):




Figure 2: The set on the left is non measurable because it is not "pretty enough" to cover it with boxes. However, the one on the right is covered with the boxes ideally without any white space.

Remark. The "unpretty" set on the left from the Figure 2 is actually measurable by Lebesgue Measure. However, we introduce it as a metaphor to overly complex structure for an example of "non-measurable".

This unprettiness on the left of the non measurable set is the key to understand the Carathéodory criterion, let's take a set A and draw them together with "unpretty" E :




Figure 3: The set A with the set E

Let's take a look at how to approximate its outer measure with boxes:




Figure 4: An outer measure of the set A covered by boxes

If E is measurable, then for our chosen A , we must have

$$\lambda^*(A) = \lambda^*(A \cap E) + \lambda^*(A \cap E^c)$$

That is to say, that if we split A on the parts of E and its complement, the sum of the measures of the splitted parts equals to the measure of A , let's take a look on the split of A :




Figure 5: The set A splitted by E

Let's now approxiamnte the outer measure.




Figure 6: Approximation of the outer measure of the two parts of the set A

As you can see, those "unpretty" parts of E divide A into two subsets with "branches" that require more boxes to cover them thus we get inequality:

$$\lambda^*(A) < \lambda^*(A \cap E) + \lambda^*(A \cap E^c)$$

Let's now see an example with a measurable E .



Figure 7: A , measurable E and the split of A by E

Now the border of the split look nicer and with the cover:




Figure 8: Coverage of the two parts of the A

As you can see, the nice border allows us to use the same number of boxes as we needed to cover A , thus we get an equality:

$$\lambda^*(A) = \lambda^*(A \cap E) + \lambda^*(A \cap E^c)$$

5 Important nuances

- The "Non-Measurable" Drawings Are Just Analogies: This is the most significant simplification. The "unpretty" black blob shown in the figures (e.g., Figure 3) is, technically, a Lebesgue measurable set. Truly non-measurable sets, like the Vitali set, are so pathologically complex that they cannot be drawn. They are composed of a completely disconnected "dust" of points. The drawing is a metaphor for the extreme boundary complexity that causes the Carathéodory criterion to fail.
- The Covering Process: The presented process of "covering" oversimplifies the idea of real covering and the measure, that of an outer measure by imagining a single grid of "the smallest box". In reality, the definition of outer measure involves finding the infimum—the greatest lower bound—of the sum of volumes of all possible countable collections of boxes that cover the set, with boxes of any size and position. The core idea of covering presented here efficiency still holds true under this precise definition.

6 Conclusion

The Carathéodory criterion is a **definition** of a *measurable* set thus is a fundamental part of the Measure Theory. This explanation may *not* be correct or rigorous. However, it should help to find an intuition behind the concept that seem to be unintuitive.