

Sample space and probability

The following laws of set algebra may be useful:

Commutative law

$$A \cup B = B \cup A$$

$$A \cap B = B \cap A$$

Associative law

$$(A \cup B) \cup C = A \cup (B \cup C)$$

$$(A \cap B) \cap C = A \cap (B \cap C)$$

Distributive law

$$A \cup (B \cap C) = (A \cup B) \cap (A \cup C)$$

$$A \cap (B \cup C) = (A \cap B) \cup (A \cap C)$$

De Morgan's law

$$(A \cap B)^c = A^c \cup B^c$$

Sets

Consider rolling a six-sided die. Let A be the set of outcomes where the roll is an even number. Let B be the set of outcomes where the roll is greater than 3. Calculate the sets on both sides of De Morgan's Laws¹

$$(A \cup B)^c = A^c \cap B^c, \quad (A \cap B)^c = A^c \cup B^c$$

Ghostbusting

Twenty ghostbusters are on their annual camping retreat. Two of them, Abe and Betty, have discovered that another pair, Candace and Dan, are in fact ghosts posing as ghostbusters. Abe and Betty hatch a plan: When all 20 campers are sitting in a circle around the campfire, Abe will fire his proton pack at Candace, and Betty will simultaneously fire her proton pack at Dan, annihilating the ghosts. However, if two proton streams cross (that is, if the paths of their weapons intersect), it means the end of all life on Earth.

If the ghostbusters are arranged randomly around the fire, what are the chances that Abe and Betty will cross streams?²

¹BT 1.1.1

²The Riddler, page 71

Calculate probabilities in a sample space S

Events A and B are contained within a sample space S . Given that $\Pr(A) = 0.5$, $\Pr(B) = 0.3$ and $\Pr(A \cap B) = 0.1$, find:³

a. $\Pr(A \cup B)$

b. $\Pr(A \cap B^c)$

c. $\Pr[(A \cap B^c) \cup (B \cap A^c)]$

Silly campaigns, polling is for political scientists

A political campaign in New Haven, CT decides to conduct an “experiment” to determine the effectiveness of knocking on a door in turning a resident of that house out to vote. The campaign foolishly denies an offer from a team of political scientists to help them design a protocol for this experiment, and instead directs their two teams of volunteers to each select a random group of the 120 total houses in the district and to go knock on as many of those random doors as they can in the week before the election. The campaign manager directs the teams to count the number of doors on which they knock and to record the names of the residents who live in each house, but neglects to ensure that the two teams select a mutually exclusive set of houses, or to set bounds on how many houses each team chooses.

On election day, the Team 1 members return, and proudly report to the campaign manager that they knocked on 70% of the doors in the electoral district. The Team 2 members return shortly after, and report that they knocked on 40% of the doors in the electoral district. In looking over the names the teams recorded, the campaign manager quickly determines that not only was every house in the district contacted, but some houses were contacted by both teams. (This will make drawing inferences about the effectiveness of door knocking ... difficult.)

³Grimmer HW 8.4

Use what we have learned about probability to determine how many houses had their doors knocked on by both teams.⁴

Rolling the dice

We roll two fair 6-sided dice. Each one of the 36 possible outcomes is assumed to be equally likely.⁵

- a. Find the probability that doubles are rolled.

- b. Given that the roll results in a sum of 4 or less, find the conditional probability that doubles are rolled.

- c. Find the probability that at least one die roll is a 6.

- d. Given that the two dice land on different numbers, find the conditional probability that at least one die roll is a 6.

A two-envelope puzzle

The release of two out of three prisoners has been announced, but their identity is kept secret. One of the prisoners considers asking a friendly guard to tell him who is the prisoner other than himself that will be released, but hesitates based on the following rationale: at the prisoner's present state of knowledge, the probability of being released is $2/3$, but after he knows the answer, the probability of being released will become $1/2$, since there will be two prisoners (including himself) whose fate is unknown and exactly one of the two will be released. What is wrong with this line of reasoning?⁶

⁴Grimmer HW 8.5

⁵BT 1.14

⁶BT 1.24

Survey Says

A survey has 52% respondents 50 or older and 48% respondents under 50. Within the survey, on a particular question, 9.5% of the 50-plus population agrees strongly while 1.7% of under 50 respondents agree strongly.

1. What is the probability someone selected at random is 50 or older?
2. The selected individual strongly agrees with the survey question. Now what is the likelihood that person is 50 or older? Explain your reasoning and **SHOW ALL YOUR WORK**
3. Are the two answers above the same or different? Explain.
4. (for fun, no points) What is the survey question?