3 pages 1

```
Source | Model | Option | Model Option | Help on mc methods | Archived Tests
```

mc_dupire

Input parameters:

- \bullet Number of iterations N
- Generator_Type
- \bullet Increment inc
- Confidence Value

Output parameters:

- \bullet Price P
- Error Price σ_P
- Delta δ
- Error delta σ_{δ}
- Price Confidence Interval: $IC_P = [Inf Price, Sup Price]$
- Delta Confidence Interval: $IC_{\delta} = [Inf Delta, Sup Delta]$

Monte Carlo valuation of the european call in a general Black-Scholes model

This procedure is dedicated to the computation of the price and delta of the european call when the underlying evolves according to the following stochastic differential equation:

```
dS_t = S_t((r-q)dt + \sigma(t, S_t)dW_t) for 0 < t < T
```

where r is the risk free annual interest rate, q the annual dividend yield and σ the volatility measure. This dynamics generalizes the standard Black Scholes model in the following sense: the volatility $\sigma(t, S_t)$ is no longer a constant but may depend on the time t and the stock S_t .

3 pages 2

Instead of discretizing this stochastic differential equation, it is better to deal with the logarithm of the stock $X_t = \ln(S_t)$ which satisfies:

$$dX_t = \sigma(t, e^{X_t})dW_t + (r - q - \sigma^2(t, e^{X_t})/2)dt$$

The corresponding Euler scheme is defined inductively by

$$\begin{cases}
\hat{X}_{0}^{x} = x \\
\hat{X}_{(k+1)\Delta t}^{x} = \hat{X}_{k\Delta t}^{x} + \sigma(k\Delta t, e^{\hat{X}_{k\Delta t}^{x}})(W_{(k+1)\Delta t} - W_{k\Delta t}) \\
+ (r - q - \sigma^{2}(k\Delta t, e^{\hat{X}_{k\Delta t}^{x}}/2))\Delta t
\end{cases} \tag{1}$$

The time step Δt is given by t/M where t is the time to maturity for the Call option and the number M is fixed by the user. The approximate price and delta of the call option with strike K are respectively obtained by computing

$$E[e^{-rt}(e^{\hat{X}_T^{\ln S_0}} - K)^+]$$

$$E[e^{-rt}(e^{\hat{X}_T^{\ln(S_0+h)}} - K)^+ - e^{\hat{X}_T^{\ln S_0}} - K)^+)/h]$$

by the Monte-Carlo method. The finite difference step used in the approximation of the delta is h=0.0001.

To improve the precision, we use a variance reduction method. We compute $\bar{\sigma}$:

$$\bar{\sigma} = 1/T(10S_0 - S_0/10) \int_0^T \int_{S_0/10}^{10S_0} \sigma(t, x) dx dt$$

and construct control variables based on the standard Black Scholes model with constant volatility $\bar{\sigma}$.

Let:

$$\bar{X}_t = \sum_{k=1}^{M} (W_{(k+1)\Delta t} - W_{k\Delta t}) * \bar{\sigma} + (r - q - \bar{\sigma}^2/2) * t$$

The price and delta of the European Call with strike K are obtained by computing:

$$E[e^{-rt}((e^{\hat{X}_t^{\ln S_0}} - K)^+ - (S_0 e^{\bar{X}_t} - K)^+)]$$
 (2)

$$E[e^{-rt}/h((e^{\hat{X}_t^{\ln(S_0+h)}}-K)^+ - ((S_0+h)e^{\bar{X}_t}-K)^+ - (e^{\hat{X}_t^{\ln S_0}}-K)^+ + (S_0e^{\bar{X}_t}-K)^+)]$$
(3)

by the Monte Carlo method and adding respectively the Black Scholes price and delta in the standard model with constant volatility $\bar{\sigma}$.

3 pages

```
/* Initialization */
```

After initialization of the variable h,

```
/* Explicit Euler scheme */
```

we compute $\hat{X}_T^{\ln S_0}$ and $\hat{X}_T^{\ln(S_0+h)}$ by the Euler scheme. Of course, the same brownian increments $W_{(k+1)\Delta t} - W_{k\Delta t}$ are used in the calculation of $\hat{X}_T^{\ln S_0}$ and $\hat{X}_T^{\ln(S_0+h)}$ and their sum $\sum_{k=1}^M (W_{(k+1)\Delta t} - W_{k\Delta t})$ is stored in order to compute \bar{X}_t .

```
/* Monte-Carlo's method */
```

The expectation (2) and (3) are approximated by the Monte-Carlo method. \bar{X}_t is calculated for each iteration. The number N of iterations in this method is fixed by the user:

```
/* reduction variance method */
```

Then to obtain the calculated call option price, we use the reduction variance method as explained before.

/* the confidence interval, confidence upper bound, and confidence lower bound given at 95 per cent */

Finally, we use the central limit theorem to give a confidence interval at 95 per cent for the price and the delta of the european call.