2 pages 1

```
Help
#include "stdnd.h"
static NumFunc_nd putgeomamer_nd=
 PutGeom nd,
  {{"Strike",PDOUBLE,{100},ALLOW,SETABLE},{" ",PREMIA_NULLT
    YPE, {0}, FORBID, SETABLE}},
  CHK call
};
static TYPEOPT PutGeomAmer nd=
                  {"Size", PINT, {1}, FORBID, UNSETABLE},
  /*Size*/
 /*Maturity*/
                 {"Maturity",DATE,{0},ALLOW,SETABLE},
  /*PayOff*/
                 {"Payoff", NUMFUNC_ND, {0}, FORBID, SETABLE},
 /*EurOrAmer*/ {"Amer",BOOL,{1},FORBID,UNSETABLE},
};
static int OPT(Init)(Option *opt, Model *mod)
  TYPEOPT* pt=( TYPEOPT*)(opt->TypeOpt);
  VAR* ptMod=(VAR*)(mod->TypeModel);
  if (opt->init == 0)
    {
      opt->init = 1;
       opt->HelpFilenameHint = "putgeomamer";
      opt->nvar = 4;
      opt->nvar_setable=2;
      pt->PayOff.Val.V NUMFUNC ND=&putgeomamer nd;
      (pt->Maturity).Val.V DATE=1.0;
      pt->EuOrAm.Val.V_BOOL=AMER;
      (pt->PayOff.Val.V NUMFUNC ND)->Par[0].Val.V PDOUBLE=1
    00.;
    }
  pt->Size.Val.V_PINT=ptMod[0].Val.V_INT;
  return OK;
}
```

2 pages

MAKEOPT(PutGeomAmer_nd);

References