

## Help

```

#include "hullwhite2d_std.h"
#include "hullwhite2d_includes.h"
#include "pnl/pnl_cdf.h"

//The "#else" part of the code will be freely available after the (year of creation of this file + 2)
#if defined(PremiaCurrentVersion) && PremiaCurrentVersion < (2009+2)
int CALC(CF_ZBCALLHW2D)(void *Opt,void *Mod,PricingMethod *Met)
{
return AVAILABLE_IN_FULL_PREMIA;
}
static int CHK_OPT(CF_ZBCALLHW2D)(void *Opt, void *Mod)
{
return NONACTIVE;
}
#else

// Volatility of an european option on a ZC bond P(T,S)
static double cf_ZB0volatility2d(double a,double sigma1,
double b,double sigma2,double rho, double t, double T, double S)
{
double sigma_p;
double exp_atT, exp_btT, exp_aTS, exp_bTS;
double sigma3, eta, rhoG2;

sigma3 = sqrt(SQR(sigma1) + SQR(sigma2)/((b-a)*(b-a)) +
2*rho*sigma1*sigma2/(b-a));
eta = sigma2 / (a-b);
rhoG2 = (sigma1*rho - eta)/sigma3 ;

exp_atT = exp(-a*(T-t));
exp_btT = exp(-b*(T-t));

exp_aTS = exp(-a*(S-T));
exp_bTS = exp(-b*(S-T));

/* B_TS = (1 - exp_aTS) / a; */

```

```

/* U = (exp_aTS - 1) * exp_atT/(a*(a-b)); //(1/exp_aS -
1/exp_aT)/(a*(a-b)); */
/* V = (exp_bTS - 1) * exp_btT/(b*(a-b)); // (1/exp_bS
- 1/exp_bT)/(b*(a-b)); */

sigma_p = SQR(sigma3)*SQR(1-exp_aTS)*(1-SQR(exp_atT))/
(2*CUB(a)) ;

sigma_p += SQR(eta)*SQR(1-exp_bTS)*(1-SQR(exp_btT))/(2*
CUB(b));

sigma_p += 2*rhoG2*sigma3*eta*(1-exp_aTS)*(1-exp_bTS)*
(1-exp_atT*exp_btT)/(a*b*(a+b)) ;

sigma_p = sqrt(sigma_p);

return sigma_p;
}

static int cf_zbcall2d(int flat_flag,double r,double u,
double a,double sigma1,double b,double sigma2,double rho,double
S,double T,NumFunc_1 *p,double *price)
{
double PtS,PtT, X;
double h, sigma_p;

ZCMarketData ZCMarket;
/* Flag to decide to read or not ZC bond datas in "ini
tialyields.dat" */
/* If P(0,T) not read then P(0,T)=exp(-r0*T) */
if(flat_flag==0)
{
ZCMarket.FlatOrMarket = 0;
ZCMarket.Rate = r;
}

else
{
ZCMarket.FlatOrMarket = 1;
ReadMarketData(&ZCMarket);
}
}

```

```

        if(S > GET(ZCMarket.tm,ZCMarket.Nvalue-1))
        {
            printf("{nError : time bigger than the last time
value entered in initialyield.dat{n");
            exit(EXIT_FAILURE);
        }
    }

    sigma_p = cf_ZB0volatility2d( a, sigma1, b, sigma2, rho, 0, 0, T, S);

    X=p->Par[0].Val.V_DOUBLE; // Strike

    PtT=cf_hw2d_zcb(&ZCMarket, a, sigma1, b, sigma2, rho, 0, r, u, T);

    PtS=cf_hw2d_zcb(&ZCMarket, a, sigma1, b, sigma2, rho, 0, r, u, S);

    h= log(PtS/(PtT*X)) / sigma_p + 0.5 * sigma_p ;

    *price = PtS * cdf_nor(h) - X * PtT * cdf_nor(h-sigma_p);

    DeleteZCMarketData(&ZCMarket);

    return OK;
}

int CALC(CF_ZBCALLHW2D)(void *Opt,void *Mod,PricingMethod *Met)
{
    TYPEOPT* ptOpt=(TYPEOPT*)Opt;
    TYPEMOD* ptMod=(TYPEMOD*)Mod;

    return  cf_zbcall1d( ptMod->flat_flag.Val.V_INT,
                        MOD(GetYield)(ptMod),
                        ptMod->InitialYieldsu.Val.V_PDOUNB
                        LE,
                        ptMod->aR.Val.V_DOUBLE,

```

```

        ptMod->SigmaR.Val.V_PDOUBLE,
        ptMod->bu.Val.V_DOUBLE,
        ptMod->Sigmau.Val.V_PDOUBLE,
        ptMod->Rho.Val.V_PDOUBLE,
        ptOpt->BMaturity.Val.V_DATE-ptMod->
T.Val.V_DATE,
        ptOpt->OMaturity.Val.V_DATE-ptMod->
T.Val.V_DATE,
        ptOpt->PayOff.Val.V_NUMFUNC_1,
        &(Met->Res[0].Val.V_DOUBLE));
}
static int CHK_OPT(CF_ZBCALLHW2D)(void *Opt, void *Mod)
{
    return strcmp( ((Option*)Opt)->Name,"ZeroCouponCallBondEuro");
}
#endif //PremiaCurrentVersion

static int MET(Init)(PricingMethod *Met,Option *Opt)
{
    if ( Met->init == 0)
    {
        Met->init=1;
    }

    return OK;
}

PricingMethod MET(CF_ZBCALLHW2D)=
{
    "CF_ZBCallEuroHW2D",
    {" ",PREMIA_NULLTYPE,{0},FORBID}},
    CALC(CF_ZBCALLHW2D),
    {"Price",DOUBLE,{100},FORBID}/*,{"Delta",DOUBLE,{100},FORBID}
    /*,{" ",PREMIA_NULLTYPE,{0},FORBID}},
    CHK_OPT(CF_ZBCALLHW2D),
    CHK_ok,
    MET(Init)
} ;

```

## References