```
Help
#include "pnl/pnl integration.h"
         "lmm stochvol piterbarg stdi.h"
#include
#include "math/lmm stochvol piterbarg/lmm stochvol piterbarg.h
#include "math/lmm_stochvol_piterbarg/ap_averagingtech_lmmpit.h
#include "enums.h"
#if defined(PremiaCurrentVersion) && PremiaCurrentVersion <</pre>
     (2010+2) //The "#else" part of the code will be freely av
    ailable after the (year of creation of this file + 2)
static int CHK OPT(AP Swaption LmmPit)(void *Opt, void *
    Mod)
{
 return NONACTIVE;
int CALC(AP_Swaption_LmmPit)(void *Opt, void *Mod, Pricing
   Method *Met)
 return AVAILABLE_IN_FULL_PREMIA;
#else
int func premia swaption(int InitYieldCurve flag, double R
    flat, double Var SpeedMeanReversion, double Var Volatility,
                         double SkewsParams a, double Skew
    sParams_b, double SkewsParams_c, double SkewsParams_d,
                         double VolsParams_a, double Vols
    Params b, double VolsParams c, double VolsParams d,
                         double Tn, double Tm, double perio
    d, double swaption strike, double Nominal, int Payer
    Receiver, int FlagClosedFormula_in, double *price)
{
  int NbrVolFactors=1;
  StructLmmPiterbarg *LmmPiterbarg;
  PnlMat *SkewsParams = pnl_mat_create_from_list(4, 1, Skew
    sParams a, SkewsParams b, SkewsParams c, SkewsParams d);
  PnlMat *VolsParams = pnl_mat_create_from_list(4, 1, Vols
    Params_a, VolsParams_b, VolsParams_c, VolsParams_d);
```

```
LmmPiterbarg = SetLmmPiterbarg(InitYieldCurve flag, R fla
    t, period, Tm, Var_SpeedMeanReversion, Var_Volatility, NbrV
    olFactors, SkewsParams, VolsParams);
  *price = cf_lmm_stochvol_piterbarg_swpt(LmmPiterbarg, Tn,
     Tm, period, swaption strike, Nominal, Payer Receiver, Fla
    gClosedFormula_in);
 FreeLmmPiterbarg(&LmmPiterbarg);
 pnl mat free(&SkewsParams);
 pnl_mat_free(&VolsParams);
 return OK;
}
int CALC(AP_Swaption_LmmPit)(void *Opt,void *Mod,Pricing
   Method *Met)
 TYPEOPT* ptOpt=(TYPEOPT*)Opt;
 TYPEMOD* ptMod=(TYPEMOD*)Mod;
  int Payer Receiver = 1;
  if(((ptOpt->PayOff.Val.V NUMFUNC 1)->Compute)==&Call)
      Payer_Receiver = -1;
    }
 return func_premia_swaption(
                                  ptMod->Flag_InitialYield
    Curve.Val.V INT,
                                  MOD(GetYield)(ptMod),
                                  ptMod->Var_SpeedMeanReversion.h
    al.V PDOUBLE,
                                  ptMod->Var Volatility.Val
    .V_PDOUBLE,
                                  ptMod->SkewsParams_a.Val.
    V PDOUBLE,
                                  ptMod->SkewsParams_b.Val.
    V_PDOUBLE,
```

```
ptMod->SkewsParams c.Val.
    V PDOUBLE,
                                   ptMod->SkewsParams_d.Val.
    V PDOUBLE,
                                   ptMod->VolsParams_a.Val.
    V PDOUBLE,
                                   ptMod->VolsParams_b.Val.
    V PDOUBLE,
                                   ptMod->VolsParams_c.Val.
    V_PDOUBLE,
                                   ptMod->VolsParams_d.Val.
    V PDOUBLE,
                                   ptOpt->OMaturity.Val.V_DA
    TE-ptMod->T.Val.V_DATE,
                                   ptOpt->BMaturity.Val.V_DA
    TE-ptMod->T.Val.V DATE,
                                   ptOpt->ResetPeriod.Val.V_
    DATE,
                                   ptOpt->FixedRate.Val.V_
    PDOUBLE,
                                   ptOpt->Nominal.Val.V_PDO
    UBLE,
                                   Payer Receiver,
                                   Met->Par[0].Val.V_ENUM.
    value,
                                   &(Met->Res[0].Val.V
    DOUBLE));
}
static int CHK OPT(AP Swaption LmmPit)(void *Opt, void *
    Mod)
{
  if ((strcmp(((Option*)Opt)->Name, "PayerSwaption")==0) ||
    (strcmp(((Option*)Opt)->Name, "ReceiverSwaption")==0))
    return OK;
  else
    return WRONG;
#endif //PremiaCurrentVersion
```

```
static int MET(Init)(PricingMethod *Met,Option *Opt)
  if ( Met->init == 0)
    {
      Met->init=1;
      Met->Par[0].Val.V_ENUM.value=0;
      Met->Par[0].Val.V_ENUM.members=&PremiaEnumAveraging;
  return OK;
}
PricingMethod MET(AP_Swaption_LmmPit)=
  "AP_Swaption_LmmPit",
    {"Averaging Vol", ENUM, {100}, ALLOW},
    {" ",PREMIA_NULLTYPE, {0}, FORBID}},
  CALC(AP_Swaption_LmmPit),
  {{"Price",DOUBLE,{100},FORBID},{" ",PREMIA_NULLTYPE,{0},
    FORBID}},
  CHK_OPT(AP_Swaption_LmmPit),
  CHK ok,
 MET(Init)
} ;
```

## References