

```

    Help
extern "C"{
#include "temperedstable1d_vol.h"
}
#include "math/numerics.h"
extern "C"{

#if defined(PremiaCurrentVersion) && PremiaCurrentVersion <
    (2008+2) //The "#else" part of the code will be freely av
    ailable after the (year of creation of this file + 2)
static int CHK_OPT(AP_REPL1_VARIANCESWAP)(void *Opt, void *
    Mod)
{
    return NONACTIVE;
}
int CALC(AP_REPL1_VARIANCESWAP)(void *Opt,void *Mod,Pricing
    Method *Met)
{
return AVAILABLE_IN_FULL_PREMIA;
}
#else

    //-----
    -----
static int ap_cgmy_varswap_repl1(double S0, double Strike
    , double T, double r, double divid, double ap, double am,
    double lap,double lam,double cpp,double cmm, double *fairval,
    double *ptprice)
{
    //S0 is a forward price
    double *replStrikes;
    double *replOptions;
    double *replWeights;
    int *CallPuts;
    int flag;
    double strikестep=0.05*S0, kfirst=0.5*S0;
    double pvfactor=exp(-r*T);

    int k, k0, res, replN=22;
    double optprice, tweight, tstrike, tprice;

```

```

replStrikes = new double[replN];
replOptions = new double[replN];
replWeights = new double[replN];
CallPuts = new int[replN];

tprice=0.0;

tstrike=S0;
k=0;
flag=1;
while((k<replN)&&(flag))
{
    replStrikes[k]=kfirst+k*strikestep;
    CallPuts[k]=(S0<=replStrikes[k]);
    flag=!CallPuts[k];
    k++;
}

k0=k-2;
for(;k<replN;k++)
{
    replStrikes[k]=kfirst+k*strikestep;
    CallPuts[k]=1;
}

//weights for puts
tweight=0;
tstrike=replStrikes[k0+1];
for(k=k0;k>=0;k--)
{
    replWeights[k] = -(replStrikes[k]-tstrike)/(replStri
kes[k]*replStrikes[k]);
    tweight+= replWeights[k];
    res=iac_kobol_europut(CallPuts[k], lam, lap, am, ap,
cmm, cpp, r, T, /*tstrike*/replStrikes[k], S0*pvfactor, 0.
00000001, &optprice);
    if(res) {return 1;}
    replOptions[k]=optprice;
    tstrike = replStrikes[k];
    tprice += replOptions[k]*replWeights[k];
}

```

```

//weights for calls
tweight=0;
tstrike=replStrikes[k0];
for(k=k0+1;k<replN;k++)
{
    replWeights[k] = (replStrikes[k]-tstrike)/(replStrike
s[k]*replStrikes[k]);
    tweight+= replWeights[k];
    res=iac_kobol_europut(CallPuts[k], lam, lap, am, ap,
cmm, cpp, r, T, /*tstrike*/replStrikes[k], S0*pvfactor, 0.
00000001, &optprice);
    if(res) {return 1;}
    replOptions[k]=optprice;
    tsstrike = replStrikes[k];
    tprice+= replOptions[k]*replWeights[k];
}

//portfolio value
tprice*=2.0/T;

//fair strike of variance swap, in annual volatility po
ints
*fairval= sqrt(tprice/pvfactor)*100;
// strike in variance points
kfirst = pvfactor*Strike*Strike;
// price of var swap
*ptprice= tprice*10000-kfirst;

delete [] replStrikes;
delete [] replOptions;
delete [] replWeights;
delete [] CallPuts;

return OK;
}

int CALC(AP_REPL1_VARIANCESWAP)(void *Opt,void *Mod,Prici
ngMethod *Met)
{

```

```

TYPEOPT* ptOpt=(TYPEOPT*)Opt;
TYPEMOD* ptMod=(TYPEMOD*)Mod;
double r, divid, strike, spot;
NumFunc_1 *p;

r=log(1.+ptMod->R.Val.V_DOUBLE/100.);
divid=log(1.+ptMod->Divid.Val.V_DOUBLE/100.);
p=ptOpt->PayOff.Val.V_NUMFUNC_1;
strike=p->Par[0].Val.V_DOUBLE;
spot=ptMod->S0.Val.V_DOUBLE;

return ap_cgmy_varswap_repl1(
    spot, strike, ptOpt->Maturity.Val.V_DATE-ptMod->T.
    Val.V_DATE, r, divid, ptMod->AlphaPlus.Val.V_PDOUBLE, pt
    Mod->AlphaMinus.Val.V_PDOUBLE, ptMod->LambdaPlus.Val.V_PDOUB
    LE, ptMod->LambdaMinus.Val.V_PDOUBLE, ptMod->CPlus.Val.V_PDO
    UBLE, ptMod->CMinus.Val.V_PDOUBLE,
    &(Met->Res[0].Val.V_DOUBLE), &(Met->Res[1].Val.V_
    DOUBLE));
}

static int CHK_OPT(AP_REPL1_VARIANCESWAP)(void *Opt, voi
    d *Mod)
{
    if ((strcmp( ((Option*)Opt)->Name,"VarianceSwap")==0))
        return OK;

    return WRONG;
}

#endif //PremiaCurrentVersion
static int MET(Init)(PricingMethod *Met,Option *Opt)
{
    static int first=1;

    if (first)
    {
        first=0;
        Met->HelpFilenameHint = "ap_cgmy_varswap_repl1";
    }
}

```

```

    return OK;
}

PricingMethod MET(AP_REPL1_VARIANCESWAP)=
{
    "AP_CGMY_VARSWAP_REPL1",
    { {" ",PREMIA_NULLTYPE,{0},FORBID}},
    CALC(AP_REPL1_VARIANCESWAP),
    { {"Fair strike in annual volatility points",DOUBLE,{
    100},FORBID},
      {"Price in 10000 variance points",DOUBLE,{100},FORB
ID},
      {" ",PREMIA_NULLTYPE,{0},FORBID}},
    CHK_OPT(AP_REPL1_VARIANCESWAP),
    CHK_ok ,
    MET(Init)
} ;

/*////////////////////////////////////////*/
}

```

## References