


Halliday/Resnick/Walker **Fundamentals of Physics 8th edition**

Classroom Response System Questions

Chapter 28 Magnetic Fields


Interactive Lecture Questions

28.2.1. Consider the two rectangular areas shown with a point P located at the midpoint between the two areas. The rectangular area on the left contains a bar magnet with the south pole near point P. The rectangle on the right is initially empty. How will the magnetic field at P change, if at all, when a second bar magnet is placed on the right rectangle with its south pole near point P?



- a) The direction of the magnetic field will not change, but its magnitude will decrease.
- b) The direction of the magnetic field will not change, but its magnitude will increase.
- c) The magnetic field at P will be zero tesla.
- d) The direction of the magnetic field will change and its magnitude will increase.
- e) The direction of the magnetic field will change and its magnitude will decrease.

28.2.3. What is the direction of the magnetic field at the point P, directly below a point at the center of the magnet? The numbered arrows represent various directions. Direction “1” is to the right, “2” to the left, “3” is upward, “4” is downward, and “5” is toward you.



- a) 1
- b) 2
- c) 3
- d) 4
- e) 5

28.2.4. Two rods are resting on a table. Although they appear to be identical, one is a permanent magnet and the other is made from soft iron and is not permanently magnetized. Which one of the following methods is most likely to reveal which rod is the magnet and which is the soft iron?

- a) Take one of the rods and touch it to each end of the other rod.
- b) Use a magnetic monopole to find the end of one of the rods that repels it.
- c) Move a compass along each rod to see if the compass needle behaves as it should in a magnetic field.
- d) There is no way to tell the difference between the two rods.

28.3.1. A negatively-charged particle travels parallel to magnetic field lines within a region of space. Which one of the following statements concerning the force exerted on the particle is true?

- a) The force is directed perpendicular to the magnetic field.
- b) The force is perpendicular to the direction in which the particle is moving.
- c) The force slows the particle.
- d) The force accelerates the particle.
- e) The force has a magnitude of zero newtons.

28.3.3. Which one of the following statements concerning the magnetic force on a charged particle in a magnetic field is true?

- a) The magnitude of the force is largest when the particle is not moving.
- b) The force is zero if the particle moves perpendicular to the field.
- c) The magnitude of the force is largest when the particle moves parallel to the direction of the magnetic field.
- d) The force depends on the component of the particle's velocity that is perpendicular to the field.
- e) The force acts in the direction of motion for a positively charged particle.

28.5.1. Two metal bars, A and B, are identical in all ways, except that bar B has twice the width of A. The bars are parallel to each other, but far apart from each other, in a uniform magnetic field and carry the same amount of current in a direction perpendicular to the field. How does the Hall voltage of bar B compare to that of bar A?

- a) The Hall voltage for bar B will be four times greater than that of bar A.
- b) The Hall voltage for bar B will be two times greater than that of bar A.
- c) The Hall voltage for bar B will be the same as that of bar A.
- d) The Hall voltage for bar B will be one-half that of bar A.
- e) The Hall voltage for bar B will be one-fourth that of bar A.

28.7.1. Ernest O. Lawrence, of the University of California, Berkeley, invented the cyclotron in 1929. A more modern version was completed in 1961 at the Lawrence-Livermore Laboratory that has a radius of 88 inches. What is the frequency of circular motion at the “88-incher” if protons are circulating in a magnetic field of 0.48 T?

- a) 1.4×10^6 Hz
- b) 4.5×10^6 Hz
- c) 7.3×10^6 Hz
- d) 3.6×10^5 Hz
- e) 9.7×10^4 Hz


28.8.3. Small charged disks are inserted into a larger, insulating disk. A compass is placed near the larger disk and points due north as shown. The larger disk is then rotated uniformly counterclockwise (as viewed from above). What, if anything, will happen?

a) The north end of the compass will move toward the large disk as it rotates.

b) The north end of the compass will move away from the large disk as it rotates.

c) The compass will not be affected by the motion of the large disk.

d) The north end of the compass will oscillate toward and away from the large disk as it rotates.



28.10.1. Consider the relationships between the directions of the torque acting on a magnetic dipole in a magnetic field, the magnetic field, and the magnetic dipole moment. Which one of the following statements regarding these directions is true?

- a) The torque is parallel to both the magnetic field and the dipole moment.
- b) The torque is perpendicular to the magnetic field, but parallel to the dipole moment.
- c) The torque is parallel to the magnetic field, but perpendicular to the dipole moment.
- d) The torque is perpendicular to both the magnetic field and the dipole moment.